

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1000C	8.71	1.11	0.43	1.62	102%	0.08	26	10	PETE	4.0
1001C	8.56	1.15	0.42	1.22	77%	0.08	26	10	PETE	4.0
1007C	7.09	0.94	0.39	1.11	70%	0.06	27	10	BM	3.9
1008C	8.63	1.10	0.46	2.22	139%	0.07	25	10	BM	4.0
1009C	8.59	1.05	0.37	1.61	101%	0.09	25	10	BM	4.1
1010C	9.60	1.16	0.43	1.54	97%	0.09	25	10	IRON	4.1
1011C	9.47	1.10	0.47	1.78	111%	0.09	25	10	MAG	4.1
1012C	10.25	1.31	0.38	1.43	90%	0.08	27	10	MAG	4.0
1054C	9.26	1.25	0.45	1.93	121%	0.10	26	10	SBET	4.9
1061C	9.46	1.22	0.38	1.85	116%	0.09	27	10	EZ\$	4.1
1062C	9.11	1.14	0.47	1.21	76%	0.08	27	10	DUKE	4.0
1063C	7.31	0.93	0.42	1.89	119%	0.09	27	10	BERAL	4.1
1064C	10.43	1.28	0.47	1.63	102%	0.08	27	10	BERAL	4.0
1065C	8.97	1.31	0.41	1.42	89%	0.09	27	10	BM	4.1
1401C	9.99	1.10	0.48	1.66	112%	0.11	27	10	RST	5.0
1402C	9.22	1.05	0.40	1.16	78%	0.10	26	10	WOR	4.9
1407C	10.49	1.25	0.45	2.40	162%	0.10	25	10	BONA	4.9
1408C	9.31	1.12	0.41	1.22	82%	0.09	25	10	BONA	4.1
1410C	10.07	1.26	0.43	1.93	130%	0.10	26	10	TPAC	4.9
1413C	10.12	1.18	0.41	1.63	110%	0.07	29	10	TPAC	4.0
1417C	7.95	1.04	0.39	2.33	157%	0.08	27	10	BONA	4.0
1421C	8.47	0.97	0.49	1.15	77%	0.10	26	10	BONA	4.9
1703C	10.61	1.09	0.49	1.18	80%	0.07	26	10	BIS	4.0
1706C	8.75	0.88	0.38	0.64	43%	0.08	26	10	SPHD	4.0
1707C	9.08	1.06	0.46	0.19	13%	0.05	27	10	FA	3.1
1711C	9.33	1.14	0.41	0.93	63%	0.08	28	10	MOJO	4.0
1712C	9.77	1.11	0.55	0.39	26%	0.07	26	10	HAYD	4.0
1713C	9.66	1.08	0.40	0.69	47%	0.07	25	10	SPHD	4.0
1714C	10.04	1.04	0.42	0.98	66%	0.07	26	10	SPHD	4.0
1715C	9.76	1.16	0.38	1.12	75%	0.07	25	10	MOJO	4.0
1716C	8.34	0.99	0.41	1.52	102%	0.08	25	10	HAYD	4.0
1717C	8.41	1.08	0.43	1.40	94%	0.09	25	10	HAYD	4.1
1718C	10.79	1.25	0.43	1.94	131%	0.08	27	10	SPHD	4.0
1721C	8.81	1.01	0.45	1.17	79%	0.07	25	10	HAYD	4.0
1722C	10.90	1.25	0.41	2.45	165%	0.11	25	10	HAYD	5.0
1727C	9.36	1.18	0.42	1.69	114%	0.10	27	10	HAYD	4.9
1728C	10.01	1.20	0.44	1.02	68%	0.07	28	10	MOJO	4.0
1730C	9.52	1.10	0.42	0.79	53%	0.07	25	10	HAYD	4.0
1732C	8.87	1.08	0.45	1.76	118%	0.08	25	10	HAYD	4.0
1733C	8.43	1.18	0.34	1.56	104%	0.07	24	10	MOJO	4.0
1735C	9.12	1.01	0.47	1.19	80%	0.09	27	10	HAYD	4.1
1740C	9.97	1.28	0.40	1.63	110%	0.08	26	10	HAYD	4.0
1744C	8.77	1.20	0.43	2.34	157%	0.08	29	10	MOJO	4.0
1745C	7.49	0.98	0.40	1.46	98%	0.07	29	10	MOJO	4.0
1746C	7.60	0.98	0.44	2.27	152%	0.08	29	10	HAYD	4.0
1821C	8.22	1.11	0.40	1.35	73%	0.08	25	10	HYDN	4.0
1863C	8.83	1.07	0.39	1.66	104%	0.09	25	10	AMLO	4.1
1903C	9.07	1.22	0.47	1.63	88%	0.07	26	10	HYDN	4.0
1907C	9.79	1.25	0.39	1.90	96%	0.10	25	10	ZEK	4.9
1918C	8.19	1.17	0.41	2.42	122%	0.07	26	10	RBN	4.0
1929C	8.60	1.11	0.42	2.27	123%	0.08	25	10	TDR	4.0
1933C	7.32	0.90	0.37	1.90	103%	0.08	25	10	HYDN	4.0
1934C	8.23	1.04	0.41	1.98	107%	0.10	24	10	STOP	4.9
1938C	7.92	1.02	0.49	1.39	70%	0.08	25	10	BALL	4.0
1940C	9.72	1.11	0.42	2.38	129%	0.10	26	10	BONA	4.9
1944C	9.10	1.23	0.40	1.52	77%	0.07	29	10	HYDN	4.0

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1946C	7.49	0.95	0.36	2.31	125%	0.08	24	10	AMLO	4.0
1947C	9.03	1.16	0.41	1.94	98%	0.07	26	10	RBN	4.0
1950C	9.79	1.28	0.41	1.55	78%	0.07	28	10	RBN	4.0
1952C	10.00	1.29	0.40	2.11	106%	0.09	28	10	BNB	4.1
1953C	9.62	1.27	0.42	2.64	143%	0.07	24	10	BRYN	4.0
1956C	8.33	0.96	0.37	1.85	100%	0.07	28	10	RGR	4.0
1958C	8.42	1.04	0.42	1.51	82%	0.07	25	10	STOP	4.0
1959C	10.94	1.31	0.48	1.67	90%	0.07	28	10	BONA	4.0
1960C	9.27	1.10	0.46	1.62	87%	0.08	25	10	HYDN	4.0
1962C	9.20	1.08	0.35	2.32	126%	0.07	25	10	YODA	4.0
1963C	9.14	1.30	0.46	1.26	68%	0.07	25	10	BRYN	4.0
1965C	8.51	1.14	0.40	1.43	77%	0.08	25	10	STOP	4.0
1966C	11.11	1.23	0.43	2.15	116%	0.10	29	10	BRYN	4.9
1967C	9.08	1.02	0.45	1.85	100%	0.08	24	10	YODA	4.0
1969C	9.35	1.21	0.40	2.49	125%	0.10	25	10	BNB	4.9
1971C	10.19	1.16	0.44	1.68	91%	0.07	26	10	RGR	4.0
1972C	8.08	0.99	0.47	2.03	110%	0.08	26	10	STOP	4.0
1975C	9.83	1.21	0.43	1.04	56%	0.09	27	10	RGR	4.1
1976C	9.83	1.20	0.44	2.06	111%	0.07	24	10	SEYE	4.0
1977C	8.87	1.10	0.39	1.72	93%	0.07	24	10	SEYE	4.0
1979C	7.11	0.87	0.37	2.72	147%	0.08	25	10	AMLO	4.0
1980C	9.56	1.16	0.44	2.24	113%	0.09	27	10	BNB	4.1
1982C	8.91	1.11	0.41	2.25	122%	0.08	25	10	BONA	4.0
1983C	10.16	1.15	0.40	1.98	107%	0.08	25	10	BONA	4.0
1984C	7.84	1.06	0.50	1.37	74%	0.06	27	10	BONA	3.9
1986C	9.70	1.25	0.44	2.73	147%	0.08	25	10	YODA	4.0
1987C	7.52	0.98	0.44	1.51	82%	0.07	26	10	YODA	4.0
1988C	7.49	1.01	0.43	1.21	66%	0.06	25	10	SEYE	3.9
1990C	9.80	1.35	0.39	1.81	98%	0.08	26	10	YODA	4.0
1992C	8.55	1.11	0.43	1.68	91%	0.06	26	10	SEYE	3.9
1994C	8.86	1.13	0.45	1.82	92%	0.07	26	10	BSHT	4.0
1995C	7.65	0.91	0.42	1.64	89%	0.08	24	10	YODA	4.0
1996C	8.80	1.06	0.42	1.44	78%	0.07	30	10	RGR	4.0
1997C	8.63	1.12	0.37	2.36	119%	0.08	26	10	BALL	4.0
1999C	9.53	1.23	0.42	2.06	104%	0.08	26	10	ZEK	4.0
2000C	8.87	1.17	0.45	1.88	102%	0.08	25	10	YODA	4.0
2300C	9.31	1.07	0.51	1.58	80%	0.09	27	10	HPT	4.1
2307C	10.05	1.16	0.42	2.64	133%	0.09	26	10	HPT	4.1
2311C	10.69	1.21	0.42	1.46	73%	0.09	26	10	HPT	4.1
2324C	9.71	1.14	0.44	2.46	124%	0.08	25	10	FRTR	4.0
2325C	8.31	1.03	0.46	1.28	64%	0.07	25	10	FRTR	4.0
2337C	9.14	1.09	0.42	2.67	134%	0.10	26	10	VGRD	4.9
2369C	8.74	1.09	0.40	1.93	97%	0.08	25	10	RST	4.0
2374C	11.24	1.17	0.46	1.83	92%	0.10	28	10	RST	4.9
2375C	9.60	1.02	0.46	1.28	64%	0.09	26	10	RST	4.1
2379C	9.96	1.04	0.48	2.09	105%	0.09	29	10	RST	4.1
2382C	8.18	0.92	0.37	2.60	131%	0.08	24	10	TPAC	4.0
2383C	9.85	1.02	0.45	1.84	93%	0.07	26	10	TPAC	4.0
2384C	10.67	1.27	0.41	2.22	112%	0.09	24	10	VGRD	4.1
2386C	8.10	1.05	0.36	2.30	116%	0.09	25	10	VGRD	4.1
2388C	8.40	0.96	0.41	1.27	64%	0.06	26	10	TPAC	3.9
2450C	9.73	1.17	0.40	1.39	87%	0.08	30	10	OPRG	4.0
2451C	9.96	1.24	0.47	2.08	131%	0.08	24	10	OPRG	4.0
2452C	9.44	1.18	0.39	2.26	142%	0.10	26	10	OPRG	4.9
2455C	8.74	1.10	0.43	1.23	77%	0.07	25	10	OPRG	4.0
2460C	11.11	1.32	0.48	1.31	82%	0.07	25	10	OPRG	4.0

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2461C	9.07	1.16	0.42	1.36	85%	0.09	27	10	OPRG	4.1
2462C	8.55	1.01	0.45	1.55	97%	0.08	29	10	OPRG	4.0
2463C	8.60	1.15	0.38	1.31	82%	0.07	26	10	OPRG	4.0
2464C	8.83	33.95	0.41	2.11	133%	0.09	26	10	OPRG	4.1
2505C	8.42	1.10	0.46	2.04	137%	0.13	25	10	BERAL	5.1
2507C	10.42	1.07	0.45	1.41	95%	0.11	26	10	BERAL	5.0
2510C	11.25	1.21	0.46	1.91	128%	0.08	26	10	MAG	4.0
2600C	8.26	1.03	0.42	2.94	198%	0.09	27	10	BERAL	4.1
2651C	9.15	1.06	0.44	0.94	59%	0.07	25	10	YANC	4.0
2653C	10.75	1.29	0.39	1.79	112%	0.08	25	10	YANC	4.0
3300C	7.31	1.03	0.43	2.45	124%	0.07	25	10	VPR	4.0
3301C	9.38	1.10	0.36	1.47	74%	0.07	25	10	VPR	4.0
3302C	9.90	1.13	0.42	1.74	88%	0.08	25	10	VPR	4.0
3303C	9.08	1.09	0.36	1.89	95%	0.07	24	10	VPR	4.0
3305C	7.68	1.01	0.41	2.21	111%	0.08	24	10	VPR	4.0
3306C	6.60	1.05	0.36	2.48	125%	0.07	24	10	VPR	4.0
4001C	8.84	1.15	0.45	1.86	109%	0.07	25	10	JBS	4.0
4002C	9.84	1.15	0.43	1.51	88%	0.06	30	10	JBS	3.9
4004C	8.63	1.14	0.42	1.81	106%	0.07	24	10	HQ	4.0
4005C	10.19	1.27	0.41	1.30	98%	0.09	28	10	HQ	4.1
4006C	8.62	1.19	0.47	1.06	62%	0.07	30	10	CHNK	4.0
4010C	10.56	1.17	0.43	1.25	94%	0.08	27	10	JBG	4.0
4011C	7.06	0.95	0.42	0.74	43%	0.06	25	10	JBG	3.9
4012C	10.05	1.31	0.49	1.80	105%	0.07	27	10	JBG	4.0
4013C	10.12	1.25	0.43	2.11	123%	0.08	25	10	JBG	4.0
4014C	10.91	1.28	0.45	1.74	130%	0.08	30	10	JBG	4.0
4016C	9.01	1.22	0.47	2.75	161%	0.08	25	10	JBS	4.0
4019C	8.59	1.04	0.48	1.25	73%	0.07	26	10	HQ	4.0
4021C	7.87	1.11	0.44	1.44	108%	0.07	28	10	HQ	4.0
4022C	7.52	0.97	0.38	1.10	64%	0.07	26	10	HQ	4.0
4023C	7.73	1.05	0.40	1.17	68%	0.07	27	10	JBOY	4.0
4025C	8.86	1.14	0.45	1.29	75%	0.07	25	10	JBOY	4.0
4026C	8.71	1.06	0.43	1.93	113%	0.08	27	10	ANGL	4.0
4027C	8.49	1.03	0.44	1.74	102%	0.07	25	10	ANGL	4.0
4028C	9.44	1.31	0.53	1.64	96%	0.08	26	10	CHNK	4.0
4029C	8.10	1.05	0.47	1.82	107%	0.06	24	10	COHI	3.9
4204C	8.45	1.04	0.38	1.67	98%	0.07	24	10	NEWT	4.0
4205C	8.65	1.05	0.44	1.33	78%	0.06	26	10	NEWT	3.9
4210C	10.03	1.14	0.41	1.21	71%	0.10	26	10	NEWT	4.9
4228C	8.99	0.92	0.44	1.25	73%	0.09	25	10	CH	4.1
4417C	9.04	1.24	0.37	2.46	135%	0.08	25	10	BMNT	4.0
4427C	8.72	1.08	0.34	1.96	107%	0.07	25	10	JULN	4.0
4431C	9.27	1.20	0.45	1.16	64%	0.07	28	10	JULN	4.0
4434C	9.23	1.13	0.45	2.12	116%	0.08	26	10	JULN	4.0
4436C	8.96	1.22	0.45	1.77	97%	0.08	26	10	JULN	4.0
4437C	8.56	1.08	0.37	1.57	86%	0.08	25	10	YANK	4.0
4440C	10.16	1.26	0.49	1.12	61%	0.09	26	10	BMNT	4.1
4552C	10.13	1.22	0.46	2.11	123%	0.08	25	10	SPUD	4.0
4553C	10.13	1.25	0.45	3.00	164%	0.08	28	10	SPUD	4.0
4554C	9.91	1.36	0.38	1.46	80%	0.09	28	10	SPUD	4.1
4555C	9.60	1.09	0.49	1.71	93%	0.09	29	10	SPUD	4.1
4556C	9.42	1.05	0.47	1.52	113%	0.09	25	10	SCT	4.1
4557C	11.19	1.20	0.43	1.85	101%	0.08	28	10	SCT	4.0
4558C	9.57	1.10	0.47	2.41	132%	0.08	26	10	SCT	4.0
4559C	10.16	1.18	0.46	1.94	106%	0.08	28	10	SCT	4.0
4560C	9.99	1.22	0.46	2.01	110%	0.08	27	10	SCT	4.0

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
4561C	8.66	1.04	0.44	2.35	129%	0.08	28	10	SCT	4.0
4600C	10.06	1.31	0.43	2.80	121%	0.08	27	10	LBR	4.0
4601C	9.82	1.16	0.47	2.08	89%	0.09	26	10	ALV	4.1
4602C	9.96	1.32	0.42	2.60	112%	0.11	26	10	ALV	5.0
4604C	8.93	1.30	0.44	2.75	118%	0.07	27	10	ALV	4.0
4605C	9.62	1.20	0.49	1.45	63%	0.08	28	10	ALV	4.0
4607C	8.17	1.22	0.46	1.92	83%	0.08	27	10	ALV	4.0
4650C	9.27	1.20	0.37	2.09	90%	0.07	25	10	MTBL	4.0
4651C	6.93	0.98	0.39	2.16	93%	0.09	25	10	MTBL	4.1
4652C	7.41	1.02	0.34	2.19	94%	0.07	25	10	MTBL	4.0
4654C	7.10	0.87	0.43	2.66	115%	0.08	24	10	MTBL	4.0
4655C	7.77	1.06	0.44	3.43	148%	0.09	25	10	MTBL	4.1
4656C	7.23	1.06	0.37	2.43	105%	0.07	24	10	MTBL	4.0
4657C	7.56	1.06	0.33	1.90	82%	0.08	26	10	MTBL	4.0
4658C	7.03	0.98	0.47	2.08	90%	0.08	25	10	MTBL	4.0
4659C	7.10	0.89	0.39	1.53	66%	0.09	25	10	MTBL	4.1
4660C	7.29	1.15	0.37	3.00	129%	0.10	25	10	MTBL	4.9
4700C	7.33	1.07	0.38	1.86	114%	0.08	25	10	WT	4.0
4711C	9.82	1.21	0.43	1.78	109%	0.07	27	10	JBOY	4.0
4716C	9.69	1.27	0.47	1.92	117%	0.08	25	10	STONE	4.0
4717C	8.86	1.04	0.47	2.82	172%	0.11	29	10	STONE	5.0
4718C	9.63	1.12	0.49	1.02	62%	0.08	29	10	STONE	4.0
4719C	8.19	1.09	0.42	1.69	103%	0.07	27	10	STONE	4.0
4722C	8.91	1.16	0.43	1.17	72%	0.09	26	10	STONE	4.1
4724C	9.86	0.04	0.38	1.99	122%	0.08	25	10	STONE	4.0
4727C	10.36	1.21	0.42	2.32	142%	0.09	28	10	RDMAG	4.1
4900C	8.90	1.06	0.46	1.29	75%	0.07	26	10	WRVR	4.0
4909C	6.51	0.98	0.33	2.34	137%	0.07	24	10	WEST	4.0
4911C	8.23	0.96	0.40	1.84	108%	0.08	29	10	WEST	4.0
4914C	7.67	1.00	0.39	2.15	126%	0.08	25	10	CROP	4.0
4915C	8.40	1.17	0.40	2.15	126%	0.07	25	10	COHI	4.0
4916C	8.18	1.15	0.39	1.38	81%	0.07	25	10	COHI	4.0
4917C	8.72	1.09	0.42	2.31	135%	0.08	24	10	COHI	4.0
4918C	9.00	1.09	0.41	1.69	99%	0.08	29	10	COHI	4.0
4920C	7.56	0.03	0.37	2.31	135%	0.07	27	10	COHI	4.0
4922C	9.08	1.03	0.45	1.85	139%	0.09	25	10	BALL	4.1
5023C	10.32	1.25	0.45	0.75	41%	0.06	28	10	HARV	3.9
5027C	8.44	1.00	0.39	2.07	113%	0.10	25	10	HPL	4.9
5028C	8.58	1.12	0.40	2.29	125%	0.08	26	10	HPL	4.0
5043C	11.14	1.23	0.40	1.89	103%	0.09	26	10	HARV	4.1
5044C	9.56	1.13	0.41	2.45	134%	0.09	27	10	HD	4.1
5046C	10.07	1.17	0.46	1.32	72%	0.08	26	10	HPL	4.0
5047C	8.33	1.07	0.40	2.02	110%	0.08	25	10	HARV	4.0
5049C	8.60	1.20	0.46	2.38	130%	0.07	28	10	HPL	4.0
5050C	7.80	1.01	0.46	1.63	89%	0.09	27	10	HPL	4.1
5051C	9.09	1.03	0.45	1.34	73%	0.08	25	10	HARV	4.0
5054C	9.33	1.06	0.41	1.09	60%	0.08	28	10	HARV	4.0
5057C	9.18	1.18	0.46	2.07	113%	0.08	29	10	HD	4.0
5058C	8.12	1.11	0.42	0.84	46%	0.07	27	10	HARV	4.0
5059C	9.82	1.14	0.43	1.85	101%	0.08	25	10	HD	4.0
5062C	8.87	0.96	0.40	1.33	73%	0.08	30	10	HD	4.0
5063C	7.79	1.14	0.39	1.40	76%	0.08	28	10	HARV	4.0
5066C	8.11	1.02	0.39	2.69	147%	0.09	24	10	HD	4.1
5070C	9.62	1.11	0.43	2.24	122%	0.09	27	10	HD	4.1
5071C	6.52	0.95	0.39	1.75	96%	0.09	26	10	HPL	4.1
5072C	9.48	1.04	0.42	1.72	94%	0.10	28	10	MS-AR	4.9

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
5100C	8.18	1.16	0.44	2.28	139%	0.08	27	10	JBG	4.0
5101C	9.44	1.17	0.44	0.91	55%	0.08	28	10	JBG	4.0
5102C	8.03	1.14	0.45	1.50	92%	0.07	26	10	JBG	4.0
5104C	8.98	1.20	0.42	1.95	119%	0.07	28	10	JBG	4.0
5105C	9.44	1.20	0.39	1.31	80%	0.07	28	10	GS	4.0
5106C	9.90	1.22	0.40	2.06	126%	0.08	25	10	GS	4.0
5107C	8.57	1.22	0.37	2.04	125%	0.07	28	10	GS	4.0
5108C	9.31	1.31	0.45	2.38	146%	0.09	30	10	GS	4.1
5109C	9.48	1.28	0.41	1.83	112%	0.10	27	10	WRVR	4.9
5110C	9.19	1.27	0.58	2.25	138%	0.06	26	10	WRVR	3.9
5112C	8.98	1.25	0.48	2.27	139%	0.08	29	10	WRVR	4.0
5115C	9.31	1.28	0.43	1.20	73%	0.07	25	10	WRVR	4.0
5116C	7.22	1.07	0.35	1.11	68%	0.07	26	10	WRVR	4.0
5118C	9.46	1.19	0.41	0.69	42%	0.07	26	10	WRVR	4.0
5119C	8.61	1.12	0.42	1.24	76%	0.07	27	10	DJT	4.0
5120C	10.18	1.35	0.38	1.05	64%	0.07	26	10	DJT	4.0
5121C	8.65	1.12	0.43	1.18	72%	0.07	27	10	DJT	4.0
5122C	8.50	0.11	0.46	1.00	61%	0.07	28	10	DJT	4.0
5125C	8.54	1.07	0.37	0.84	51%	0.06	28	10	DJT	3.9
5126C	8.10	1.05	0.43	1.00	61%	0.07	26	10	DJT	4.0
5127C	9.08	1.18	0.37	1.92	118%	0.09	25	10	DJT	4.1
5128C	9.24	1.40	0.38	1.88	115%	0.07	29	10	DJT	4.0
5129C	8.70	1.33	0.37	1.57	96%	0.06	25	10	DJT	3.9
5130C	8.96	1.16	0.42	2.30	141%	0.08	26	10	DJT	4.0
5131C	9.03	1.11	0.44	0.92	56%	0.08	27	10	DJT	4.0
5142C	8.61	1.22	0.40	2.00	122%	0.08	25	10	COHI	4.0
5201C	8.27	1.06	0.42	2.25	97%	0.08	27	10	UNIT	4.0
5203C	7.90	1.06	0.43	2.32	100%	0.08	26	10	UNIT	4.0
5205C	7.74	0.94	0.43	2.18	94%	0.07	25	10	RROC	4.0
5211C	8.11	1.11	0.43	2.22	96%	0.07	26	10	SPUD	4.0
5218C	7.77	1.06	0.41	1.52	65%	0.08	25	10	SPUD	4.0
5221C	8.60	1.02	0.43	1.96	84%	0.08	25	10	KSOL	4.0
5223C	7.18	0.93	0.48	2.40	103%	0.07	24	10	KSOL	4.0
5224C	11.30	1.33	0.47	1.95	146%	0.08	25	10	RROC	4.0
5225C	9.72	1.26	0.41	2.47	106%	0.09	27	10	KSOL	4.1
5226C	6.83	0.98	0.41	2.35	101%	0.08	27	10	KSOL	4.0
5228C	8.36	1.09	0.53	1.55	67%	0.08	26	10	RROC	4.0
5231C	6.35	0.97	0.35	2.05	88%	0.07	25	10	KSOL	4.0
5238C	7.20	0.88	0.41	2.16	93%	0.07	25	10	KSOL	4.0
5239C	7.34	1.05	0.40	2.65	114%	0.09	26	10	RROC	4.1
5241C	7.38	1.10	0.35	1.31	57%	0.07	24	10	RROC	4.0
5726C	7.48	0.92	0.40	2.43	105%	0.10	27	10	YEAG	4.9
5728C	6.91	1.06	0.38	2.53	109%	0.08	24	10	YEAG	4.0
5729C	8.01	1.05	0.38	2.00	86%	0.07	25	10	BCH	4.0
5731C	7.01	1.00	0.37	2.69	116%	0.07	25	10	BCH	4.0
5740C	6.85	0.95	0.39	2.76	119%	0.09	27	10	JBG	4.1
5741C	7.35	0.93	0.38	3.21	139%	0.08	25	10	JBG	4.0
5742C	6.92	1.00	0.42	2.70	117%	0.07	25	10	YEAG	4.0
5743C	8.40	1.06	0.45	3.39	146%	0.09	25	10	YEAG	4.1
5844C	10.17	1.17	0.41	1.22	91%	0.07	27	10	ID	4.0
5845C	9.12	1.10	0.46	0.75	56%	0.08	28	10	ID	4.0
5846C	8.71	1.14	0.42	1.58	92%	0.07	24	10	5GLD	4.0
5849C	9.84	1.20	0.43	0.87	65%	0.07	26	10	ID	4.0
5850C	8.35	1.11	0.45	2.04	119%	0.07	25	10	5GLD	4.0
5902C	10.53	1.10	0.45	1.95	114%	0.08	25	10	MIZ	4.0
5904C	11.22	1.06	0.39	1.34	100%	0.15	28	10	MIZ	5.1

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
5906C	10.15	1.26	0.42	1.94	114%	0.08	24	10	MIZ	4.0
5907C	8.06	0.86	0.36	0.93	69%	0.07	25	10	MIZ	4.0
5909C	11.98	1.14	0.45	1.12	84%	0.08	28	10	MIZ	4.0
5913C	11.10	1.29	0.50	1.50	88%	0.07	26	10	MIZ	4.0
5914C	8.57	1.03	0.41	1.92	112%	0.09	26	10	MIZ	4.1
5915C	9.54	1.07	0.48	1.55	91%	0.08	27	10	MIZ	4.0
5917C	9.22	1.01	0.37	1.43	107%	0.07	25	10	MIZ	4.0
5918C	8.26	1.02	0.38	1.92	112%	0.08	26	10	MIZ	4.0
7000C	10.79	1.27	0.40	1.33	122%	0.10	25	10	HQ	4.9
7001C	9.75	1.18	0.40	1.14	104%	0.07	28	10	COLF	4.0
7200C	9.04	1.11	0.44	0.72	65%	0.07	28	10	YANC	4.0
7201C	10.97	1.26	0.43	0.89	81%	0.08	28	10	UNIT	4.0
7300C	10.67	1.08	0.42	1.44	132%	0.09	30	10	MIZ	4.1
7600C	10.92	1.25	0.46	1.77	162%	0.08	26	10	SPUD	4.0
7601C	11.47	1.31	0.44	1.41	129%	0.08	27	10	SPUD	4.0
7602C	9.35	1.02	0.43	1.20	110%	0.08	30	10	PF	4.0
7603C	10.19	1.20	0.45	1.29	117%	0.06	26	10	BERAL	3.9
7604C	10.14	1.11	0.40	0.74	67%	0.06	28	10	BUCK	3.9
7605C	10.11	1.11	0.52	0.68	62%	0.07	29	10	DPR	4.0
7606C	10.52	38.94	0.48	0.64	58%	0.09	25	10	DPR	4.1
7607C	9.58	0.93	0.50	1.05	96%	0.07	28	10	RENO	4.0
7608C	9.03	1.09	0.38	1.12	102%	0.09	29	10	SCT	4.1
7902C	10.79	1.27	0.39	0.71	65%	0.06	28	10	BPWD	3.9
7903C	9.40	1.03	0.41	0.71	65%	0.07	25	10	BPWD	4.0
7908C	9.08	0.95	0.44	0.75	68%	0.08	27	10	24Z	4.0
7912C	10.29	1.11	0.46	1.68	153%	0.08	26	10	24Z	4.0
7913C	7.99	0.99	0.43	1.08	98%	0.08	26	10	24Z	4.0
7914C	9.99	1.17	0.48	1.57	143%	0.07	28	10	COLF	4.0
9801C	9.86	1.11	0.44	0.75	76%	0.06	26	10	WTG	3.9
9803C	9.24	1.17	0.55	1.23	124%	0.04	27	10	WTG	3.0