

For CPs

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1216F	10.49	1.37	0.46	3.20	134%	0.15	30	10	PROS	4.9
1217F	8.57	1.33	0.43	3.17	132%	0.11	25	10	ECL	4.1
1218F	10.24	1.38	0.47	3.24	135%	0.16	29	10	ECL	4.9
1220F	8.27	1.32	0.45	2.67	112%	0.10	26	10	MROE	4.0
1221F	8.2	1.01	0.46	2.41	101%	0.13	26	10	PROS	4.1
1222F	7.27	1.11	0.40	3.13	131%	0.09	26	10	PROS	4.0
1223F	8.26	1.20	0.45	3.35	140%	0.18	28	10	PROS	5.0
1225F	7.34	1.07	0.35	3.47	145%	0.11	25	10	PROS	4.1
1227F	10.21	1.60	0.35	2.71	113%	0.11	26	10	PROS	4.1
1228F	8.41	1.13	0.47	2.82	118%	0.11	28	10	PROS	4.1
1229F	9.03	1.49	0.48	1.71	71%	0.09	29	10	PROS	4.0
1500F	8.06	0.99	0.45	3.23	135%	0.11	26	10	MLGT	4.1
1502F	8.45	1.07	0.45	3.37	141%	0.17	29	10	R2	4.9
1503F	7.95	1.08	0.40	2.95	123%	0.08	26	10	R2	4.0
1504F	9.11	1.39	0.43	2.22	93%	0.10	26	10	COVR	4.0
1505F	7.75	1.10	0.38	2.94	123%	0.08	25	10	SMR	4.0
1507F	9.26	1.43	0.44	2.30	96%	0.11	26	10	SMSC	4.1
1514F	9	1.22	0.46	2.82	118%	0.11	27	10	COVR	4.1
1516F	7.55	1.19	0.43	1.98	83%	0.10	27	10	SMSC	4.0
1517F	8.07	1.41	0.45	1.64	68%	0.08	25	10	COVR	4.0
1518F	7.74	1.20	0.45	2.76	116%	0.08	28	10	COVR	4.0
1701F	9.04	1.12	0.45	2.45	102%	0.15	28	10	MOJO	4.9
1702F	9.45	1.26	0.47	3.05	127%	0.12	26	10	MOJO	4.1
1703F	8.06	1.16	0.46	2.57	107%	0.08	25	10	MOJO	4.0
1706F	8.33	1.11	0.40	2.27	95%	0.14	27	10	DT	4.1
1800F	7.15	0.99	0.50	2.46	103%	0.07	26	10	RMC	3.9
1801F	8.9	1.17	0.41	2.61	109%	0.15	28	10	RMC	4.9
1802F	7.57	1.12	0.57	0.62	26%	0.09	27	15	RMC	4.0
1803F	7.24	1.08	0.40	1.26	53%	0.05	27	10	RMC	3.9
1804F	7.78	1.24	0.46	3.28	137%	0.08	28	10	RMC	4.0
1805F	9.3	1.22	0.48	3.67	153%	0.20	29	10	RMC	5.1
1806F	6.82	0.93	0.43	2.80	117%	0.17	26	10	RMC	4.9
1807F	7.74	1.15	0.47	2.00	84%	0.12	26	10	RMC	4.1
1808F	8.42	1.14	0.48	2.68	112%	0.09	29	10	RMC	4.0
1809F	8.79	1.12	0.46	1.29	54%	0.05	28	15	RMC	3.9
1811F	9.5	1.15	0.41	2.76	115%	0.15	25	10	RMC	4.9
1812F	9.99	1.33	0.40	2.92	122%	0.11	27	10	RMC	4.1
1813F	8.36	1.19	0.47	2.42	101%	0.11	26	10	RMC	4.1
1814F	8.7	1.22	0.52	1.06	44%	0.06	27	15	RMC	3.9
1815F	8.23	1.22	0.45	3.22	135%	0.10	26	10	RMC	4.0
1816F	8.75	1.15	0.39	3.81	159%	0.17	27	10	RMC	4.9
1818F	8.1	1.00	0.43	1.32	55%	0.05	27	15	RMC	3.9
1819F	7.76	1.03	0.44	1.90	79%	0.08	26	10	RMC	4.0
1821F	6.39	1.15	0.48	2.33	97%	0.05	26	10	RMC	3.9
1822F	8.72	1.12	0.46	1.54	64%	0.17	28	10	RMC	4.9
1824F	8.1	1.18	0.49	2.21	92%	0.09	27	10	RMC	4.0
1825F	6.99	1.10	0.41	2.18	91%	0.09	26	10	RMC	4.0
1826F	8.48	1.48	0.38	2.68	112%	0.09	26	10	RMC	4.0
1827F	7.69	1.05	0.46	2.78	116%	0.10	28	10	RMC	4.0
1828F	8.76	1.38	0.37	2.68	112%	0.08	26	10	RMC	4.0
1829F	8	1.27	0.38	3.35	140%	0.10	26	10	RMC	4.0
1830F	8.38	1.18	0.55	3.82	160%	0.18	28	10	RMC	5.0
1831F	9.05	1.35	0.40	2.37	99%	0.09	25	10	RMC	4.0
1832F	8.97	1.11	0.45	2.27	95%	0.06	26	10	RMC	3.9
1833F	7.68	1.23	0.46	2.03	85%	0.10	26	10	RIC	4.0
1834F	8.04	1.11	0.55	2.85	119%	0.08	29	10	RIC	4.0
1835F	8.88	1.08	0.50	1.95	81%	0.08	26	10	RIC	4.0

For CPs

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1836F	8.87	1.16	0.40	3.47	145%	0.04	26	10	RIC	3.1
1837F	8.34	1.06	0.52	2.72	114%	0.16	26	10	RIC	4.9
1839F	9	1.19	0.47	2.14	90%	0.15	27	10	RIC	4.9
1840F	8.89	1.19	0.46	2.56	107%	0.08	27	10	RIC	4.0
1846F	6.72	1.19	0.45	2.72	114%	0.09	26	10	AMLO	4.0
1859F	9.24	1.19	0.46	1.54	64%	0.06	28	10	ECLR	3.9
1860F	11.22	1.45	0.46	2.16	90%	0.07	28	15	ECLR	3.9
1861F	7.63	1.22	0.50	2.09	88%	0.08	28	10	ECLR	4.0
1862F	7.47	0.94	0.43	1.54	64%	0.06	28	10	ECLR	3.9
1863F	7.84	1.13	0.48	1.01	42%	0.04	26	15	ECLR	3.1
1864F	8.41	1.16	0.42	2.33	97%	0.11	27	10	ECLR	4.1
1865F	7.65	1.13	0.50	0.97	40%	0.04	28	15	ECLR	3.1
1866F	8.54	1.36	0.49	1.24	52%	0.12	26	15	ECLR	4.1
1867F	9.48	1.40	0.42	2.64	110%	0.10	27	10	ECLR	4.0
1869F	9.61	1.34	0.43	2.52	105%	0.10	26	10	ECLR	4.0
1870F	7.97	1.04	0.46	1.39	58%	0.13	26	10	ECLR	4.1
1872F	9.44	1.32	0.48	1.82	76%	0.14	29	10	SCPR	4.1
1873F	10.46	1.46	0.41	2.37	99%	0.14	26	10	SCPR	4.1
1874F	9.11	1.33	0.39	2.32	97%	0.09	29	10	SCPR	4.0
1875F	8.33	1.20	0.43	2.58	108%	0.16	27	10	SCPR	4.9
1876F	8.38	1.41	0.44	3.48	146%	0.07	27	10	SCPR	3.9
1877F	7.83	1.22	0.48	3.06	128%	0.09	25	10	SCPR	4.0
1881F	7.55	1.13	0.41	1.85	77%	0.04	26	10	SCPR	3.1
1883F	7.8	1.21	0.42	2.53	106%	0.10	28	10	JAKE	4.0
1884F	7.59	1.34	0.45	1.52	63%	0.09	26	15	JAKE	4.0
1885F	10.24	1.47	0.46	2.46	103%	0.09	29	10	JAKE	4.0
1886F	7.2	1.07	0.36	1.52	64%	0.07	25	10	JAKE	3.9
1887F	9.13	1.37	0.43	2.38	100%	0.11	27	10	JAKE	4.1
1888F	9.1	1.11	0.50	2.82	118%	0.17	27	10	JAKE	4.9
1890F	8.28	1.39	0.45	1.90	80%	0.09	25	10	JAKE	4.0
1891F	7.91	1.12	0.47	1.74	73%	0.11	28	10	JAKE	4.1
1892F	9.4	1.35	0.52	3.69	154%	0.12	29	10	JAKE	4.1
1893F	7.84	1.16	0.44	2.50	104%	0.11	26	10	JAKE	4.1
1894F	7.87	1.07	0.47	2.27	95%	0.15	28	10	BRYN	4.9
1897F	10.44	1.43	0.43	1.81	75%	0.13	28	10	JAKE	4.1
1904F	10.24	1.31	0.49	2.61	109%	0.14	27	10	HUSK	4.1
1905F	6.92	1.16	0.45	1.70	71%	0.09	28	10	HUSK	4.0
1906F	8.39	1.39	0.37	1.75	73%	0.12	27	10	HUSK	4.1
1907F	7.82	1.24	0.44	2.77	116%	0.05	27	10	HUSK	3.9
1914F	7.73	1.18	0.47	2.36	99%	0.07	26	10	RMC	3.9
1915F	9.13	1.19	0.47	2.86	120%	0.08	25	10	RMC	4.0
1916F	6.91	1.12	0.42	2.50	105%	0.10	25	10	HIST	4.0
1917F	8.1	1.12	0.47	2.21	92%	0.12	27	10	HIST	4.1
1920F	7.91	1.15	0.42	2.22	93%	0.07	26	10	HIST	3.9
1922F	7.52	1.08	0.41	1.74	73%	0.07	26	10	HIST	3.9
1932F	8.51	1.31	0.47	2.64	111%	0.15	26	10	CFIR	4.9
1935F	8.81	1.30	0.52	2.15	90%	0.07	29	10	SCPR	3.9
1936F	8.76	1.30	0.47	2.70	113%	0.15	28	10	JAKE	4.9
1939F	9.4	1.37	0.44	1.76	74%	0.09	27	10	TILT	4.0
1940F	7.63	1.16	0.42	2.03	85%	0.08	27	10	TILT	4.0
1941F	8.58	1.30	0.44	1.34	56%	0.08	27	10	TILT	4.0
1942F	8.58	1.12	0.53	1.19	50%	0.17	27	15	TILT	4.9
1943F	7.19	1.13	0.40	2.62	110%	0.10	26	10	TILT	4.0
1944F	7.75	1.04	0.49	2.35	98%	0.07	26	10	TILT	3.9
1953F	8.27	1.26	0.49	1.35	56%	0.09	29	10	SHKY	4.0
1955F	8.46	1.15	0.50	1.53	64%	0.09	29	10	BUD	4.0
1956F	9.31	1.24	0.46	2.16	90%	0.14	27	10	BUD	4.1

For CPs

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1957F	8.81	1.28	0.40	2.73	114%	0.14	29	10	SHKY	4.1
1958F	10.44	1.63	0.44	1.89	79%	0.09	27	10	R2	4.0
1960F	8.84	1.37	0.48	3.09	129%	0.10	26	10	LBT	4.0
1962F	7.99	1.26	0.48	1.54	64%	0.06	28	15	RAZZ	3.9
1963F	8.78	1.24	0.49	3.42	143%	0.14	28	10	SHKY	4.1
1964F	6.31	1.10	0.47	1.94	81%	0.10	27	10	RAZZ	4.0
1970F	8.77	1.32	0.40	2.20	92%	0.14	26	10	R2	4.1
1971F	8.29	1.30	0.48	3.18	133%	0.10	28	10	SHKY	4.0
1974F	9	1.46	0.43	3.21	134%	0.08	26	10	SHKY	4.0
1975F	8.28	1.37	0.38	3.50	146%	0.08	27	10	MLGT	4.0
1977F	9.62	1.47	0.41	3.71	155%	0.15	26	10	SHKY	4.9
1978F	6.99	1.17	0.39	1.32	55%	0.07	28	10	BUD	3.9
1980F	5.32	1.04	0.38	1.24	52%	0.06	27	15	RAZZ	3.9
1984F	8.24	1.28	0.47	2.05	86%	0.14	26	10	RAZZ	4.1
1985F	7.42	1.34	0.48	0.66	28%	0.09	27	10	SHKY	4.0
1987F	7.94	1.15	0.47	0.69	29%	0.06	27	15	MLGT	3.9
1989F	8.88	1.14	0.46	2.53	106%	0.15	28	10	LBT	4.9
1990F	7.55	1.25	0.35	4.05	169%	0.09	26	10	RAZZ	4.0
1992F	6.58	1.18	0.44	2.76	115%	0.14	26	10	VIP	4.1
1993F	8.15	1.22	0.46	2.77	116%	0.12	29	10	SHKY	4.1
1995F	7.6	1.21	0.44	3.88	162%	0.17	27	10	LBT	4.9
1996F	7.3	1.26	0.40	1.53	64%	0.05	26	10	VIP	3.9
1998F	8.69	1.29	0.46	2.43	102%	0.10	26	10	ARS	4.0
2000F	7.78	1.19	0.45	2.61	109%	0.09	26	10	ARS	4.0
2001F	7.98	1.24	0.54	0.63	26%	0.03	27	10	BUD	3.1
2002F	7.26	1.12	0.43	3.23	135%	0.06	25	10	BO	3.9
2003F	8.26	1.31	0.47	2.89	121%	0.08	26	10	ARS	4.0
2008F	8.8	1.53	0.46	2.56	107%	0.09	27	10	MLGT	4.0
2009F	8.88	1.42	0.40	2.89	121%	0.08	26	10	RAZZ	4.0
2012F	6.79	1.02	0.49	2.76	115%	0.09	26	10	LBT	4.0
2014F	8.88	1.22	0.45	1.79	75%	0.14	27	10	BUD	4.1
2016F	8.32	1.25	0.43	3.77	158%	0.16	29	10	SHKY	4.9
2018F	9.31	1.25	0.48	3.00	126%	0.09	26	10	ARS	4.0
2027F	7.52	1.18	0.47	2.47	103%	0.10	28	10	BUD	4.0
2053F	9.05	1.17	0.42	2.61	109%	0.16	27	10	JAKE	4.9
2054F	9.46	1.24	0.54	0.41	17%	0.09	27	15	SKYW	4.0
2056F	7.43	0.97	0.48	1.42	59%	0.24	26	10	TSTK	5.2
2057F	7.83	1.18	0.50	0.80	34%	0.07	28	15	TSTK	3.9
2058F	9.11	1.33	0.50	1.79	75%	0.08	25	10	TSTK	4.0
2059F	7.91	1.10	0.46	1.74	73%	0.13	27	10	TSTK	4.1
2060F	6.64	1.06	0.46	0.99	42%	0.07	27	10	TSTK	3.9
2061F	8.84	1.24	0.42	2.22	93%	0.15	29	10	SKYW	4.9
2062F	8.86	1.27	0.48	1.70	71%	0.14	26	10	SKYW	4.1
2063F	9.42	1.24	0.52	1.44	60%	0.05	26	10	TSTK	3.9
2064F	8.88	1.16	0.44	2.25	94%	0.08	26	10	TSTK	4.0
2066F	9.57	1.32	0.38	1.53	64%	0.07	28	15	HHUNT	3.9
2067F	8.44	1.13	0.51	2.23	93%	0.08	27	10	TSTK	4.0
2068F	8.59	1.16	0.52	1.92	80%	0.04	27	10	TSTK	3.1
2084F	8.9	1.16	0.47	2.34	98%	0.09	25	10	BRYN	4.0
2094F	8.23	1.22	0.53	2.30	96%	0.13	28	10	SHKY	4.1
2098F	6.86	1.33	0.44	2.35	98%	0.09	26	10	SHKY	4.0
2103F	7.5	1.18	0.43	1.41	59%	0.08	27	15	TSTK	4.0
2108F	7.83	1.09	0.49	1.87	78%	0.06	28	10	ECLR	3.9
2900F	11.8	1.22	0.51	3.30	138%	0.18	28	10	RNGR	5.0
2901F	10.27	1.25	0.49	1.60	67%	0.15	27	10	RNGR	4.9
2902F	10.23	1.08	0.48	3.43	143%	0.17	26	10	RNGR	4.9
2905F	10.96	1.49	0.43	2.51	105%	0.14	27	10	RNGR	4.1

For CPs

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2906F	7.53	1.02	0.48	3.85	161%	0.19	24	10	RIP	5.0
2907F	9.84	1.32	0.42	3.09	129%	0.19	29	10	RNGR	5.0
2908F	10.04	1.50	0.44	2.10	88%	0.15	27	10	RNGR	4.9
2909F	11.9	1.41	0.43	3.06	128%	0.10	28	10	RNGR	4.0
2910F	10.63	1.28	0.42	2.63	110%	0.11	29	10	RNGR	4.1
2913F	9.13	1.17	0.45	3.13	131%	0.19	26	10	RIP	5.0
2914F	10.02	1.23	0.43	3.08	129%	0.24	28	10	RIP	5.2
2915F	9.64	1.34	0.54	2.43	102%	0.18	28	10	RIP	5.0
2916F	10.92	1.47	0.48	1.65	69%	0.09	29	10	RIP	4.0
2917F	10.42	1.28	0.47	3.13	131%	0.15	28	10	BUD	4.9
2918F	7.57	1.18	0.44	2.11	88%	0.09	26	10	RAZZ	4.0
2920F	8.74	1.24	0.50	2.51	105%	0.12	27	10	RIP	4.1
2921F	10.62	1.20	0.53	3.52	147%	0.17	25	10	RIP	4.9
2922F	9.74	1.20	0.49	2.25	94%	0.11	26	10	RNGR	4.1
2923F	8.79	1.08	0.46	2.06	86%	0.17	27	10	RIP	4.9
2924F	11.34	1.50	0.46	3.15	132%	0.15	29	10	RIP	4.9
2925F	10.34	1.37	0.46	2.83	118%	0.19	26	10	RIP	5.0
2926F	11.38	1.42	0.45	3.51	147%	0.17	26	10	RIP	4.9
2927F	8.37	1.19	0.41	3.03	126%	0.09	27	10	RIP	4.0
3126F	8.15	1.14	0.47	3.09	129%	0.08	25	10	R2	4.0
3127F	8.64	1.22	0.48	1.86	78%	0.11	27	10	RAZZ	4.1
3128F	8.1	1.30	0.47	2.84	119%	0.10	26	10	RAZZ	4.0
3130F	8.62	1.28	0.43	3.14	131%	0.11	25	10	LBT	4.1
3132F	9.87	1.40	0.46	3.72	155%	0.16	28	10	SHKY	4.9
3133F	10.68	1.77	0.41	3.26	136%	0.16	25	10	BUD	4.9
3134F	9.64	1.39	0.46	3.10	129%	0.13	27	10	BUD	4.1
3136F	6.69	1.09	0.41	3.42	143%	0.17	25	10	NPLM	4.9
3137F	9.36	1.28	0.43	2.67	112%	0.08	26	10	SHKY	4.0
3138F	8.39	1.24	0.41	4.05	169%	0.16	25	10	MLGT	4.9
3139F	8.25	1.30	0.41	2.94	123%	0.10	25	10	RAZZ	4.0
3140F	9.93	1.43	0.44	2.24	94%	0.09	27	10	LBT	4.0
3141F	6.73	1.14	0.46	2.02	85%	0.12	25	10	NPLM	4.1
3148F	6.52	1.13	0.40	3.07	128%	0.10	25	10	ARS	4.0
3417F	11.38	1.45	0.45	3.14	131%	0.10	25	10	ZEB	4.0
4602F	8.28	1.41	0.50	2.81	117%	0.08	25	10	5GLD	4.0
4613F	8.24	1.24	0.45	2.76	115%	0.08	27	10	ADRT	4.0
4651F	7.87	1.07	0.51	2.84	119%	0.10	27	10	HPL	4.0
4652F	8.3	1.32	0.42	1.66	69%	0.10	27	10	CLIFF	4.0
4653F	11.85	1.31	0.59	2.39	100%	0.17	27	10	SPUD	4.9
4654F	9.76	1.23	0.49	1.70	71%	0.18	30	10	SPUD	5.0
4655F	9.78	1.35	0.48	3.13	131%	0.11	26	10	SPUD	4.1
4901F	7.24	1.07	0.50	1.71	72%	0.09	25	10	HPL	4.0
4902F	7.66	1.08	0.43	2.92	122%	0.08	25	10	HPL	4.0
4903F	7.53	1.19	0.46	2.23	93%	0.06	25	10	HPL	3.9
4904F	10.69	1.39	0.54	2.29	96%	0.11	29	10	HPL	4.1
4905F	9.19	1.40	0.42	2.92	122%	0.10	26	10	HPL	4.0
4906F	9.21	1.17	0.48	1.05	44%	0.08	28	10	HPL	4.0
4907F	10.83	1.36	0.46	2.70	113%	0.19	26	10	AJ	5.0
4908F	8.22	1.17	0.45	1.40	59%	0.10	27	10	AJ	4.0
4909F	7.63	1.24	0.41	1.50	63%	0.07	26	10	AJ	3.9
4910F	6.38	0.99	0.48	2.65	111%	0.06	28	10	AJ	3.9
4911F	8.36	1.34	0.48	2.76	115%	0.10	27	10	AJ	4.0
4913F	9.18	1.37	0.48	2.82	118%	0.11	26	10	HPD	4.1
4914F	8.41	1.29	0.52	1.32	55%	0.08	28	10	HPD	4.0
4915F	7.92	1.17	0.36	3.23	135%	0.10	27	10	HPD	4.0
4916F	7.26	1.24	0.41	2.65	111%	0.08	26	10	HPD	4.0
4917F	8.19	1.40	0.43	2.50	105%	0.07	26	10	HPD	3.9

For CPs

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
4918F	8.61	1.37	0.44	2.51	105%	0.09	27	10	CLIFF	4.0
4919F	7.22	1.11	0.40	1.31	55%	0.10	26	10	CLIFF	4.0
4920F	7.08	1.12	0.43	2.15	90%	0.08	26	10	CLIFF	4.0
4921F	7.93	1.32	0.51	1.50	63%	0.06	26	15	CLIFF	3.9
4922F	8.54	1.21	0.42	2.60	109%	0.10	26	10	CLIFF	4.0
4923F	6.91	1.11	0.48	1.71	71%	0.08	26	10	CLIFF	4.0
4924F	8.23	1.29	0.45	2.12	89%	0.09	26	10	CLIFF	4.0
4925F	8.11	1.22	0.39	3.48	145%	0.11	26	10	CLIFF	4.1
4929F	7.68	0.98	0.48	0.84	35%	0.06	26	15	SPUD	3.9
4930F	9.35	1.37	0.47	2.81	117%	0.10	27	10	SPUD	4.0
4931F	8.05	1.12	0.43	1.99	83%	0.08	29	10	SPUD	4.0
4932F	6.65	1.17	0.56	3.04	127%	0.09	27	10	CMAG	4.0
4934F	6.89	1.16	0.43	2.81	117%	0.16	25	10	CROP	4.9
4935F	9.01	1.18	0.42	2.59	108%	0.11	27	10	CROP	4.1
4936F	8.14	1.25	0.39	1.82	76%	0.09	26	15	CROP	4.0
4938F	7.55	1.16	0.45	1.95	82%	0.07	26	15	CROP	3.9
4939F	8.16	1.09	0.47	1.57	66%	0.08	27	10	CROP	4.0
4940F	6.78	1.15	0.41	2.00	84%	0.09	26	10	CROP	4.0
4941F	8.24	1.17	0.45	0.69	29%	0.07	26	15	CROP	3.9
4942F	8.97	1.33	0.48	3.43	144%	0.09	25	10	196A	4.0
4943F	8.9	1.13	0.47	1.82	76%	0.08	27	10	196A	4.0
4944F	7.7	1.23	0.45	1.38	58%	0.08	28	10	196A	4.0
4945F	8.4	1.26	0.49	1.01	42%	0.07	26	15	196A	3.9
4946F	8.19	1.20	0.39	2.24	94%	0.07	27	10	196A	3.9
4947F	9.69	1.46	0.50	3.43	143%	0.09	28	10	SPUD	4.0
5404F	9.5	1.25	0.49	3.52	147%	0.17	26	10	CASH	4.9
5407F	9	1.27	0.48	2.71	113%	0.11	25	10	CASH	4.1
5408F	9.13	1.25	0.39	2.72	114%	0.15	27	10	CASH	4.9
5409F	9.59	1.21	0.38	2.74	115%	0.10	27	10	ARAP	4.0
5410F	11.65	1.40	0.49	2.28	95%	0.18	27	10	CASH	5.0
5411F	8.32	1.29	0.46	2.06	86%	0.11	25	10	84S	4.1
5414F	7.97	1.08	0.40	1.84	77%	0.07	26	10	COUR	3.9
5433F	9.48	1.35	0.46	3.28	137%	0.15	26	10	EKND	4.9
5434F	9.7	1.20	0.47	1.04	43%	0.09	27	10	EKND	4.0
5435F	9.43	1.49	0.42	2.71	113%	0.10	27	10	COUR	4.0
5437F	10.48	1.51	0.46	1.99	83%	0.11	26	10	DOZ	4.1
5439F	10.2	1.29	0.43	3.27	137%	0.12	28	10	COUR	4.1
5442F	9.65	1.32	0.46	2.45	102%	0.09	29	10	EKND	4.0
5444F	6.4	1.01	0.44	2.52	105%	0.11	25	10	EKND	4.1
6101F	9.2	1.23	0.44	2.94	123%	0.08	28	10	BBNT	4.0
6102F	9.45	1.05	0.51	2.80	117%	0.09	27	10	CAL	4.0
6103F	10.59	1.35	0.43	2.10	88%	0.10	27	10	CAL	4.0
6105F	9.2	1.10	0.47	3.04	127%	0.10	26	10	CAL	4.0
6106F	8.65	1.08	0.48	1.58	66%	0.09	26	10	CAL	4.0
7443F	8.52	1.39	0.44	1.93	90%	0.10	25	10	EKND	4.0
7801F	9.1	1.40	0.44	2.31	107%	0.09	26	10	TSTK	4.0
7806F	9.26	1.28	0.51	2.21	103%	0.08	26	10	TSTK	4.0