

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1140B	9.01	1.21	0.46	2.93	129%	0.10	26	10	PRCE	
1141B	7.48	1.06	0.45	3.13	138%	0.08	28	10	PRCE	
1142B	8.44	1.19	0.46	1.30	57%	0.07	28	10	PRCE	
1200B	7.09	1.28	0.47	1.66	73%		25	15	TROY	
1204B	10.39	1.49	0.46	2.59	114%	0.17	26	10	LGRY	
1205B	9.24	1.26	0.48	2.51	110%	0.06	27	10	LGRY	
1208B	8.44	1.15	0.47	2.75	121%	0.07	27	10	LGRY	
1211B	10.74	1.32	0.47	2.55	112%	0.10	26	10	PLDG	
1212B	8.54	1.10	0.44	3.14	138%	0.16	27	10	MOD	
1400B	8.07	1.28	0.49	2.21	98%	0.08	25	10	CF	
1401B	9.50	1.30	0.47	2.76	122%	0.15	27	10	CF	
1402B	9.66	1.52	0.47	1.49	65%	0.09	28	10	CF	
1500B	7.17	1.10	0.43	2.07	91%	0.10	29	10	RMC	
2302B	11.44	1.58	0.47	1.46	64%	0.11	26	10	FRTR	
2303B	10.13	1.43	0.47	2.58	114%	0.10	27	10	FRTR	
2304B	8.43	1.21	0.40	2.63	116%	0.15	24	10	FRTR	
2305B	9.55	1.28	0.44	1.88	83%	0.09	25	10	PERL	
2310B	10.28	1.33	0.47	1.78	78%	0.16	27	10	FRTR	
2312B	7.08	1.13	0.40	2.55	112%	0.10	28	10	FRTR	
2313B	8.31	1.31	0.45	2.21	97%	0.09	27	10	VGRD	
2314B	8.36	1.19	0.51	3.03	133%	0.11	27	10	FRTR	
2318B	7.93	1.19	0.38	1.59	70%	0.09	26	10	FRTR	
2319B	10.05	1.35	0.46	2.44	107%	0.09	28	10	FRTR	
2321B	9.96	1.53	0.47	1.68	74%	0.07	26	10	FRTR	
2322B	9.87	1.50	0.47	2.58	114%	0.15	25	10	VGRD	
2323B	8.46	1.08	0.37	2.02	89%	0.18	26	10	ODAY	
2324B	9.01	1.35	0.43	2.56	113%	0.09	26	10	FRTR	
2325B	9.80	1.53	0.40	2.59	114%	0.15	28	10	FRTR	
2326B	7.45	1.07	0.44	3.11	137%	0.15	25	10	ODAY	
2329B	9.74	1.29	0.48	2.17	95%	0.16	27	10	FRTR	
2331B	10.86	1.51	0.46			0.10	28	10	RST	
2332B	7.88	1.18	0.37	2.41	106%	0.09	25	10	VGRD	
2334B	7.60	1.19	0.42	2.56	112%	0.15	26	10	VGRD	
2335B	9.13	1.46	0.49	1.72	76%	0.07	25	10	ODAY	
2337B	8.96	1.19	0.52	3.12	137%	0.16	26	10	PERL	
2338B	9.98	1.43	0.45	1.87	82%	0.10	28	10	FRTR	
2339B	9.39	1.36	0.40	2.22	98%	0.11	25	10	ODAY	
2340B	8.88	1.43	0.38	1.60	71%	0.09	25	15	FRTR	
2341B	8.28	1.13	0.45	2.61	115%	0.09	26	10	VGRD	
2344B	9.82	1.39	0.49	2.25	99%	0.09	25	10	FRTR	
2500B	8.64	1.49	0.50	2.66	117%	0.04	24	10	DRIO	
2502B	7.62	1.30	0.41	2.55	112%	0.08	24	10	DRIO	
2504B	8.62	1.29	0.46	2.71	119%	0.11	27	10	DRIO	
2505B	8.56	1.29	0.56	0.58	26%		27	10	DRIO	
2506B	7.64	1.23	0.49	2.39	105%	0.09	28	10	DRIO	
2523B	7.81	1.19	0.44	3.16	139%	0.11	27	10	BERAL	
2524B	8.22	1.16	0.48	1.72	76%	0.08	26	10	RE	
2700B	7.82	1.15	0.45	3.13	138%	0.09	28	10	SCAT	
2702B	9.90	1.29	0.51	2.42	106%	0.06	28	10	SCAT	
2706B	8.74	1.25	0.41	1.64	72%	0.15	26	10	LMRK	
2707B	10.82	1.28	0.52	1.80	79%	0.18	27	10	PLDG	
2708B	9.55	1.48	0.51	2.50	110%	0.10	25	10	TRANS	
2709B	9.28	1.22	0.58	1.69	75%	0.12	29	10	PLDG	

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2710B	10.71	1.16	0.48	3.46	153%	0.27	26	10	PLDG	
2711B	7.85	0.94	0.45	3.18	140%	0.18	29	10	XCIT	
2712B	8.49	1.27	0.47	1.35	60%	0.09	26	15	XCIT	
2713B	9.10	1.25	0.50	2.61	115%	0.16	25	10	XCIT	
2714B	8.20	1.09	0.43	2.22	98%	0.14	29	10	XCIT	
2715B	10.31	1.21	0.50	1.92	84%	0.20	29	10	XCIT	
2716B	8.61	1.35	0.49	2.06	91%	0.09	27	10	XCIT	
2717B	7.30	1.22	0.41	1.82	80%	0.10	28	10	XCIT	
2718B	8.35	1.32	0.44	1.56	69%	0.15	27	10	XCIT	
2720B	8.13	1.10	0.45	2.85	126%	0.06	25	10	BERAL	
2721B	8.15	1.31	0.50	3.01	133%	0.16	28	10	BERAL	
2722B	11.07	1.48	0.55	2.43	107%	0.17	27	10	BERAL	
2723B	8.70	1.28	0.50	3.96	174%	0.20	26	10	BERAL	
2726B	8.57	1.05	0.38	2.98	131%	0.17	25	10	TRANS	
2727B	10.57	1.39	0.48	2.75	121%	0.17	24	10	TRANS	
4130B	8.65	1.30	0.46	0.93	41%	0.07	27	15	JBOY	
4200B							28	10	JBG	
4201B	9.08	1.24	0.48	0.44	19%		27	10	BICE	
4202B	9.06	1.28	0.38	2.29	101%	0.08	26	10	NEWT	
4400B	8.96	1.14	0.44	2.74	120%	0.15	28	10	YANK	
4402B	8.41	1.30	0.48	3.16	139%	0.10	28	10	YANK	
4403B	10.48	1.41	0.44	2.70	119%	0.10	29	10	YANK	
4404B	9.34	1.41	0.40	2.39	105%	0.11	26	10	YANK	
4405B	7.99	1.19	0.44	2.70	119%	0.07	25	10	YANK	
4407B	10.91	1.53	0.44	2.45	108%	0.15	28	10	YANK	
4408B	9.32	1.22	0.45	3.03	133%	0.10	26	10	YANK	
4409B	9.97	1.29	0.48	1.84	81%	0.08	27	10	YANK	
4410B	9.29	1.24	0.48	3.01	132%	0.11	25	10	COSP	
4411B	8.83	1.25	0.48	1.85	81%	0.11	27	10	YANK	
4419B	10.03	1.47	0.46	2.37	105%	0.09	30	10	YANK	
4421B	8.20	1.07	0.45	2.92	129%	0.13	29	10	YANK	
4423B	10.42	1.45	0.42	2.75	121%	0.16	25	10	YANK	
4424B	10.30	1.41	0.49	2.31	102%	0.15	26	10	YANK	
4425B	10.25	1.52	0.45	2.88	127%	0.10	28	10	YANK	
4613B	8.20	1.31	0.48	0.68	30%	0.06	27	10	D404	
4700B	9.17	1.41	0.49	1.50	66%	0.10	26	10	DAND	
4702B	9.30	1.53	0.44	0.78	34%	0.09	27	10	DAND	
4704B	8.54	1.33	0.41	2.67	117%	0.10	25	10	RDMAG	
4705B	10.26	1.60	0.46	1.25	55%	0.08	30	10	RDMAG	
4706B	10.47	1.41	0.49	2.39	105%	0.11	26	10	RDMAG	
4708B	7.73	1.24	0.51	3.17	140%	0.10	27	10	RDMAG	
4709B	7.23	1.14	0.43	3.12	137%	0.09	25	10	RDMAG	
4710B	10.20	1.34	0.53	2.22	98%	0.19	25	10	RDMAG	
4711B	8.01	1.38	0.46	2.30	101%	0.09	28	10	RDMAG	
4712B	7.44	1.17	0.48	2.05	90%	0.08	27	10	RDMAG	
4724B	7.64	1.14	0.40	2.46	108%	0.10	27	10	THOM	
4728B	8.52	1.24	0.44	0.98	43%	0.06	27	10	RDMAG	
4730B	8.74	1.41	0.52	0.51	23%		28	15	JBOY	
4738B	8.72	1.34	0.39	2.84	125%	0.11	28	10	RDMAG	
4900B	8.83	1.25	0.45	2.60	115%	0.10	26	10	WSTN	
4901B	8.10	1.11	0.41	3.19	140%	0.11	24	10	WSTN	
4902B	10.29	1.23	0.39	3.00	132%	0.09	24	10	WSTN	
4903B	8.13	1.20	0.56	2.38	105%	0.07	26	10	WSTN	

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
4905B	6.51	1.05	0.41	1.54	68%	0.09	27	10	WSTN	
4906B	8.38	1.34	0.48	2.01	89%	0.09	26	10	WSTN	
5000B	7.34	1.11	0.37	3.76	166%	0.14	25	10	COHI	
5001B	8.85	1.31	0.47	1.83	81%	0.04	28	15	SPUD	
5002B	9.19	1.39	0.37	1.53	67%	0.07	27	10	JBG	
5003B	8.77	1.20	0.54	1.40	61%	0.08	26	10	JBG	
5004B	7.68	1.15	0.44	2.65	117%	0.07	28	10	JBS	
5006B	10.62	1.34	0.48	2.12	93%	0.10	26	10	JBG	
5008B	8.44	1.23	0.43	2.03	89%	0.11	27	10	JBG	
5009B	8.62	1.13	0.49	2.04	90%	0.15	27	10	HPL	
5011B	7.07	1.02	0.45	1.77	78%	0.09	27	10	JBG	
5012B	8.69	1.41	0.43	2.34	103%	0.09	25	10	HPL	
5014B	8.07	1.26	0.38	1.98	87%	0.10	27	10	JBG	
5017B	9.73	1.35	0.45	1.89	83%	0.08	28	10	COHI	
5019B	8.33	1.24	0.48	1.43	63%	0.10	26	15	JBG	
5020B	8.81	1.38	0.41	2.47	109%	0.08	26	10	COHI	
5022B	9.23	1.44	0.43	1.55	68%	0.09	27	10	HD	
5023B	10.20	1.30	0.46	2.12	93%	0.09	25	10	JBG	
5024B	9.38	1.35	0.47	2.43	107%	0.09	27	10	JBG	
5025B	7.43	1.18	0.46	3.05	134%	0.17	24	10	HPL	
5026B	7.69	1.24	0.40	2.06	91%	0.07	26	10	COHI	
5029B	9.44	1.47	0.44	3.24	143%	0.08	26	10	JBG	
5033B	7.71	1.14	0.46	1.52	67%	0.09	27	10	HD	
5035B	7.96	1.30	0.35	1.95	86%	0.08	24	10	HD	
5039B	8.74	1.17	0.45	2.25	99%	0.09	28	10	HD	
5040B	8.08	1.04	0.45	1.03	45%	0.09	28	15	HD	
5042B	8.71	1.32	0.44	1.90	84%	0.09	25	10	HD	
5351B	9.32	1.34	0.48	2.26	99%	0.09	27	10	JBG	
5358B	9.05	1.22	0.45	2.77	122%	0.12	27	10	MIZ	
5500B	11.00	1.24	0.42	3.21	141%	0.16	26	10	VQST	
9350B	7.80	1.15	0.46	0.85	60%	0.07	27	15	PLAD	
9352B	8.19	1.33	0.40	1.19	83%	0.07	28	10	DPR	
9500B	9.97	1.27	0.42	0.61	43%	0.07	28	10	184Y	
9841B	9.30	1.38	0.44	2.98	209%	0.08	25	10	WTG	
9843B	10.05	1.62	0.48	1.50	105%	0.07	28	10	WTG	

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1800B	8.40	1.18	0.43	3.62	125%	0.15	27	10	TLS	
1801B	9.69	1.10	0.43	3.25	112%	0.19	25	10	TLS	
1802B	7.93	0.99	0.51	2.56	88%	0.16	26	10	TLS	
1803B	9.36	1.33	0.47	3.30	114%	0.07	26	10	TLS	
1804B	9.58	1.13	0.55	3.64	126%	0.18	27	10	TLS	
1805B	8.93	1.15	0.47	3.43	119%	0.15	28	10	TLS	
1806B	9.24	1.15	0.48	3.74	129%	0.15	29	10	TLS	
1807B	7.73	1.03	0.50	3.79	131%	0.16	28	10	TLS	
1808B	10.28	1.31	0.50	4.01	139%	0.17	26	10	TLS	
1809B	9.20	1.22	0.43	3.37	117%	0.13	27	10	TLS	
1810B	9.22	1.17	0.54	3.47	120%	0.16	25	10	TLS	
1811B	7.96	1.20	0.42	2.54	88%	0.10	27	10	RBL	
1814B	10.41	1.17	0.47	3.41	118%	0.11	28	10	RBV	
1815B	9.22	1.15	0.45	3.03	105%	0.17	27	10	BNB	
1816B	10.11	1.28	0.38	2.69	93%	0.16	25	10	RMC	
1817B	9.10	1.24	0.35	4.04	140%	0.19	25	10	RBL	
1818B	11.01	1.65	0.47	2.15	74%	0.15	29	10	RBL	
1819B	8.38	1.21	0.41	2.40	83%	0.10	27	10	RBL	
1820B	9.58	1.22	0.41	2.92	101%	0.10	28	10	RBV	
1821B	9.91	1.46	0.50	1.14	39%	0.10	29	10	RBL	
1822B	9.11	1.22	0.45	2.98	103%	0.20	25	10	RBL	
1824B	11.27	1.51	0.47	3.58	124%	0.10	25	10	RGR	
1825B	9.95	1.32	0.47	3.29	113%	0.19	28	10	BNB	
1826B	9.64	1.26	0.52	2.95	102%	0.10	27	10	BNB	
1827B	8.94	1.09	0.47	3.40	117%	0.16	26	10	RGR	
1828B	11.30	1.50	0.44	3.23	111%	0.12	25	10	RBV	
1829B	8.39	1.41	0.41	2.84	98%	0.07	26	10	RBL	
1830B	7.74	0.90	0.53	2.66	92%	0.10	27	10	RBV	
1832B	9.40	1.26	0.46	2.59	90%	0.16	25	10	RBL	
1833B	9.36	1.24	0.45	3.30	114%	0.15	25	10	RBV	
1835B	9.29	1.40	0.39	2.62	90%	0.10	25	10	RBL	
1836B	8.70	1.21	0.45	3.76	130%	0.14	24	10	RBL	
1837B	8.70	1.17	0.46	3.47	120%	0.23	27	10	BNB	
1838B	10.44	1.43	0.41	3.59	124%	0.14	25	10	RBL	
1839B	10.10	1.49	0.43	2.39	82%	0.10	24	10	RBL	
1841B	9.43	1.37	0.47	2.82	97%	0.13	25	10	RBL	
1843B	9.55	1.38	0.48	2.44	84%	0.10	29	10	RBL	
1844B	9.28	1.06	0.44	2.41	83%	0.12	27	10	RBV	
1845B	8.58	1.14	0.42	2.52	87%	0.14	30	10	JAKE	
1846B	8.73	1.40	0.44	3.09	107%	0.18	25	10	RBL	
1847B	9.92	1.19	0.49	2.63	91%	0.10	30	10	RBV	
1848B	8.51	1.07	0.46	2.17	75%	0.15	29	10	RBV	
1849B	8.37	1.24	0.45	2.50	86%	0.09	26	10	RBL	
1850B	10.02	1.21	0.49	2.73	94%	0.16	29	10	RBV	
1852B	7.58	1.10	0.37	2.52	87%	0.09	26	10	RBV	
1853B	9.16	1.29	0.49	3.30	114%	0.14	27	10	RBL	
1854B	9.58	1.29	0.42	3.55	122%	0.10	24	10	RBV	
1855B	10.66	1.43	0.51	3.16	109%	0.11	25	10	BNB	
1856B	9.82	1.44	0.48	1.48	51%	0.09	28	15	BNB	
1857B	8.28	1.04	0.46	2.85	98%	0.10	25	10	STOP	
1858B	9.22	1.22	0.47	3.47	120%	0.16	28	10	RBV	
1859B	10.19	1.45	0.43	2.76	95%	0.11	27	10	WLV	
1861B	8.65	1.20	0.43	2.66	92%	0.10	25	10	RGR	

1862B	8.33	1.19	0.39	3.35	116%	0.15	25	10	STOP	
1863B	9.99	1.26	0.48	3.37	116%	0.15	27	10	RBV	
1866B	10.14	1.51	0.37	3.24	112%	0.11	25	10	WLV	
1871B	8.26	1.16	0.48	2.40	83%	0.09	26	10	YODA	
1878B	8.65	1.31	0.49	2.93	101%	0.09	27	10	RGR	
1880B	7.01	1.12	0.48	2.87	99%	0.14	25	10	RGR	
1883B	9.91	1.36	0.47	2.90	100%	0.12	25	10	RMC	
1884B	8.77	1.24	0.41	3.56	123%	0.18	26	10	RGR	
1886B	8.36	1.09	0.44	3.06	106%	0.15	24	10	RMC	
1887B	8.87	1.20	0.45	2.30	80%	0.09	25	10	RGR	
1888B	7.96	1.25	0.48	1.78	62%	0.11	27	10	WLV	
1892B	9.31	1.30	0.43	2.19	76%	0.08	27	10	WLV	
1909B	8.79	1.32	0.42	3.35	116%	0.08	26	10	RGR	
1910B	9.10	1.15	0.42	4.02	139%	0.16	24	10	TLS	
1911B	9.92	1.31	0.37	3.34	115%	0.16	26	10	TLS	
1912B	9.07	1.10	0.44	4.02	139%	0.15	24	10	TLS	
1913B	7.83	1.18	0.42	3.83	132%	0.15	24	10	TLS	
1914B	8.83	1.13	0.44	4.00	138%	0.10	26	10	TLS	
1915B	8.47	1.11	0.52	3.34	115%	0.07	25	10	TLS	
1917B	8.06	1.15	0.41	3.63	125%	0.17	25	10	TLS	
1918B	9.53	1.15	0.51	2.97	102%	0.08	26	10	TDR	
1919B	9.47	1.25	0.45	2.73	94%	0.14	29	10	TDR	
1920B	8.05	1.21	0.46	1.79	62%	0.11	28	10	RBL	
1921B	10.19	1.29	0.45	2.76	95%	0.11	29	10	TDR	
1922B	9.18	1.19	0.47	2.65	91%	0.13	28	10	TDR	
1923B	8.44	1.41	0.39	2.95	102%	0.10	26	10	RBL	
1924B	8.53	1.23	0.41	2.23	77%	0.09	25	10	RBL	
1925B	7.98	1.21	0.44	1.87	65%	0.09	25	10	TDR	
1929B	9.42	1.27	0.47	2.78	96%	0.18	29	10	TDR	
1930B	9.22	1.24	0.47	2.41	83%	0.08	29	10	TDR	
1931B	5.94	1.05	0.40	2.15	74%	0.07	24	10	TDR	
1932B	10.15	1.31	0.50	2.91	101%	0.15	27	10	RBL	
1933B	9.98	1.31	0.42	1.67	58%	0.07	26	10	RBL	
1934B	9.54	1.39	0.50	1.63	56%	0.15	27	10	RBL	
1935B	8.84	1.15	0.43	3.40	117%	0.11	27	10	TDR	
1937B	8.72	1.11	0.44	2.14	74%	0.11	27	10	TDR	
1938B	9.50	1.32	0.50	2.27	79%	0.09	25	10	TDR	
1953B	9.97	1.24	0.45	2.94	101%	0.11	27	10	LOOK	
2001B	8.81	1.11	0.55	2.62	90%	0.08	25	10	RGR	
2002B	8.74	1.17	0.49	2.76	95%	0.11	25	10	RGR	
2003B	8.40	1.22	0.42	3.36	116%	0.14	25	10	WLV	
2005B	9.65	1.30	0.43	3.09	107%	0.20	26	10	RGR	
2007B	7.75	1.07	0.42	3.54	122%	0.07	25	10	RBV	
2011B	8.68	1.13	0.46	3.61	125%	0.11	26	10	RMC	
2012B	8.41	1.20	0.47	2.44	84%	0.16	25	10	BNB	
2016B	8.88	1.21	0.45	3.66	127%	0.09	26	10	RBV	
2019B	10.62	1.60	0.38	2.92	101%	0.06	25	10	STOP	
2020B	9.55	1.32	0.43	1.61	56%	0.07	27	10	RMC	
2026B	9.08	1.29	0.47	2.06	71%	0.10	27	10	BNB	
2031B	9.16	1.28	0.44	1.75	60%	0.08	28	10	RGR	
2032B	9.45	1.44	0.45	3.17	110%	0.10	24	10	RMC	
2035B	9.19	1.32	0.46	2.61	90%	0.07	27	10	BNB	
2036B	9.97	1.35	0.47	2.13	73%	0.09	28	10	RBV	
2037B	9.53	1.39	0.47	3.19	110%	0.08	29	10	RBV	

2039B	9.63	1.26	0.49	2.67	92%	0.08	25	10	RBY	
2054B	10.05	1.32	0.43	2.69	93%	0.09	27	10	RBY	
2055B	10.47	1.44	0.52	2.77	96%	0.20	25	10	RMC	
2062B	7.95	1.19	0.50	3.37	116%	0.09	28	10	RBL	
2070B	9.41	1.52	0.44	2.92	101%	0.10	28	10	RBL	
2071B	8.59	1.30	0.38	2.91	100%	0.07	29	10	IRON	
2072B	7.21	1.20	0.45	1.62	56%	0.09	26	10	RBL	
2075B	10.36	1.49	0.42	2.35	81%	0.13	28	10	RBL	
2082B	7.55	1.06	0.53	3.54	122%	0.11	24	10	BNB	
2083B	10.87	1.58	0.46	2.69	93%	0.10	28	10	RGR	
2084B	10.82	1.39	0.51	2.78	96%	0.10	27	10	RGR	
2085B	10.17	1.41	0.43	3.61	124%	0.08	25	10	RMC	
2086B	9.64	1.47	0.46	1.94	67%	0.08	28	10	RBL	
2087B	9.45	1.22	0.42	3.18	110%	0.11	27	10	STOP	
2095B	7.77	1.16	0.44	2.75	95%	0.10	28	10	BNB	
2098B	10.28	1.39	0.49	3.29	114%	0.17	26	10	IRON	
2099B	9.19	1.23	0.46	3.53	122%	0.10	25	10	HYDN	
7826B	9.90	1.44	0.45	2.19	87%	0.14	26	10	WTG	
7836B	9.57	1.41	0.48	2.82	113%	0.10	26	10	WTG	