

## Missouri Fall Born Ultrasound Spring 2018

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1300D	9.71	1.11	0.42	2.97	109%	0.22	25	10	JRT	5.1
1301D	11.45	1.08	0.56	2.67	98%	0.24	26	10	JRT	5.2
1304D	9.42	1.19	0.39	3.22	118%	0.08	25	10	JRT	3.9
1305D	9.76	1.07	0.46	2.36	86%	0.10	26	10	JRT	4.0
1306D	9.71	1.03	0.41	3.74	137%	0.18	24	10	JRT	5.0
1307D	10.75	1.15	0.49	1.75	64%	0.05	27	10	JRT	3.1
1308D	11.19	1.32	0.42	2.34	86%	0.09	27	10	JRT	4.0
1309D	10.07	1.12	0.47	3.09	113%	0.16	25	10	JRT	4.9
1310D	12.52	1.31	0.45	2.72	100%	0.15	25	10	JRT	4.9
1312D	9.85	1.17	0.43	3.83	140%	0.07	27	10	JRT	3.9
1313D	10.12	1.00	0.44	2.01	74%	0.11	25	10	ANAT	4.1
1314D	11.94	1.12	0.45	3.13	115%	0.17	26	10	ANAT	5.0
1315D	12.63	1.21	0.54	2.05	75%	0.15	28	10	ANAT	4.9
1316D	10.73	1.13	0.46	2.46	90%	0.17	25	10	ANAT	5.0
2741D	10.98	1.10	0.41	3.36	115%	0.09	26	10	LINP	4.0
2743D	11.78	1.13	0.47	2.59	89%	0.14	27	10	LINP	4.9
2744D	9.42	1.03	0.40	3.08	106%	0.10	27	10	LINP	4.0
2745D	10.85	1.14	0.48	3.13	107%	0.23	27	10	LINP	5.2
2748D	10.81	1.18	0.40	3.08	105%	0.16	29	10	PDAY	4.9
2749D	9.38	1.13	0.46	3.65	125%	0.13	27	10	PDAY	4.1
2750D	10.66	1.19	0.39	2.48	85%	0.08	27	10	PDAY	3.9
2752D	10.44	1.23	0.45	1.91	65%	0.10	26	10	PDAY	4.0
2753D	9.63	1.14	0.47	2.50	86%	0.09	27	10	PDAY	4.0
2755D	10.01	1.06	0.42	2.85	98%	0.17	27	10	DT	5.0
2756D	9.13	1.03	0.39	2.28	78%	0.10	26	10	DT	4.0
2758D	9.65	1.08	0.55	2.18	75%	0.09	28	10	DT	4.0
2759D	10.00	1.10	0.44	2.50	86%	0.13	26	10	DT	4.1
2763D	11.32	1.28	0.42	3.08	105%	0.10	27	10	SCPR	4.0
2764D	9.06	1.07	0.45	2.31	79%	0.15	25	10	SCPR	4.9
2765D	9.51	1.12	0.41	3.19	109%	0.09	25	10	SCPR	4.0
2767D	9.84	1.17	0.45	2.22	76%	0.11	26	10	SCPR	4.1
2770D	10.67	1.37	0.48	3.93	134%	0.08	27	10	SCPR	3.9
2771D	10.08	1.21	0.45	2.48	85%	0.09	25	10	GTR	4.0
2772D	11.70	1.16	0.49	2.80	96%	0.19	27	10	GTR	5.0
2773D	9.93	1.00	0.46	3.00	103%	0.19	26	10	GTR	5.0
2774D	11.27	1.13	0.47	2.65	91%	0.09	27	10	GTR	4.0
2775D	11.39	1.20	0.53	3.06	105%	0.08	28	10	GTR	3.9
2776D	10.02	1.11	0.40	2.96	101%	0.10	27	10	GTR	4.0
2777D	10.78	1.09	0.45	3.30	113%	0.16	25	10	GTR	4.9
2778D	9.79	1.15	0.44	2.91	99%	0.11	25	10	GTR	4.1
2779D	9.47	1.20	0.38	3.63	124%	0.12	25	10	PLDG	4.1
2780D	10.87	1.08	0.41	3.86	132%	0.15	25	10	PLDG	4.9
2782D	10.16	1.12	0.41	2.47	85%	0.14	27	10	PLDG	4.9
2783D	9.75	1.20	0.44	3.31	114%	0.09	25	10	PLDG	4.0
2784D	10.01	1.06	0.46	2.75	94%	0.16	28	10	PAX	4.9
2786D	11.24	1.16	0.44	3.39	116%	0.15	26	10	BERAL	4.9
2787D	10.62	1.17	0.43	3.20	110%	0.11	26	10	BERAL	4.1
2788D	12.63	1.13	0.48	3.49	119%	0.16	26	10	BERAL	4.9
2790D	10.58	1.11	0.46	3.44	118%	0.16	26	10	BERAL	4.9
2791D	9.09	1.06	0.43	3.16	108%	0.10	28	10	BM	4.0
2792D	9.46	1.01	0.43	2.61	89%	0.10	27	10	BM	4.0
2793D	11.48	1.21	0.47	2.54	87%	0.08	25	10	PLDG	3.9
2794D	9.05	1.10	0.37	2.57	88%	0.10	27	10	BM	4.0
4501D	7.81	1.01	0.40	3.28	120%	0.08	24	10	WT	3.9
4502D	10.35	1.04	0.53	1.78	65%	0.10	29	10	WT	4.0

Missouri Fall Born Ultrasound Spring 2018

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
4503D	8.92	1.09	0.37	3.29	121%	0.10	29	10	WT	4.0
4506D	11.27	1.36	0.50	3.52	129%	0.11	27	10	WT	4.1
4507D	10.13	1.24	0.47	2.61	96%	0.08	28	10	WT	3.9
4508D	8.97	1.13	0.50	2.09	77%	0.10	28	10	WT	4.0
4509D	10.91	1.08	0.53	2.28	84%	0.19	27	10	WT	5.0
4511D	11.04	1.23	0.50	2.97	109%	0.12	29	10	WT	4.1
4512D	9.54	1.00	0.43	2.98	109%	0.10	28	10	WT	4.0
4519D	9.74	1.10	0.46	1.43	53%	0.07	27	15	WT	3.9
4750D	13.39	1.27	0.48	2.84	104%	0.20	28	10	MIZ	5.1
4751D	10.26	1.05	0.50	2.85	104%	0.08	28	10	MIZ	3.9
4752D	11.67	1.23	0.47	3.38	124%	0.13	28	10	MIZ	4.1
5512D	11.85	1.10	0.55	2.59	102%	0.16	27	10	AJ	4.9
5513D	8.82	1.00	0.43	1.93	76%	0.09	26	10	AJ	4.0
5514D	11.14	1.16	0.54	3.59	141%	0.09	27	10	AJ	4.0
5515D	11.17	1.10	0.51	2.73	107%	0.17	25	10	AJ	5.0
5516D	11.56	1.20	0.48	2.44	95%	0.08	26	10	AJ	3.9
5518D	9.88	1.04	0.46	1.48	58%	0.11	27	15	AJ	4.1
5519D	9.32	1.04	0.50	2.64	103%	0.17	27	10	AJ	5.0
5522D	11.16	1.20	0.48	1.02	42%	0.10	28	15	RDMP	3.1
5524D	8.61	1.03	0.47	1.82	71%	0.08	29	10	ERED	3.9
5527D	10.47	1.06	0.49	2.72	106%	0.12	27	10	CJ7A	4.1
5528D	10.15	1.13	0.47	3.22	125%	0.09	25	10	CJ7A	4.0
5529D	10.30	1.17	0.43	1.93	75%	0.09	26	10	CJ7A	4.0
5531D	11.33	1.15	0.43	2.09	81%	0.11	26	10	CJ7A	4.1
5532D	12.76	1.36	0.46	1.38	54%	0.07	27	10	CJ7A	3.9
5533D	9.93	1.07	0.45	3.19	124%	0.09	26	10	CJ7A	4.0
5534D	10.20	1.10	0.46	2.42	94%	0.11	28	10	CJ7A	4.1
5535D	9.30	1.04	0.43	1.77	69%	0.09	26	10	CJ7A	4.0
5536D	10.51	1.14	0.44	2.70	105%	0.09	27	10	CJ7A	4.0
5537D	9.85	1.10	0.45	2.89	112%	0.06	28	10	CJ7A	3.1
5538D	11.07	1.03	0.47	2.73	106%	0.16	27	10	CJ7A	4.9
5539D	9.25	1.03	0.47	3.44	133%	0.10	29	10	CJ7A	4.0
5540D	11.39	1.16	0.53	2.95	114%	0.12	25	10	CJ7A	N/A
5543D	11.12	1.23	0.40	3.09	120%	0.11	26	10	CJ7A	4.1
5545D	11.29	1.10	0.45	2.89	112%	0.16	26	10	CJ7A	4.9
5549D	12.60	1.11	0.50	2.26	89%	0.09	26	10	NEB	4.0
5550D	10.65	0.98	0.46	2.83	111%	0.10	27	10	NEB	4.0
5551D	10.05	1.09	0.50	2.31	91%	0.11	27	10	NEB	4.1
5553D	10.81	1.02	0.48	1.29	52%	0.09	28	10	NEB	3.9
5554D	11.95	1.20	0.46	1.68	68%	0.08	26	10	NEB	3.9
5556D	13.67	1.31	0.50	2.48	97%	0.13	27	10	NEB	4.1
5558D	10.51	1.10	0.42	2.85	116%	0.12	28	10	NEB	3.9
5559D	11.52	1.10	0.47	3.05	119%	0.10	25	10	NEB	4.0
5560D	11.59	1.19	0.48	2.70	110%	0.13	26	10	NEB	4.0
5561D	12.06	1.26	0.49	2.67	105%	0.08	29	10	NEB	3.9
5562D	11.08	1.07	0.47	2.06	81%	0.09	30	10	NEB	4.0
5563D	10.93	0.99	0.47	2.89	113%	0.10	27	10	NEB	4.0
5564D	9.65	0.97	0.44	1.56	61%	0.10	28	15	CAL	4.0
5566D	11.89	1.22	0.47	3.73	146%	0.15	25	10	HDR	4.9
5567D	11.21	1.20	0.53	1.74	68%	0.11	27	10	HDR	4.1
5568D	11.11	1.08	0.45	2.28	89%	0.16	26	10	HDR	4.9
5569D	9.92	0.94	0.48	3.09	121%	0.10	27	10	HDR	4.0
5570D	10.15	1.06	0.48	3.02	118%	0.10	26	10	HDR	4.0
5572D	10.41	1.11	0.47	2.53	103%	0.17	28	10	HDR	4.0
5575D	12.26	1.27	0.51	2.13	84%	0.10	30	10	HDR	4.0

Missouri Fall Born Ultrasound Spring 2018

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
5577D	10.17	1.05	0.42	2.78	109%	0.12	26	10	HDR	4.1
5580D	12.74	1.21	0.61	2.61	102%	0.10	28	10	RIP	4.0
5585D	9.65	1.13	0.42	2.92	119%	0.07	25	10	RIP	4.0
5586D	10.27	1.14	0.44	2.69	105%	0.15	27	10	RIP	4.9
5587D	11.66	1.06	0.45	3.29	129%	0.10	28	10	RIP	4.0
5588D	12.27	1.17	0.47	2.73	107%	0.09	26	10	RIP	4.0
5589D	11.94	1.05	0.43	3.42	134%	0.14	27	10	RIP	4.9
5590D	12.25	1.16	0.57	4.04	157%	0.20	25	10	CJ81A	5.1
5595D	14.17	1.23	0.57	2.76	107%	0.09	27	10	CS	4.0
5597D	9.65	1.15	0.48	1.32	51%	0.07	28	15	CS	3.9
5598D	11.14	1.21	0.48	2.50	97%	0.17	28	10	CS	5.0
5600D	10.98	1.25	0.54	2.05	80%	0.11	26	10	CS	4.1
5601D	10.11	0.99	0.51	3.12	121%	0.09	25	10	CS	4.0
5602D	10.87	1.21	0.52	2.10	82%	0.11	27	10	CS	4.1
5603D	11.95	1.10	0.47	3.17	123%	0.15	25	10	CS	4.9
5604D	9.61	1.24	0.46	2.14	83%	0.08	28	10	CS	3.9
5605D	10.16	1.29	0.45	2.25	87%	0.11	26	10	CS	4.1
5606D	11.02	1.23	0.45	3.48	135%	0.18	26	10	CS	5.0
5607D	12.03	1.27	0.43	3.71	144%	0.09	25	10	CS	4.0
5610D	11.14	1.17	0.49	2.89	112%	0.14	25	10	2134Z	4.9
5612D	11.36	1.13	0.56	2.67	103%	0.12	25	10	205Z	4.1
5614D	10.78	1.36	0.55	1.64	63%	0.10	27	10	205Z	4.0
5615D	11.24	1.26	0.51	1.85	72%	0.09	27	10	205Z	4.0
5616D	12.20	1.19	0.53	2.29	89%	0.09	26	10	2134Z	4.0
5617D	13.53	1.16	0.48	2.84	111%	0.10	25	10	HDR	4.0
5618D	11.60	1.18	0.47	1.96	80%	0.11	29	10	2134Z	4.1
5621D	12.48	1.47	0.47	2.40	93%	0.11	25	10	2134Z	4.1
5623D	11.64	1.20	0.45	1.75	68%	0.09	28	10	205Z	4.0
5625D	10.51	1.25	0.36	3.13	122%	0.11	26	10	2134Z	4.1
5626D	12.59	1.43	0.48	2.41	98%	0.09	27	10	205Z	4.1
5627D	11.48	1.30	0.45	3.16	123%	0.08	26	10	205Z	3.9
5628D	12.20	1.35	0.48	2.71	105%	0.09	26	10	205Z	4.0
5630D	10.09	1.06	0.46	2.43	99%	0.11	25	10	NNE	4.1
5633D	10.60	1.20	0.54	2.80	114%	0.11	29	10	205Z	4.1
5635D	10.37	1.02	0.45	2.53	99%	0.13	28	10	NEB	4.1
5636D	11.15	1.15	0.49	3.01	118%	0.12	27	10	G1420	4.1
5637D	11.81	1.24	0.47	1.92	74%	0.08	28	15	205Z	3.9
5639D	9.39	1.11	0.50	1.00	41%	0.06	26	15	AJ	4.1
5641D	11.39	1.19	0.50	3.17	123%	0.17	25	10	CJ81A	5.0
5643D	9.31	1.05	0.49	2.35	92%	0.09	30	10	NNE	4.0
5646D	12.54	1.47	0.52	3.37	131%	0.10	26	10	205Z	4.0
5647D	9.27	1.13	0.37	1.75	69%	0.09	28	15	NNE	4.0
5649D	7.28	1.02	0.48	1.31	51%	0.06	26	10	205Z	3.1
5655D	10.03	1.11	0.44	2.60	106%	0.08	26	10	RIP	4.9
5656D	9.99	1.07	0.50	2.75	112%	0.15	27	10	G1420	5.0
5658D	9.91	1.22	0.46	2.56	99%	0.08	27	10	2134Z	3.9
5659D	10.76	1.04	0.47	1.87	73%	0.15	28	10	G1420	4.9
5663D	9.40	1.08	0.48	1.95	76%	0.09	25	10	205Z	4.0
5664D	10.61	1.13	0.47	2.69	105%	0.08	26	10	212Z	3.9