

Ultrasound NF19.xlsx

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	Backfat	Tend	Stress	Sire	Flesh
2300F	8.36	0.99	0.40	2.27	104%	0.08	26	10	HPT	4.1
2301F	8.31	1.03	0.42	1.58	72%	0.08	28	15	FRTR	4.1
2302F	9.81	1.27	0.46	2.35	108%	0.07	28	10	FRTR	4.0
2303F	9.68	1.15	0.44	1.91	88%	0.07	27	15	HPT	4.0
2305F	10.73	1.11	0.41	1.88	86%	0.08	26	15	HPT	4.1
2306F	10.08	1.01	0.43	2.65	122%	0.09	26	10	HPT	4.9
2307F	10.42	1.07	0.41	2.27	104%	0.09	25	10	FRTR	4.9
2308F	8.68	1.01	0.40	2.72	125%	0.10	27	10	FRTR	5.0
2310F	8.76	0.91	0.39	1.98	91%	0.06	25	10	HPT	4.0
2311F	8.43	0.94	0.48	1.59	73%	0.08	26	15	HPT	4.1
2312F	8.13	0.93	0.46	2.42	111%	0.08	27	10	HPT	4.1
2314F	9.94	0.96	0.43	2.59	119%	0.09	27	10	CREB	4.9
2316F	8.36	0.94	0.35	1.68	77%	0.07	26	15	CREB	4.0
2317F	9.25	1.08	0.49	2.81	129%	0.08	25	10	HPT	4.1
2318F	10.55	1.23	0.35	2.84	130%	0.08	25	10	TPAC	4.1
2319F	10.42	1.10	0.43	2.6	119%	0.08	27	10	HPT	4.1
2320F	10.49	1.25	0.38	1.32	60%	0.06	27	15	TPAC	4.0
2321F	8.89	1.19	0.45	2.11	97%	0.09	25	15	FRTR	4.9
2322F	9.96	1.09	0.38	1.59	73%	0.08	29	10	HPT	4.1
2323F	9.29	0.99	0.39	2.59	119%	0.09	28	10	HPT	4.9
2324F	9.57	1.11	0.42	2.49	114%	0.07	26	10	CREB	4.0
2326F	9.55	1.12	0.33	1.95	90%	0.09	27	10	TPAC	4.9
2327F	8.77	1.07	0.50	1.26	58%	0.07	27	20	FRTR	4.0
2328F	10.27	1.21	0.38	1.38	64%	0.10	26	10	TPAC	5.0
2329F	8.19	0.91	0.45	2.02	93%	0.08	27	10	CREB	4.1
2330F	8.57	0.89	0.47	2.45	113%	0.08	26	10	CREB	4.1
2331F	9.93	1.06	0.41	2.82	130%	0.09	25	10	HPT	4.9
2332F	9.58	1.08	0.42	1.99	91%	0.06	29	10	CREB	4.0
2333F	10.48	1.21	0.40	2.68	123%	0.08	26	10	CREB	4.1
2334F	9.57	1.02	0.42	0.83	38%	0.06	26	20	HPT	4.0
2335F	10.41	1.12	0.39	1.25	57%	0.09	29	10	CREB	4.9
2336F	10.26	1.28	0.46	2.45	113%	0.09	28	10	CREB	4.9
2337F	10.18	1.03	0.41	1.51	69%	0.07	26	15	TPAC	4.0
2338F	8.93	0.86	0.41	2.24	103%	0.10	28	10	CREB	5.0
2340F	9.87	1.20	0.40	3.11	143%	0.10	27	10	CREB	5.0
2344F	9.61	1.10	0.42	2.11	97%	0.10	26	10	CREB	5.0
2345F	10.46	1.14	0.43	2.83	130%	0.11	28	10	CREB	5.1
2346F	8.61	1.19	0.41	2.79	128%	0.07	26	10	HAYD	4.0
2347F	10.69	1.30	0.35	2.68	123%	0.10	30	10	HAYD	5.0
2348F	9.08	1.11	0.45	2.13	98%	0.09	28	10	CREB	4.9
2349F	9.33	1.06	0.45	1.76	81%	0.08	28	10	HAYD	4.1
2351F	9.43	0.93	0.40	2.06	95%	0.11	26	10	CREB	5.1
2352F	9.84	1.15	0.42	2.38	109%	0.10	25	10	CREB	5.0
2358F	9.16	1.06	0.33	1.91	88%	0.08	26	15	HAYD	4.1
2363F	9.76	1.24	0.41	1.91	88%	0.08	26	10	HAYD	4.1
2370F	7.91	0.92	0.41	1.46	67%	0.07	26	15	CHING	4.0
2371F	7.52	0.98	0.42	2.22	102%	0.07	25	10	COOP	4.0
2377F	9.98	1.25	0.40	2.42	111%	0.09	28	10	COOP	4.9
2380F	10.10	1.10	0.36	1.73	80%	0.09	27	15	CHING	4.9
2381F	8.77	1.06	0.42	1.69	78%	0.08	27	15	COOP	4.1
2384F	11.23	1.45	0.53	1.98	91%	0.06	27	15	COOP	4.0
2387F	9.16	1.21	0.40	2.66	122%	0.08	30	10	COOP	4.1

Ultrasound NF19.xlsx

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	Backfat	Tend	Stress	Sire	Flesh
2391F	8.04	0.96	0.39	2.21	102%	0.08	25	10	FRTR	4.1
2395F	9.43	1.12	0.43	2.78	128%	0.07	26	10	COOP	4.0
2396F	8.35	0.96	0.43	1.73	79%	0.08	26	10	BHLL	4.1
2397F	9.78	1.06	0.37	1.35	62%	0.08	25	10	BHLL	4.1
2399F	7.98	0.91	0.40	2.4	110%	0.08	26	10	BHLL	4.1
2401F	8.83	0.98	0.39	2.39	110%	0.09	28	10	BHLL	4.9
2402F	8.22	0.95	0.41	2.88	132%	0.11	25	10	BHLL	5.1
3000F	8.84	1.02	0.38	2.36	108%	0.10	27	10	BEYE	5.0
3001F	7.77	1.06	0.41	2.45	113%	0.08	25	10	BEYE	4.1
3002F	9.21	0.98	0.46	1.9	87%	0.10	26	10	BEYE	5.0
3003F	9.84	1.07	0.39	2.54	117%	0.09	29	10	OPRG	4.9
3004F	10.22	1.17	0.43	2.21	101%	0.07	26	10	DG	4.0
3005F	8.89	1.15	0.34	2.13	98%	0.08	26	10	DG	4.1
3007F	7.78	1.01	0.38	2.37	109%	0.10	25	10	BERAL	5.0
3008F	8.04	1.01	0.53	1.91	88%	0.08	26	15	BERAL	4.1
3009F	8.61	1.08	0.34	2.32	107%	0.07	27	10	BERAL	4.0
3021F	8.15	1.01	0.52	3.01	138%	0.09	28	10	BOV	4.9
3024F	7.28	0.98	0.42	2.56	118%	0.07	25	10	BOV	4.0
5000F	7.29	0.90	0.39	1.97	124%	0.07	29	10	CBALL	4.0
5001F	11.71	1.31	0.45	1.74	109%	0.07	28	10	BRAVE	4.0
5002F	8.39	1.01	0.45	2.27	143%	0.07	26	15	BRAVE	4.0
5004F	7.81	1.05	0.42	0.78	49%	0.06	25	15	5GLD	4.0
5006F	9.53	1.17	0.39	2.12	133%	0.06	26	10	COHI	4.0
5007F	9.65	1.10	0.42	2.08	131%	0.07	27	15	5GLD	4.0
5014F	8.82	1.06	0.37	1.51	95%		28	15	COHI	4.0
5015F	8.08	1.01	0.42	1.74	109%	0.07	26	10	COHI	4.0
5020F	9.90	1.15	0.42	1.27	80%	0.06	27	15	MIZ	4.0
5025F	11.44	1.25	0.46	2.21	139%	0.08	25	10	BRAVE	4.1
5026F	8.11	1.08	0.46	1.52	95%	0.07	28	10	CBALL	4.0
5028F	9.44	1.04	0.48	1.2	76%	0.09	29	15	BRAVE	4.9
5031F	7.11	0.89	0.52	0.69	43%	0.04	26	20	5GLD	3.0
5035F	10.40	1.19	0.51	1.98	124%	0.07	28	10	COHI	4.0
5036F	9.02	0.96	0.43	1.47	92%	0.07	27	10	BRAVE	4.0
5039F	9.66	1.12	0.43	1.79	113%	0.08	28	15	BRAVE	4.1
5043F	9.57	1.16	0.44	1.39	87%	0.07	27	15	HARV	4.0
5046F	10.37	1.18	0.43	1.82	114%	0.08	26	10	HARV	4.1
5047F	8.41	1.09	0.38	1.58	100%	0.06	26	10	CBALL	4.0
5049F	8.30	1.08	0.36	1.65	104%	0.08	27	15	HARV	4.1
5050F	10.53	1.33	0.44	1.83	115%	0.07	25	10	BRAVE	4.0
5051F	9.32	1.08	0.42	0.77	49%	0.07	28	10	BRAVE	4.0
5059F	8.57	1.12	0.38	1.4	88%	0.07	25	15	HARV	4.0
5060F	9.87	1.27	0.34	1.47	93%	0.07	27	10	HARV	4.0
5061F	10.51	1.28	0.42	1.59	100%	0.07	26	15	MIZ	4.0
5062F	9.45	1.19	0.37	2.27	143%	0.08	25	10	AMZN	4.1
5071F	7.96	0.91	0.44	1.61	101%	0.08	28	15	CHEV	4.1
5074F	7.68	1.05	0.37	1.57	99%	0.07	25	10	CHEV	4.0
5710F	9.98	1.17	0.32	2.05	129%	0.08	25	10	YEAG	4.1
5712F	9.98	1.10	0.43	1.57	99%	0.09	26	15	YEAG	4.9
5715F	8.41	1.03	0.40	2.24	141%	0.08	25	10	YEAG	4.1
5717F	9.45	1.01	0.37	0.64	40%	0.08	25	20	YEAG	4.1
5719F	8.97	1.15	0.49	1.04	66%	0.06	27	15	YEAG	4.0
5721F	9.41	1.33	0.43	1.26	79%	0.05	26	15	YEAG	3.9

Ultrasound NF19.xlsx

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	Backfat	Tend	Stress	Sire	Flesh
7902F	9.63	1.07	0.45	1.2	78%	0.07	26	10	CLMBO	4.0
7904F	11.94	1.25	0.50	1.73	112%	0.07	28	15	CLMBO	4.0
7912F	9.49	1.15	0.40	1.79	116%	0.09	30	10	CLMBO	4.9
7930F	8.74	1.01	0.44	1.14	74%	0.07	28	15	BEYE	4.0
7931F	9.27	1.10	0.35	1.73	112%	0.07	25	15	BEYE	4.0
7990F	10.27	1.13	0.40	1.67	108%	0.08	26	10	CHEV	4.1
9000F	8.82	1.21	0.38	1.02	97%	0.07	28	15	123	4.0
9001F	7.18	1.02	0.44	0.86	82%	0.06	28	20	123	4.0
9002F	7.73	0.92	0.47	0.96	91%	0.05	28	15	123	3.9
9003F	9.43	1.25	0.38	1.28	121%	0.06	27	10	123	4.0
9004F	7.94	0.99	0.45	1.15	109%	0.07	29	10	AXEL	4.0