

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1235G	8.93	1.20	0.44	4.07	140%	0.14	28	10	PROS	4.1
1236G	9.2	1.16	0.50	3.23	111%	0.12	27	10	PROS	4.1
1237G	8.43	1.19	0.37	3.65	125%	0.12	25	10	PROS	4.1
1238G	8.75	1.23	0.45	2.92	100%	0.13	28	10	PROS	4.1
1239G	7.43	1.11	0.50	4.97	171%	0.12	24	10	PROS	4.1
1240G	10.59	1.44	0.40	3.20	110%	0.11	29	10	PROS	4.0
1242G	8.15	1.21	0.53	3.58	123%	0.11	25	10	MROE	4.0
1245G	7.89	1.12	0.41	3.09	106%	0.09	25	10	ECL	4.0
1247G	8.91	1.32	0.55	2.87	99%	0.10	26	10	MROE	4.0
1248G	7.7	1.18	0.44	3.61	124%	0.15	25	10	MROE	4.1
1801G	10.23	1.23	0.44	4.63	159%	0.19	26	10	RMC	5.0
1802G	8.64	1.01	0.44	2.93	101%	0.22	28	10	RMC	5.1
1803G	10.17	1.23	0.51	2.96	102%	0.19	29	10	RMC	5.0
1804G	9.75	1.22	0.47	2.58	89%	0.09	27	10	RMC	4.0
1805G	9.79	1.37	0.47	3.04	104%	0.10	25	10	RMC	4.0
1806G	10.25	1.28	0.43	3.27	112%	0.17	25	10	RMC	4.9
1807G	10.29	1.22	0.42	1.80	62%	0.14	26	10	RMC	4.1
1808G	10.1	1.24	0.48	3.22	111%	0.06	26	10	RBL	3.9
1809G	8.93	1.06	0.50	3.70	127%	0.16	25	10	RMC	4.9
1810G	7.66	1.15	0.48	3.17	109%	0.20	27	10	RMC	5.0
1811G	8.92	1.23	0.48	2.78	95%	0.15	25	10	RMC	4.1
1812G	10.7	1.25	0.41	4.21	145%	0.18	25	10	RMC	4.9
1814G	10.16	1.41	0.46	3.42	117%	0.14	26	10	RMC	4.1
1815G	10.63	1.42	0.46	2.03	70%	0.14	27	10	RMC	4.1
1816G	9.89	1.23	0.45	3.33	114%	0.18	28	10	RMC	4.9
1818G	8.67	1.13	0.50	2.88	99%	0.16	25	10	RMC	4.9
1819G	9.83	1.32	0.46	3.39	116%	0.15	28	10	RMC	4.1
1820G	9.02	1.13	0.49	2.35	81%	0.13	29	10	RMC	4.1
1821G	10.7	1.34	0.53	2.95	101%	0.16	28	10	RMC	4.9
1822G	9.04	1.49	0.45	3.37	116%	0.10	25	10	RMC	4.0
1823G	10.24	1.35	0.45	3.11	107%	0.05	26	10	RMC	3.1
1824G	8.19	1.10	0.50	3.57	123%	0.20	30	10	TILT	5.0
1825G	9.45	1.27	0.47	3.30	113%	0.16	27	10	DASH	4.9
1826G	8.33	1.16	0.55	2.94	101%	0.14	25	10	DASH	4.1
1827G	8.66	1.15	0.51	2.99	103%	0.13	26	10	AMLO	4.1
1828G	9.32	1.33	0.50	3.26	112%	0.11	27	10	AMLO	4.0
1829G	9.47	1.25	0.37	3.22	111%	0.11	27	10	MS-AN	4.0
1830G	8.02	1.12	0.48	2.39	82%	0.12	28	10	MOCA	4.1
1831G	10.42	1.46	0.43	2.25	77%	0.10	30	10	AMLO	4.0
1832G	7.29	1.25	0.41	3.99	137%	0.12	29	10	TILT	4.1
1833G	9.51	1.22	0.51	2.85	98%	0.08	28	10	AMLO	3.9
1834G	9.41	1.31	0.40	3.22	111%	0.10	25	10	TILT	4.0
1835G	9.19	1.21	0.47	3.44	118%	0.13	27	10	AMLO	4.1
1837G	9.26	1.32	0.40	3.25	112%	0.12	25	10	AMLO	4.1
1838G	10.25	1.52	0.46	2.83	97%	0.10	28	10	AMLO	4.0
1839G	9.11	1.24	0.42	3.14	108%	0.10	28	10	MOCA	4.0
1840G	8.23	1.04	0.51	1.92	66%	0.10	30	10	BLUE	4.0
1841G	10.05	1.44	0.39	4.20	144%	0.17	25	10	CFIR	4.9
1842G	8.52	1.17	0.47	1.49	51%	0.08	28	10	RAZZ	3.9
1843G	8.96	1.35	0.39	4.25	146%	0.16	25	10	CFIR	4.9
1844G	9.75	1.31	0.45	3.51	121%	0.10	27	10	LBT	4.0
1845G	8.52	1.36	0.43	3.27	112%	0.16	27	10	VIP	4.9
1846G	8.9	1.28	0.51	3.04	104%	0.10	28	10	BPRF	4.0
1847G	10.63	1.36	0.50	3.43	118%	0.14	26	10	RIC	4.1
1849G	10.03	1.33	0.37	3.16	109%	0.17	28	10	JAKE	4.9
1850G	8.78	1.10	0.48	3.75	129%	0.20	25	10	BUD	5.0
1851G	7.48	1.19	0.34	3.54	122%	0.13	25	10	BUD	4.1

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1852G	9.81	1.39	0.46	3.40	117%	0.20	27	10	JAKE	5.0
1853G	8.87	1.33	0.47	1.45	50%	0.17	27	10	JAKE	4.9
1855G	11.61	1.57	0.48	3.34	115%	0.21	27	10	JAKE	5.0
1856G	9.34	1.33	0.47	2.96	102%	0.16	28	10	JAKE	4.9
1857G	7.19	1.06	0.46	1.97	68%	0.11	27	10	JAKE	4.0
1858G	8.18	1.17	0.39	3.28	113%	0.12	25	10	JAKE	4.1
1859G	9.17	1.25	0.48	3.05	105%	0.11	26	10	JAKE	4.0
1860G	7.04	1.07	0.42	2.54	87%	0.09	29	10	JAKE	4.0
1861G	10.22	1.52	0.52	3.75	129%	0.12	28	10	JAKE	4.1
1862G	8.88	1.15	0.41	4.26	146%	0.11	27	10	JAKE	4.0
1863G	8.6	1.22	0.46	2.57	88%	0.15	26	10	JAKE	4.1
1864G	9.03	1.19	0.49	3.15	108%	0.17	26	10	JAKE	4.9
1865G	10.55	1.54	0.43	3.84	132%	0.17	27	10	JAKE	4.9
1866G	8.88	1.35	0.41	3.61	124%	0.16	26	10	JAKE	4.9
1867G	11.7	1.48	0.39	1.79	61%	0.11	28	10	ECLR	4.0
1868G	10.44	1.25	0.46	1.34	46%	0.07	27	10	ECLR	3.9
1869G	9.19	1.47	0.52	2.41	83%	0.09	25	10	ECLR	4.0
1870G	8.62	1.50	0.51	3.35	115%	0.12	25	10	ECLR	4.1
1871G	8.73	1.24	0.43	3.37	116%	0.09	25	10	ECLR	4.0
1872G	9.24	1.33	0.46	1.42	49%	0.11	27	10	ECLR	4.0
1873G	8.7	1.33	0.46	2.51	86%	0.10	29	10	ECLR	4.0
1874G	10.22	1.35	0.47	1.68	58%	0.10	28	15	ECLR	4.0
1878G	9.26	1.33	0.49	1.77	61%	0.25	27	10	ECLR	5.2
1882G	7.49	1.11	0.45	4.00	137%	0.09	25	10	BOUT	4.0
1884G	8.5	1.24	0.47	3.03	104%	0.15	27	10	BOUT	4.1
1885G	9.52	1.52	0.39	2.59	89%	0.09	26	10	BOUT	4.0
1886G	9.37	1.46	0.52	1.65	57%	0.09	28	10	BOUT	4.0
1887G	8.77	1.29	0.45	3.37	116%	0.16	30	10	BOUT	4.9
1890G	8.08	1.03	0.44	2.44	84%	0.13	28	10	BLUE	4.1
1891G	9.08	1.24	0.46	2.04	70%	0.17	27	10	BLUE	4.9
1892G	8.56	1.08	0.43	2.59	89%	0.10	26	10	BLUE	4.0
1893G	9.32	1.42	0.41	2.99	103%	0.09	27	10	BLUE	4.0
1894G	8.93	1.33	0.47	3.41	117%	0.15	27	10	BLUE	4.1
1897G	10.45	1.46	0.36	1.81	62%	0.11	26	10	BLUE	4.0
1899G	9.23	1.31	0.43	2.06	71%	0.15	28	10	RIC	4.1
1901G	11.75	1.49	0.56	2.83	97%	0.09	25	10	RIC	4.0
1902G	11.21	1.68	0.44	3.14	108%	0.18	25	10	RIC	4.9
1903G	9.57	1.50	0.45	1.97	68%	0.10	28	10	RIC	4.0
1904G	10.4	1.43	0.45	3.36	115%	0.15	28	10	RIC	4.1
1907G	8.87	1.13	0.50	3.75	129%	0.14	25	10	RIC	4.1
1908G	9.11	1.39	0.46	3.21	110%	0.18	28	10	BUD	4.9
1909G	8.39	1.17	0.48	2.92	100%	0.13	26	10	BUD	4.1
1910G	8.21	1.17	0.48	2.55	88%	0.16	27	10	BUD	4.9
1911G	9.47	1.27	0.44	3.30	113%	0.14	27	10	BUD	4.1
1912G	8.61	1.16	0.42	3.07	105%	0.08	25	10	BUD	3.9
1913G	9.2	1.07	0.52	3.00	103%	0.14	26	10	BUD	4.1
1914G	8.98	1.29	0.43	2.89	99%	0.22	26	10	BUD	5.1
1915G	7.05	1.09	0.46	3.05	105%	0.10	26	10	BUD	4.0
1919G	10.38	1.34	0.49	2.59	89%	0.18	27	10	RAZZ	4.9
1920G	8.71	1.08	0.50	2.93	101%	0.13	28	10	RAZZ	4.1
1921G	10.08	1.23	0.49	3.51	121%	0.11	25	10	RAZZ	4.0
1922G	8.78	1.27	0.42	2.85	98%	0.10	27	10	MS-AN	4.0
1923G	10.04	1.23	0.48	2.77	95%	0.13	28	10	SHKY	4.1
1924G	9.31	1.20	0.43	1.39	48%	0.21	27	10	RAZZ	5.0
1926G	8.73	1.37	0.39	2.44	84%	0.10	28	10	RAZZ	4.0
1928G	9.12	1.17	0.42	3.69	127%	0.15	26	10	LBT	4.1
1929G	7.75	1.11	0.49	2.16	74%	0.10	27	10	RAZZ	4.0

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1931G	8.21	1.27	0.45	3.93	135%	0.16	26	10	RAZZ	4.9
1932G	8.8	1.29	0.52	3.20	110%	0.15	25	10	RAZZ	4.1
1933G	8.45	1.24	0.46	1.50	52%	0.08	28	10	RAZZ	3.9
1934G	8.21	1.10	0.48	3.75	129%	0.16	25	10	CFIR	4.9
1936G	8.59	1.14	0.51	1.85	64%	0.11	29	10	SHKY	4.0
1937G	8.28	1.13	0.46	2.80	96%	0.09	27	10	RAZZ	4.0
1938G	8.04	1.21	0.46	3.45	119%	0.19	25	10	ARS	5.0
1940G	8.17	1.08	0.52	3.24	111%	0.14	26	10	SHKY	4.1
1941G	8.09	0.99	0.50	0.96	33%	0.07	27	10	RAZZ	3.9
1942G	8.86	1.20	0.42	2.62	90%	0.16	26	10	VIP	4.9
1943G	9.33	1.43	0.37	3.14	108%	0.12	26	10	MLGT	4.1
1944G	8.6	1.27	0.48	3.16	109%	0.17	25	10	RAZZ	4.9
1945G	8.41	1.21	0.39	3.67	126%	0.10	25	10	R2	4.0
1946G	8.88	1.49	0.45	2.61	90%	0.10	26	10	SHKY	4.0
1948G	8.28	1.07	0.43	3.98	137%	0.17	27	10	CFIR	4.9
1949G	8.87	1.26	0.42	2.61	90%	0.11	27	10	MS-AN	4.0
1950G	9.64	1.35	0.44	2.69	92%	0.11	25	10	RAZZ	4.0
1952G	7.93	1.08	0.43	3.24	111%	0.10	25	10	MOCA	4.0
1953G	9.8	1.39	0.38	2.74	94%	0.11	28	10	DASH	4.0
1954G	11.57	1.62	0.51	3.52	121%	0.07	29	10	MTRK	3.9
1957G	9.86	1.36	0.47	3.42	117%	0.18	25	10	SKYW	4.9
1958G	9.79	1.33	0.46	2.99	103%	0.15	25	10	MOCA	4.1
1959G	9.21	1.16	0.45	2.70	93%	0.13	26	10	MS-AN	4.1
1960G	8.63	1.20	0.55	3.31	114%	0.18	27	10	TILT	4.9
1961G	11.12	1.43	0.49	3.00	103%	0.16	25	10	MOCA	4.9
1962G	7.81	1.25	0.44	1.96	67%	0.09	26	10	MS-AN	4.0
1963G	8.51	1.34	0.50	1.80	62%	0.11	26	10	HUSK	4.0
1964G	8.99	1.41	0.48	3.37	116%	0.18	25	10	HUSK	4.9
1965G	9.61	1.42	0.47	2.82	97%	0.07	27	10	BLPD	3.9
1966G	10.31	1.51	0.45	3.15	108%	0.18	25	10	LBT	4.9
1967G	9.42	1.44	0.46	2.51	86%	0.06	25	10	SHKY	3.9
1969G	9.34	1.19	0.51	1.97	68%	0.12	27	10	MOCA	4.1
1970G	10.35	1.36	0.51	2.98	102%	0.17	26	10	DASH	4.9
1973G	9.05	1.40	0.55	3.60	124%	0.09	26	10	BLPD	4.0
1974G	9.12	1.33	0.42	2.66	91%	0.09	30	10	MOCA	4.0
1975G	9.11	1.14	0.50	3.09	106%	0.18	26	10	RAZZ	4.9
1976G	8.91	1.26	0.44	2.27	78%	0.09	27	10	BLPD	4.0
1978G	10.24	1.64	0.46	2.64	91%	0.10	27	10	LBT	4.0
1980G	11.69	1.51	0.48	2.89	99%	0.16	27	10	DASH	4.9
1981G	8.7	1.18	0.47	2.53	87%	0.10	25	10	R2	4.0
1982G	10.94	1.51	0.56	2.36	81%	0.11	28	10	HUSK	4.0
1983G	8.48	1.33	0.40	2.48	85%	0.12	27	10	MS-AN	4.1
1984G	8.56	1.30	0.46	2.53	87%	0.11	28	10	DENM	4.0
1985G	10.13	1.54	0.45	2.74	94%	0.13	25	10	CFIR	4.1
1987G	10.04	1.47	0.39	3.59	123%	0.22	25	10	DASH	5.1
1991G	9.74	1.29	0.43	2.00	69%	0.08	25	10	R2	3.9
1994G	9.78	1.29	0.48	3.22	111%	0.17	28	10	DASH	4.9
1998G	9.11	1.31	0.44	3.34	115%	0.13	28	10	BLPD	4.1
2001G	8.43	1.33	0.54	2.80	96%	0.11	29	10	LBT	4.0
2002G	8.94	1.45	0.41	3.37	116%	0.12	25	10	RAZZ	4.1
2003G	7.29	1.15	0.36	4.29	147%	0.15	25	10	CFIR	4.1
2053G	10.03	1.46	0.40	3.52	121%	0.14	26	10	JAKE	4.1
2061G	9.85	1.48	0.49	2.94	101%	0.14	25	10	SCPR	4.1
2062G	8.37	1.22	0.52	2.95	101%	0.11	28	10	SCPR	4.0
2063G	10.4	1.38	0.46	3.08	106%	0.13	27	10	SCPR	4.1
2065G	10.15	1.46	0.49	2.01	69%	0.11	28	10	RIC	4.0
2068G	10.12	1.55	0.37	2.49	86%	0.09	29	10	SCPR	4.0

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2074G	9.64	1.24	0.51	2.77	95%	0.16	26	10	SCPR	4.9
2075G	7.43	0.91	0.44	3.85	132%	0.17	26	10	MS-AN	4.9
2900G	8.74	1.14	0.42	2.81	97%	0.20	27	10	HICO	5.0
2901G	8.64	1.05	0.49	2.88	99%	0.19	25	10	HICO	5.0
2903G	8.33	1.29	0.49	2.52	87%	0.14	27	10	HICO	4.1
2904G	9.32	1.07	0.52	2.64	91%	0.06	28	10	HICO	3.9
2905G	9.54	1.11	0.49	2.09	72%	0.18	26	10	HICO	4.9
2906G	9.69	1.26	0.45	2.90	100%	0.14	26	10	HICO	4.1
2909G	7.65	1.04	0.47	2.38	82%	0.15	27	10	HICO	4.1
2910G	7.06	1.00	0.48	2.98	102%	0.09	26	10	HICO	4.0
2911G	10.4	1.61	0.51	3.37	116%	0.09	27	10	HICO	4.0
2916G	8.74	1.08	0.47	3.72	128%	0.22	29	10	RIP	5.1
2917G	9.47	1.11	0.59	3.40	117%	0.07	27	10	RIP	3.9
2918G	8.94	1.15	0.48	4.41	151%	0.18	25	10	RIP	4.9
2919G	7.24	1.09	0.48	2.95	101%	0.18	25	10	RIP	4.9
2920G	9.01	1.06	0.48	2.79	96%	0.14	26	10	RIP	4.1
2922G	9.47	1.07	0.55	3.14	108%	0.19	28	10	CINCH	5.0
2923G	9.32	1.06	0.51	1.47	50%	0.16	26	10	RNGR	4.9
2924G	8.08	1.18	0.41	2.06	71%	0.07	27	10	CINCH	3.9
2925G	8.91	1.13	0.46	2.44	84%	0.09	27	10	HICO	4.0
2927G	7.48	0.98	0.48	3.12	107%	0.18	28	10	HICO	4.9
4601G	8.24	1.17	0.48	1.42	49%	0.16	27	10	SPUD	4.9
4680G	8.55	1.00	0.50	2.65	91%	0.17	25	10	HPL	4.9
4681G	8.26	1.08	0.51	2.26	78%	0.09	27	10	SPUD	4.0
4683G	8.97	0.99	0.46	2.14	74%	0.10	28	10	ADRT	4.0
4684G	9.6	1.40	0.53	2.83	97%	0.09	29	10	CLIFF	4.0
4685G	7.95	1.21	0.45	2.34	80%	0.08	27	10	CLIFF	3.9
4688G	7.96	1.07	0.49	1.57	54%	0.08	26	10	CLIFF	3.9
4689G	10.44	1.38	0.52	2.94	101%	0.15	27	10	CRSN	4.1
4900G	9.28	0.98	0.48	2.35	81%	0.09	29	10	SPUD	4.0
4901G	8.28	1.12	0.48	2.78	95%	0.19	27	10	SPUD	5.0
4902G	8.43	1.07	0.48	2.73	94%	0.18	25	10	CON	4.9
4903G	8.62	1.13	0.52	1.74	60%	0.09	26	10	HPL	4.0
4904G	7.86	0.99	0.49	1.70	58%	0.10	27	10	CROP	4.0
4905G	8.43	1.15	0.44	3.00	103%	0.12	27	10	CLIFF	4.1
4906G	9.85	1.34	0.40	3.55	122%	0.17	25	10	CLIFF	4.9
4907G	7.35	1.00	0.51	2.81	97%	0.09	26	10	CROP	4.0
4908G	7.33	0.97	0.46	3.10	106%	0.12	26	10	CMAG	4.1
4909G	9.63	1.40	0.39	2.27	78%	0.09	27	10	CROP	4.0
4910G	8.95	1.23	0.53	4.04	139%	0.11	26	10	ADRT	4.0
4911G	9	1.17	0.45	2.41	83%	0.14	27	10	CROP	4.1
4912G	9.92	1.57	0.35	3.07	105%	0.10	25	10	CROP	4.0
4913G	9.57	1.48	0.49	3.26	112%	0.10	25	10	CLIFF	4.0
4915G	8.99	1.39	0.37	3.52	121%	0.10	24	10	CROP	4.0
4916G	7.35	1.24	0.48	2.48	85%	0.08	25	10	CRSN	3.9
4917G	8.22	1.02	0.48	2.10	72%	0.10	26	10	HPL	4.0
4918G	7.91	1.27	0.45	1.99	68%	0.09	29	10	HPL	4.0
4919G	9.85	1.16	0.44	3.18	109%	0.13	26	10	SPUD	4.1
4920G	7.69	1.05	0.47	2.65	91%	0.16	28	10	SPUD	4.9
4921G	6.26	1.00	0.40	3.58	123%	0.11	25	10	CRSN	4.0
4922G	7.82	1.14	0.45	2.32	80%	0.14	26	10	ADRT	4.1
4923G	7.77	1.13	0.38	2.97	102%	0.11	25	10	CROP	4.0
4924G	9.45	1.34	0.37	2.22	76%	0.09	27	10	CROP	4.0
4925G	10.17	1.38	0.48	2.75	94%	0.13	28	10	CROP	4.1
4926G	6.83	0.95	0.50	2.82	97%	0.08	26	10	CLIFF	3.9
4927G	8.22	1.03	0.48	2.05	70%	0.15	27	10	CLIFF	4.1
4928G	8.34	1.29	0.40	2.98	102%	0.07	25	10	CROP	3.9

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
4929G	8.01	1.13	0.40	3.49	120%	0.10	28	10	CLIFF	4.0
4932G	8.95	1.22	0.52	3.97	136%	0.17	26	10	HPL	4.9
4933G	9.56	1.37	0.46	3.55	122%	0.10	25	10	ADRT	4.0
4934G	9.86	1.21	0.49	3.30	113%	0.14	28	10	HPL	4.1
4935G	8.91	1.15	0.49	3.41	117%	0.15	25	10	HPL	4.1
4936G	9.01	1.34	0.51	1.58	54%	0.07	27	10	SPUD	3.9
4937G	11.66	1.59	0.47	3.38	116%	0.18	28	10	SPUD	4.9
4938G	11.21	1.41	0.43	2.85	98%	0.16	29	10	SPUD	4.9
4939G	9.51	1.38	0.39	2.96	102%	0.10	25	10	SPUD	4.0
4940G	9.19	1.32	0.43	3.01	103%	0.11	26	10	CROP	4.0
4941G	9.42	1.21	0.44	3.41	117%	0.10	26	10	CLIFF	4.0
4942G	9.33	1.10	0.48	2.53	87%	0.14	25	10	HPL	4.1
4943G	8.77	1.02	0.51	2.91	100%	0.11	28	10	HPL	4.0
5410G	9.12	1.15	0.49	3.62	124%	0.12	26	10	CASH	4.1
5411G	8.44	1.05	0.54	2.96	102%	0.18	26	10	ELEC	4.9
5418G	8.02	1.08	0.51	2.58	89%	0.09	26	10	CASH	4.0
5436G	9.37	1.37	0.41	2.35	81%	0.10	28	10	COUR	4.0
5439G	7.91	1.14	0.49	3.65	125%	0.12	26	10	COUR	4.1
5447G	7.81	1.17	0.46	2.33	80%	0.10	26	10	COOL	4.0
5448G	8.1	1.16	0.52	1.51	52%	0.14	26	15	COOL	4.1
5452G	9.46	1.30	0.48	2.32	80%	0.11	26	10	COOL	4.0
5453G	8.4	1.17	0.56	2.93	101%	0.18	29	10	COOL	4.9
6100G	7.01	1.03	0.54	2.58	89%	0.10	26	10	CFREE	4.0
6102G	7.03	1.13	0.45	2.95	101%	0.08	25	10	BBNT	3.9
6103G	8.15	1.08	0.44	2.81	97%	0.15	26	10	BBNT	4.1
6104G	10.06	1.53	0.40	2.84	98%	0.10	28	10	BBNT	4.0
6108G	12.54	1.47	0.51	2.38	82%	0.10	29	10	175C	4.0
6109G	9.4	1.17	0.47	3.07	105%	0.15	26	10	30B	4.1
6111G	8.91	1.32	0.43	3.29	113%	0.09	26	10	CFREE	4.0
6113G	8.08	1.15	0.47	3.21	110%	0.11	26	10	CFREE	4.0
6114G	10.71	1.63	0.41	3.11	107%	0.12	26	10	CFREE	4.1
6115G	7.29	1.22	0.52	2.70	93%	0.07	27	10	CFREE	3.9
6116G	8.97	1.25	0.50	2.58	89%	0.11	26	10	CFREE	4.0
6119G	8.67	1.26	0.46	3.07	105%	0.14	26	10	CFREE	4.1
6120G	7.24	1.21	0.47	2.12	73%	0.09	26	10	CFREE	4.0
6121G	9.04	1.43	0.42	3.23	111%	0.09	25	10	CFREE	4.0
6123G	8.49	1.26	0.53	3.34	115%	0.16	29	10	CFREE	4.9
6126G	10.89	1.42	0.46	2.76	95%	0.11	28	10	BBNT	4.0
6127G	8.23	1.10	0.52	2.93	101%	0.08	28	10	BBNT	3.9
6129G	9.13	1.28	0.49	2.84	98%	0.11	28	10	BBNT	4.0
6130G	9.27	1.35	0.46	2.88	99%	0.10	26	10	BBNT	4.0
6132G	10.93	1.29	0.52	2.85	98%	0.12	30	10	CRUZ	4.1
6134G	9.34	1.20	0.51	3.62	124%	0.12	26	10	CRUZ	4.1
6136G	8.63	1.08	0.50	3.41	117%	0.10	25	10	175C	4.0
6137G	9.32	1.16	0.53	3.43	118%	0.15	27	10	175C	4.1
6140G	9.31	1.16	0.53	3.35	115%	0.17	25	10	30B	4.9
6141G	9.17	1.34	0.37	2.57	88%	0.09	25	10	30B	4.0
6142G	9.52	1.25	0.43	3.56	122%	0.16	25	10	30B	4.9
6144G	8.23	1.00	0.55	3.43	118%	0.08	27	10	30B	3.9
6145G	8.85	1.20	0.45	3.57	123%	0.11	27	10	30B	4.0
6146G	8.76	1.11	0.44	3.89	134%	0.17	26	10	30B	4.9
6147G	7.66	1.13	0.45	3.02	104%	0.10	26	10	30B	4.0
6148G	8.54	1.31	0.55	1.39	48%	0.09	26	10	30B	4.0
6149G	8.66	1.26	0.40	3.61	124%	0.10	26	10	30B	4.0
7409G	8.32	1.10	0.43	4.82	162%	0.12	26	10	CASH	4.1
7415G	9.38	1.22	0.46	2.90	97%	0.15	25	10	TRSK	4.1
7424G	9.25	1.13	0.51	2.51	84%	0.15	30	10	ELEC	4.1

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
7435G	8.42	1.16	0.54	1.97	66%	0.15	27	10	EFFT	4.1
7437G	8.69	1.21	0.45	2.71	91%	0.12	27	10	COUR	4.1
7451G	9.21	1.28	0.46	3.22	108%	0.10	25	10	COOL	4.0
7866G	11	1.50	0.46	2.73	92%	0.08	30	10	SCPR	3.9