

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1000G	10.12	1.20	0.49	2.24	130%	0.11	26	10	EZ	5.0
1001G	11.96	1.43	0.44	2.38	138%	0.11	27	10	EZ	5.0
1002G	10.59	1.30	0.39	2.20	127%	0.10	27	10	EZ	4.9
1003G	8.11	1.05	0.43	0.99	57%	0.12	27	10	PDAY	5.1
1004G	10	1.20	0.47	2.50	145%	0.11	27	10	DT	5.0
1005G	10.26	1.32	0.40	2.13	123%	0.10	27	10	DT	4.9
1006G	9.04	1.11	0.46	1.48	86%	0.07	27	10	LBM	4.0
1007G	9.61	1.24	0.38	2.17	126%	0.11	26	10	HAYD	5.0
1008G	10	1.20	0.42	1.30	75%	0.12	30	10	FORT	5.1
1009G	9.61	1.22	0.44	2.43	141%	0.11	28	10	FORT	5.0
1050G	9.93	1.07	0.43	1.66	96%	0.10	30	10	HPT	4.9
1051G	10.51	1.24	0.41	2.76	160%	0.10	25	10	BEYE	4.9
1052G	10.01	1.09	0.42	2.31	134%	0.10	28	10	BEYE	4.9
1053G	10.2	1.26	0.39	2.40	139%	0.11	27	10	BEYE	5.0
1054G	9.56	1.13	0.47	2.99	173%	0.14	25	10	BEYE	5.1
1055G	10.13	1.26	0.40	1.75	101%	0.10	26	10	EZ	4.9
1058G	12.69	1.33	0.49	1.61	93%	0.06	27	10	PDAY	3.9
1059G	10.06	1.31	0.41	1.72	100%	0.10	26	10	PDAY	4.9
1062G	9.86	1.19	0.42	2.17	126%	0.10	28	10	PDAY	4.9
1063G	10	1.35	0.32	2.56	148%	0.10	27	10	PDAY	4.9
1064G	10.85	1.09	0.37	1.89	109%	0.08	28	10	DT	4.0
1065G	11.01	1.15	0.41	1.98	115%	0.10	25	10	RMC	4.9
1162G	11.02	1.30	0.34	0.54	31%	0.08	27	10	BEYE	4.0
1163G	10.53	1.13	0.49	1.39	80%	0.08	28	10	BEYE	4.0
1164G	9.74	0.98	0.44	1.97	114%	0.10	28	10	BEYE	4.9
1165G	9.97	1.03	0.42	0.48	28%	0.07	28	10	FORT	4.0
1180G	11.59	1.41	0.43	2.23	129%	0.09	28	10	BEYE	4.1
1181G	9.92	1.11	0.46	1.74	101%	0.08	26	10	EZ	4.0
1182G	10.39	1.23	0.44	1.27	73%	0.13	30	10	FORT	5.1
1184G	9.28	1.25	0.49	2.18	126%	0.09	28	10	FORT	4.1
1185G	12.13	1.37	0.46	1.81	105%	0.11	27	10	FORT	5.0
1402G	11.43	1.19	0.55	1.43	83%	0.11	26	10	TC	5.0
1405G	9.82	1.15	0.40	2.17	126%	0.11	29	10	TC	5.0
1407G	9.01	1.08	0.42	0.77	45%	0.07	27	10	TC	4.0
1409G	9.48	1.06	0.45	2.76	160%	0.08	26	10	TC	4.0
1411G	8.7	1.12	0.42	2.83	164%	0.08	26	10	TC	4.0
1414G	7.56	1.03	0.47	1.18	68%	0.08	26	10	TC	4.0
1426G	10.14	1.32	0.36	0.54	31%	0.07	28	10	TC	4.0
1427G	8.73	1.06	0.40	2.62	152%	0.06	29	10	TC	3.9
1500G	10.52	1.14	0.43	1.96	113%	0.09	30	10	DIEGO	4.1
1501G	11	1.26	0.46	1.27	73%	0.09	25	10	COVR	4.1
1502G	11.65	1.38	0.36	1.43	83%	0.07	25	10	MORPH	4.0
1504G	11.13	1.20	0.42	1.03	60%	0.09	29	10	COVR	4.1
1505G	11.91	1.29	0.39	1.82	105%	0.12	30	10	COVR	5.1
1506G	10.51	1.12	0.41	1.72	100%	0.10	27	10	COVR	4.9
1507G	10.54	1.31	0.37	1.09	63%	0.08	25	10	DIEGO	4.0
1508G	11.93	1.12	0.41	1.86	108%	0.11	25	10	COVR	5.0
1509G	12.45	1.55	0.47	1.85	107%	0.10	28	10	COVR	4.9
1511G	9.56	1.19	0.38	2.03	117%	0.10	26	10	SMSC	4.9
1512G	10.14	1.24	0.38	1.65	95%	0.10	25	10	SMSC	4.9
1513G	10.2	1.11	0.47	1.20	69%	0.11	27	10	COVR	5.0
1514G	12.04	1.33	0.40	1.46	84%	0.07	28	10	COVR	4.0
1515G	10.16	1.11	0.44	0.17	10%	0.07	27	10	COVR	4.0
1517G	11.24	1.30	0.45	2.29	132%	0.11	26	10	COVR	5.0
1521G	11.02	1.08	0.40	3.22	186%	0.09	28	10	DIEGO	4.1
1600G	10.8	1.30	0.44	1.17	68%	0.09	29	10	VADER	4.1
1601G	9.28	1.32	0.43	2.02	117%	0.08	28	10	VADER	4.0

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1602G	7.69	1.07	0.47	1.14	66%	0.07	26	10	VADER	4.0
1702G	9.67	1.15	0.37	0.49	28%	0.05	27	10	CHCO	3.1
1708G	9.23	1.08	0.44	1.96	113%	0.08	27	10	SLVR	4.0
1713G	9.54	1.13	0.46	2.00	116%	0.08	28	10	SLVR	4.0
1714G	10.73	1.28	0.47	0.98	57%	0.05	28	10	SLVR	3.1
1715G	9.78	1.07	0.46	0.92	53%	0.06	27	10	SLVR	3.9
1717G	12.23	1.38	0.41	2.53	146%	0.11	28	10	HAYD	5.0
1723G	9.92	1.09	0.45	1.71	99%	0.08	27	10	SLVR	4.0
1724G	9.22	1.12	0.44	1.90	110%	0.07	27	10	MONT	4.0
1726G	9.64	1.04	0.44	1.66	96%	0.08	28	10	MONT	4.0
1730G	9.03	1.12	0.36	2.77	160%	0.09	27	10	HAYD	4.1
1731G	8.27	0.97	0.51	0.69	40%	0.07	29	10	SLVR	4.0
1737G	9.51	1.16	0.36	1.43	83%	0.08	29	10	MONT	4.0
1741G	8.79	1.02	0.48	2.34	135%	0.08	26	10	SLVR	4.0
1742G	10.2	1.26	0.43	1.38	80%	0.08	26	10	MONT	4.0
1744G	7.44	0.91	0.36	1.35	78%	0.08	26	10	HAYD	4.0
1745G	7.46	0.96	0.45	3.13	181%	0.08	28	10	MONT	4.0
1875G	10.31	1.13	0.46	1.90	110%	0.08	27	10	ECLR	4.0
1876G	9.45	1.23	0.45	2.00	116%	0.09	29	10	ECLR	4.1
1877G	9.85	1.14	0.46	1.70	98%	0.08	27	10	RAZZ	4.0
1888G	8.81	1.11	0.43	1.45	84%	0.09	29	10	BOUT	4.1
1895G	10.93	1.21	0.41	2.82	163%	0.08	25	10	BLUE	4.0
1905G	11.51	1.33	0.49	1.97	114%	0.08	26	15	RIC	4.0
1916G	8.62	0.98	0.37	2.67	154%	0.09	25	10	BUD	4.1
1917G	10.17	1.16	0.49	2.61	151%	0.08	27	10	BUD	4.0
1918G	9.44	1.01	0.48	2.28	132%	0.09	25	10	BUD	4.1
1956G	9.82	1.25	0.45	1.44	83%	0.09	25	10	RAZZ	4.1
1971G	9.81	1.06	0.36	2.15	124%	0.08	25	10	AMLO	4.0
1972G	10.83	1.16	0.42	2.27	131%	0.11	29	10	SHKY	5.0
1977G	11.46	1.25	0.45	3.32	192%	0.10	27	10	SHKY	4.9
1979G	10.42	1.18	0.48	1.51	87%	0.09	26	10	SHKY	4.1
1986G	9.9	1.12	0.40	2.09	121%	0.08	26	10	ARS	4.0
1988G	10.4	1.15	0.46	2.58	149%	0.09	26	10	ECLR	4.1
1992G	9.63	1.10	0.43	1.71	99%	0.12	27	10	MOCA	5.1
1993G	9.41	1.14	0.42	1.29	75%	0.08	25	10	RAZZ	4.0
1995G	10.51	1.20	0.40	1.61	93%	0.08	25	10	LBT	4.0
1996G	8.91	1.05	0.37	2.14	124%	0.08	26	10	BPRF	4.0
1997G	9.79	1.12	0.41	1.16	67%	0.08	27	10	R2	4.0
1999G	7.89	1.00	0.34	0.93	54%	0.07	25	10	RAZZ	4.0
2000G	9.51	1.08	0.46	1.26	73%	0.09	26	10	ARS	4.1
2004G	10.53	1.16	0.39	0.84	49%	0.06	27	10	MLGT	3.9
2005G	9.77	1.09	0.37	2.55	148%	0.10	28	10	LBT	4.9
2006G	8.18	0.97	0.50	1.97	114%	0.09	29	10	LBT	4.1
2007G	9.69	1.15	0.44	1.46	84%	0.11	25	10	RAZZ	5.0
2008G	10.13	1.13	0.45	1.46	84%	0.11	25	10	LBT	5.0
2009G	8.27	0.92	0.41	1.88	109%	0.09	27	10	LBT	4.1
2012G	10.15	1.16	0.36	2.41	139%	0.09	27	10	BSHT	4.1
2013G	8.4	0.91	0.44	2.29	132%	0.09	26	10	LBT	4.1
2014G	9.26	1.12	0.36	1.10	64%	0.08	27	10	RAZZ	4.0
2015G	9.79	1.04	0.48	1.57	91%	0.09	26	10	MOCA	4.1
2016G	9.54	1.02	0.33	2.44	141%	0.10	27	10	BSHT	4.9
2017G	8.63	1.02	0.50	1.16	67%	0.08	27	10	MLGT	4.0
2018G	10.61	1.08	0.44	3.00	174%	0.12	26	10	DASH	5.1
2021G	9.14	1.07	0.40	0.78	45%	0.08	27	15	ARS	4.0
2022G	8.62	1.20	0.42	1.56	90%	0.09	25	10	RAZZ	4.1
2023G	10.88	1.17	0.42	2.51	145%	0.13	25	10	SHKY	5.1
2028G	8.93	1.07	0.41	2.02	117%	0.09	29	10	LBT	4.1

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2030G	9.98	1.21	0.48	1.03	60%	0.08	26	10	HUSK	4.0
2032G	9.14	1.08	0.39	1.21	70%	0.08	25	10	SHKY	4.0
2033G	9.03	1.00	0.45	1.45	84%	0.09	28	10	BUD	4.1
2036G	8.57	1.06	0.50	2.72	157%	0.09	27	10	LBT	4.1
2056G	9.31	1.23	0.36	2.56	148%	0.11	26	10	VERD	5.0
2058G	10.62	1.26	0.43	2.02	117%	0.09	28	10	BLIZ	4.1
2059G	9.55	1.13	0.37	1.65	95%	0.10	26	10	SHKY	4.9
2060G	10.57	1.25	0.44	2.02	117%	0.08	26	10	BPRF	4.0
2070G	8.63	1.06	0.36	1.94	112%	0.07	25	10	CFIR	4.0
2072G	10.32	1.15	0.37	1.45	84%	0.09	24	10	SHKY	4.1
2073G	9.61	1.08	0.36	0.99	57%	0.09	25	10	SCPR	4.1
2076G	9.66	1.10	0.42	1.76	102%	0.09	27	10	SCPR	4.1
2501G	11.02	1.31	0.37	1.22	71%	0.08	26	10	BICE	4.0
2503G	12.9	1.22	0.40	1.33	77%	0.09	27	10	BICE	4.1
2504G	10.05	1.00	0.47	1.08	62%	0.10	26	10	BICE	4.9
2507G	9.03	0.93	0.39	1.22	71%	0.10	28	10	SUPR	4.9
2913G	10.4	1.10	0.43	2.00	116%	0.09	28	10	HICO	4.1
2928G	8.71	0.92	0.44	1.27	73%	0.10	25	10	HICO	4.9
3100G	11.09	1.23	0.44	1.23	71%	0.09	27	10	TILT	4.1
3101G	9.79	1.20	0.36	2.80	162%	0.09	25	10	TILT	4.1
3102G	10.09	1.12	0.38	1.75	101%	0.10	27	10	TILT	4.9
3103G	8.45	0.97	0.38	1.57	91%	0.10	25	10	TILT	4.9
3104G	9.34	1.24	0.36	0.99	57%	0.07	27	10	TILT	4.0
3105G	11.48	1.20	0.40	0.99	57%	0.09	27	10	RMC	4.1
3106G	11.26	1.23	0.38	1.09	63%	0.09	25	10	RMC	4.1
3107G	10.42	1.14	0.42	1.36	79%	0.10	27	10	RMC	4.9
3108G	9.09	1.05	0.38	2.26	131%	0.08	27	10	CMSR	4.0
3109G	9.06	0.96	0.45	2.45	142%	0.10	26	10	CMSR	4.9
3110G	8.22	1.10	0.35	1.91	111%	0.09	25	10	CMSR	4.1
3111G	10.41	1.14	0.52	1.71	99%	0.07	28	10	CMSR	4.0
3113G	9.77	1.10	0.43	2.21	128%	0.07	25	10	CMSR	4.0
3114G	8.64	0.88	0.44	1.50	87%	0.09	25	10	CMSR	4.1
3115G	9.81	1.15	0.44	2.19	127%	0.09	27	10	CMSR	4.1
3116G	7.86	0.98	0.47	1.21	70%	0.08	27	10	CMSR	4.0
3117G	10.29	1.11	0.35	2.91	168%	0.11	24	10	BERAL	5.0
3118G	7.96	0.94	0.45	2.72	157%	0.10	28	10	BERAL	4.9
3120G	8.59	1.03	0.41	1.33	77%	0.10	26	10	BERAL	4.9
3122G	10.06	1.18	0.43	1.73	100%	0.10	25	10	BERAL	4.9
3126G	10.93	1.21	0.52	1.00	58%	0.07	28	10	TILT	4.0
3129G	7.94	0.92	0.44	1.93	112%	0.09	25	10	TILT	4.1
3130G	9.27	1.05	0.42	1.31	76%	0.08	25	10	CMSR	4.0
3131G	7.88	1.00	0.46	1.18	68%	0.07	27	10	CMSR	4.0
3200G	9.27	1.07	0.41	2.11	122%	0.09	24	10	CSTR	4.1
3300G	9.17	1.15	0.37	1.57	91%	0.09	28	10	MCCL	4.1
3301G	10.54	1.24	0.46	1.24	72%	0.09	28	10	MCCL	4.1
3302G	10.49	1.23	0.47	2.78	161%	0.09	29	10	MCCL	4.1
3303G	8.97	1.08	0.46	3.07	178%	0.08	27	10	MCCL	4.0
3304G	10.01	1.17	0.36	2.35	136%	0.09	26	10	MCCL	4.1
3305G	9.17	1.14	0.40	1.12	65%	0.06	27	10	OTTO	3.9
3307G	9.51	1.25	0.45	1.86	108%	0.09	28	10	OTTO	4.1
3502G	7.95	1.04	0.39	3.53	204%	0.09	26	10	BLIZ	4.1
4000G	10.67	1.14	0.39	0.84	49%	0.08	27	15	HQ	4.0
4001G	7.72	0.95	0.35	1.46	84%	0.09	27	10	HQ	4.1
4002G	11.08	1.16	0.46	2.35	136%	0.09	29	10	BRAVE	4.1
4010G	9.95	1.04	0.42	2.70	156%	0.09	25	10	PRKR	4.1
4011G	9.18	1.09	0.35	2.17	126%	0.10	24	10	HQ	4.9
4012G	8.88	0.98	0.34	1.30	75%	0.08	25	10	HQ	4.0

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
4013G	10.07	1.14	0.34	1.52	88%	0.10	27	10	HQ	4.9
4014G	11.99	1.23	0.50	2.28	132%	0.10	28	10	HQ	4.9
4016G	9.71	1.12	0.46	0.33	19%	0.07	27	10	HQ	4.0
4017G	10.74	1.17	0.38	1.86	108%	0.10	28	10	BRAVE	4.9
4018G	11.07	1.28	0.35	2.08	120%	0.09	27	10	BRAVE	4.1
4019G	9.78	1.19	0.44	2.14	124%	0.09	28	10	BRAVE	4.1
4022G	10.61	1.24	0.40	1.76	102%	0.09	25	10	BRAVE	4.1
4024G	9.17	1.07	0.39	1.34	78%	0.08	29	10	BRAVE	4.0
4026G	10.89	1.27	0.37	2.04	118%	0.09	27	10	BRAVE	4.1
4027G	9.53	1.02	0.41	1.45	84%	0.09	30	10	MOON	4.1
4028G	9.03	1.03	0.40	1.16	67%	0.11	27	10	MOON	5.0
4029G	11.08	1.20	0.46	1.35	78%	0.11	28	10	HPD	5.0
4030G	11	1.23	0.40	1.16	67%	0.09	30	10	HPD	4.1
4031G	10.35	1.03	0.39	1.17	68%	0.11	29	10	HPD	5.0
4032G	10.81	1.22	0.42	2.43	141%	0.09	27	10	PRKR	4.1
4033G	12.28	1.23	0.49	1.24	72%	0.12	28	10	PRKR	5.1
4034G	11.44	1.34	0.45	1.30	75%	0.08	27	10	CLMBO	4.0
4035G	10.48	1.28	0.40	0.68	39%	0.09	29	10	PRKR	4.1
4036G	11.37	1.30	0.41	1.58	91%	0.08	28	10	PRKR	4.0
4037G	10.23	1.22	0.38	2.40	139%	0.08	26	10	PRKR	4.0
4038G	9.43	1.13	0.35	2.98	172%	0.09	25	10	CFREE	4.1
4202G	10.96	1.34	0.44	1.25	72%	0.08	30	10	BRAVE	4.0
4208G	9.21	1.08	0.39	2.62	152%	0.10	29	10	BAHD	4.9
4210G	9.52	1.11	0.48	2.21	128%	0.09	25	10	CNAN	4.1
4212G	10.01	1.18	0.42	1.12	65%	0.09	30	10	BAHD	4.1
4300G	12.04	1.03	0.47	0.20	12%	0.08	27	10	WACK	4.0
4301G	13.13	1.22	0.42	1.70	98%	0.11	28	10	SUPR	5.0
4304G	12.02	1.07	0.40	1.18	68%	0.09	28	10	SUPR	4.1
4687G	10.22	1.09	0.45	1.91	111%	0.08	27	10	ADRT	4.0
4914G	10.33	1.15	0.41	1.20	69%	0.09	30	10	CON	4.1
4930G	10.32	1.21	0.38	1.83	106%	0.08	27	10	CLIFF	4.0
4996G	12.17	1.39	0.44	1.34	78%	0.09	29	10	CLIFF	4.1
4997G	8.8	1.00	0.46	1.68	97%	0.08	25	10	CROP	4.0
4998G	9.99	1.13	0.36	2.12	123%	0.08	28	10	CROP	4.0
4999G	8.55	1.01	0.46	1.85	107%	0.07	27	10	CROP	4.0
5021G	9.33	1.17	0.41	1.80	104%	0.10	25	10	CINC	4.9
5030G	9.59	1.06	0.43	2.40	139%	0.10	26	10	MTBL	4.9
5038G	10.26	1.27	0.39	1.19	69%	0.08	27	10	CINC	4.0
5039G	9.52	1.10	0.40	1.98	115%	0.07	25	10	CINC	4.0
5046G	8.7	1.02	0.42	1.09	63%	0.08	27	10	MTBL	4.0
5050G	8.99	1.13	0.43	1.05	61%	0.09	28	10	DECR	4.1
5051G	9.52	1.17	0.39	1.41	82%	0.10	28	10	DECR	4.9
5053G	9.67	1.17	0.35	2.35	136%	0.10	27	10	CBALL	4.9
5054G	9.08	1.13	0.34	1.66	96%	0.08	25	10	CINC	4.0
5056G	8.43	1.03	0.40	1.13	65%	0.09	26	10	PRKR	4.1
5058G	9.23	1.15	0.34	1.91	111%	0.08	26	10	RAIN	4.0
5059G	9.1	0.99	0.42	1.62	94%	0.08	25	10	CBALL	4.0
5060G	8.81	1.04	0.37	1.06	61%	0.07	29	15	DECR	4.0
5062G	9.49	1.18	0.37	1.18	68%	0.10	26	10	CBALL	4.9
5063G	8.27	1.03	0.38	0.97	56%	0.07	28	10	DECR	4.0
5065G	10.75	1.27	0.47	1.51	87%	0.09	29	10	CBALL	4.1
5066G	9.42	1.16	0.45	1.38	80%	0.11	26	10	DECR	5.0
5067G	8.66	1.09	0.45	0.78	45%	0.08	26	10	RAIN	4.0
5069G	8.95	1.08	0.43	1.88	109%	0.09	29	10	CBALL	4.1
5070G	7.86	1.03	0.42	0.68	39%	0.09	26	10	CBALL	4.1
5071G	9.4	1.21	0.36	2.17	126%	0.08	25	10	CBALL	4.0
5072G	9.64	1.24	0.34	0.96	56%	0.09	27	10	CBALL	4.1

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
5076G	9.19	1.20	0.38	1.58	91%	0.09	26	10	CBALL	4.1
5078G	8.26	1.09	0.35	1.72	100%	0.09	25	10	RAIN	4.1
5079G	10.09	1.24	0.40	1.08	62%	0.08	28	10	CBALL	4.0
5080G	9.36	1.12	0.39	2.24	130%	0.10	26	10	CBALL	4.9
5081G	8.41	1.05	0.47	0.99	57%	0.08	27	10	DECR	4.0
5082G	8.06	1.13	0.38	1.35	78%	0.08	24	10	CBALL	4.0
5083G	10.52	1.31	0.48	0.91	53%	0.08	26	10	CBALL	4.0
5085G	10.76	1.35	0.42	2.22	128%	0.09	30	10	DECR	4.1
5100G	10.61	1.16	0.37	1.35	78%	0.08	27	10	TILT	4.0
5102G	8.48	0.92	0.35	1.78	103%	0.08	26	10	CMSR	4.0
5103G	9.58	1.06	0.37	1.83	106%	0.08	25	10	CMSR	4.0
5104G	10.35	1.09	0.51	2.09	121%	0.08	25	10	TILT	4.0
5105G	10.53	1.05	0.44	2.84	164%	0.09	30	10	BRAVE	4.1
5106G	10.18	1.28	0.41	2.00	116%	0.08	26	10	BRAVE	4.0
5107G	9.72	1.12	0.43	1.04	60%	0.09	25	10	BRAVE	4.1
5108G	9.45	1.22	0.43	1.84	106%	0.07	26	10	BRAVE	4.0
5109G	8.37	1.05	0.38	2.04	118%	0.09	28	10	BRAVE	4.1
5110G	11.44	1.07	0.40	1.03	60%	0.08	26	10	BRAVE	4.0
5111G	7.96	1.00	0.41	1.98	115%	0.09	29	10	BRAVE	4.1
5112G	10.88	1.23	0.47	1.73	100%	0.09	26	10	CONF	4.1
5114G	9.5	1.07	0.47	1.73	100%	0.09	26	10	CONF	4.1
5115G	9.9	1.29	0.43	1.78	103%	0.07	25	10	SPUD	4.0
5116G	9.42	1.04	0.37	1.80	104%	0.08	25	10	CFREE	4.0
5117G	9.11	0.98	0.44	2.54	147%	0.09	25	10	CFREE	4.1
5118G	9.38	0.96	0.47	1.50	87%	0.07	25	10	CFREE	4.0
5119G	9.09	0.95	0.44	1.32	76%	0.08	26	10	CFREE	4.0
5120G	9.92	1.11	0.41	3.23	187%	0.10	26	10	CFREE	4.9
5121G	9.9	1.13	0.40	2.39	138%	0.08	26	10	CFREE	4.0
5122G	8.11	0.95	0.37	1.83	106%	0.08	25	10	CFREE	4.0
5123G	8.81	1.03	0.42	1.46	84%	0.08	27	10	CFREE	4.0
5124G	9.88	1.16	0.35	1.84	106%	0.09	26	10	CFREE	4.1
5125G	10.26	1.08	0.38	2.00	116%	0.10	25	10	EASY	4.9
5126G	9.93	1.15	0.47	2.22	128%	0.07	25	10	EASY	4.0
5127G	9.07	1.00	0.31	0.92	53%	0.08	25	15	CMSR	4.0
5128G	9.64	1.08	0.45	1.96	113%	0.09	27	10	CMAG	4.1
5129G	8.93	0.93	0.36	1.56	90%	0.09	25	10	TILT	4.1
5130G	10.03	1.13	0.45	1.41	82%	0.09	25	10	CMAG	4.1
5131G	10.23	0.98	0.42	2.09	121%	0.11	28	10	CMAG	5.0
5132G	10.72	1.21	0.38	1.77	102%	0.08	29	10	CMSR	4.0
5134G	8.14	1.00	0.34	1.77	102%	0.07	25	10	EASY	4.0
5136G	9.13	1.17	0.39	2.20	127%	0.09	28	10	EASY	4.1
5137G	9	1.12	0.34	2.10	121%	0.08	25	10	CONF	4.0
5138G	11.59	1.42	0.39	1.77	102%	0.09	27	10	CONF	4.1
5139G	9.62	1.14	0.43	1.74	101%	0.08	27	10	EASY	4.0
5140G	7.81	1.06	0.39	2.14	124%	0.07	27	10	CFREE	4.0
5141G	10.72	1.13	0.47	1.38	80%	0.10	27	10	BRAVE	4.9
5142G	8.88	0.96	0.35	1.16	67%	0.09	26	10	CFREE	4.1
5143G	9.57	1.04	0.42	1.28	74%	0.09	28	10	CFREE	4.1
5144G	8.01	1.02	0.33	1.25	72%	0.08	25	10	CFREE	4.0
5146G	9.67	1.10	0.40	1.33	77%	0.07	26	10	CFREE	4.0
5147G	9.28	1.17	0.39	1.33	77%	0.08	25	10	CONF	4.0
5148G	9.71	1.12	0.39	0.99	57%	0.08	28	10	CFREE	4.0
5149G	11.91	1.21	0.46	1.57	91%	0.06	24	10	SPUD	3.9
5150G	9.87	1.07	0.37	2.03	117%	0.09	26	10	CFREE	4.1
5151G	9.5	1.09	0.38	0.95	55%	0.07	26	15	CFREE	4.0
5152G	9.21	1.02	0.40	1.85	107%	0.08	26	10	CFREE	4.0
5153G	11.54	1.45	0.40	1.36	79%	0.06	28	10	CMAG	3.9

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
5155G	8.93	1.06	0.37	1.95	113%	0.07	26	10	EASY	4.0
5156G	9.75	1.09	0.41	1.41	82%	0.10	26	10	EASY	4.9
5157G	8.75	1.05	0.45	1.87	108%	0.10	26	10	CFREE	4.9
5158G	9.68	1.11	0.43	1.19	69%	0.10	25	10	CFREE	4.9
5159G	9.63	1.06	0.44	1.85	107%	0.09	27	10	CONF	4.1
5459G	10.47	1.28	0.47	1.24	72%	0.09	27	10	XFAC	4.1
6153G	10.38	1.10	0.42	1.21	70%	0.11	25	10	CASH	5.0
6154G	10.23	1.17	0.37	2.78	161%	0.11	27	10	CASH	5.0
7000G	9.29	1.11	0.46	1.64	86%	0.08	28	10	BRAVE	4.0
7001G	8.93	1.09	0.39	1.40	73%	0.09	26	10	BRAVE	4.1
7002G	9.3	1.18	0.39	2.22	116%	0.08	28	10	MOON	4.0
7003G	10.74	1.24	0.46	2.03	106%	0.07	30	10	CLMBO	4.0
7004G	12.21	1.19	0.51	2.58	135%	0.08	29	10	CLMBO	4.0
7803G	9.85	1.14	0.40	1.27	66%	0.07	25	15	SCPR	4.0
7904G	10.75	1.19	0.39	3.07	160%	0.08	25	10	CLMBO	4.0
7905G	9.02	1.04	0.48	2.31	121%	0.07	27	10	CLMBO	4.0
7914G	9.68	1.08	0.39	2.01	105%	0.08	28	10	CLMBO	4.0
7917G	9.14	1.07	0.37	1.91	100%	0.08	26	10	CLMBO	4.0
7921G	9.74	1.08	0.41	2.49	130%	0.07	27	10	CLMBO	4.0
7925G	10.24	1.21	0.39	0.76	40%	0.07	28	15	CLMBO	4.0
7928G	9.84	1.18	0.39	1.48	77%	0.07	27	10	CLMBO	4.0
7934G	8.58	1.03	0.37	1.63	85%	0.10	28	10	VADER	4.9
9100G	11.01	1.05	0.44	0.49	65%	0.07	28	10	TCSH	4.0
9102G	10.6	1.19	0.45	1.36	182%	0.08	29	10	TCSH	4.0
9800G	10.27	1.05	0.53	0.19	25%	0.07	28	10	BWIN	4.0
9802G	10.06	0.96	0.43	0.77	103%	0.09	28	15	BWIN	4.1
9803G	11.28	1.27	0.41	0.43	57%	0.07	29	15	BWIN	4.0
9804G	10.59	1.05	0.45	0.85	114%	0.07	28	15	LRID	4.0
9805G									LRID	
9811G	9.1	1.10	0.42	0.82	110%	0.09	28	10	BWIN	4.1
9812G	9.36	0.92	0.46	0.68	91%	0.09	30	10	BWIN	4.1
9813G	8.85	1.03	0.41	1.27	170%	0.07	28	10	BWIN	4.0
9815G	8.98	0.96	0.43	0.72	96%	0.07	28	15	BWIN	4.0
9817G	10.17	1.22	0.36	0.37	49%	0.08	27	10	BWIN	4.0
9819G	10.21	1.19	0.35	1.03	138%	0.07	28	10	BWIN	4.0