

### High Altitude

ID	REA/CWT	SHAPE	IMF	IMF RATIO	BF	TEND	STRESS	SIRE
1111Z	1.08	0.35	<b>2.18</b>	<b>124%</b>	<b>0.09</b>	<b>25</b>	<b>10</b>	OBAD
1112Z	1.06	0.35	1.21	69%	<b>0.08</b>	<b>24</b>	<b>10</b>	OBAD
1114Z	<b>1.10</b>	0.37	<b>1.62</b>	<b>92%</b>	<b>0.08</b>	28	<b>10</b>	DR
1208Z	<b>1.35</b>	<b>0.44</b>	<b>2.03</b>	<b>116%</b>	<b>0.09</b>	<b>26</b>	<b>10</b>	CSNO
1212Z	<b>1.17</b>	0.40	<b>2.20</b>	<b>125%</b>	<b>0.08</b>	<b>27</b>	15	OBAD
1213Z	<b>1.13</b>	0.41	1.47	84%	<b>0.09</b>	<b>27</b>	<b>10</b>	NORM
1214Z	<b>1.30</b>	0.42	1.51	86%	<b>0.10</b>	<b>26</b>	15	NORM
1217Z	0.96	0.36	1.01	58%	0.06	<b>27</b>	<b>20</b>	NORM
1218Z	<b>1.14</b>	0.40	1.42	81%	0.06	28	<b>10</b>	NORM
1220Z	<b>1.33</b>	0.35	0.88	50%	<b>0.07</b>	<b>25</b>	<b>20</b>	NORM
1223Z	<b>1.31</b>	0.34	1.47	84%	<b>0.08</b>	<b>24</b>	<b>10</b>	NORM
1224Z	<b>1.23</b>	0.39	<b>1.69</b>	<b>96%</b>	<b>0.08</b>	<b>26</b>	<b>10</b>	NORM
1235Z	<b>1.44</b>	0.38	1.25	71%	<b>0.07</b>	<b>26</b>	<b>10</b>	WRND
1237Z	<b>1.19</b>	0.33	<b>1.90</b>	<b>108%</b>	<b>0.08</b>	30	15	DR
1238Z	<b>1.10</b>	0.33	<b>2.25</b>	<b>128%</b>	<b>0.09</b>	<b>26</b>	<b>10</b>	DR
1239Z	<b>1.24</b>	0.37	0.99	56%	<b>0.08</b>	28	<b>20</b>	DR
1241Z	<b>1.10</b>	0.36	1.53	87%	<b>0.08</b>	<b>27</b>	15	DR
1242Z	<b>1.24</b>	0.42	<b>2.05</b>	<b>117%</b>	<b>0.14</b>	<b>27</b>	<b>10</b>	WRND
1244Z	<b>1.37</b>	0.41	<b>1.82</b>	<b>104%</b>	<b>0.07</b>	<b>27</b>	15	DR
1245Z	<b>1.47</b>	0.42	<b>1.91</b>	<b>109%</b>	<b>0.07</b>	29	15	DR
1246Z	<b>1.26</b>	0.39	<b>1.74</b>	<b>99%</b>	<b>0.07</b>	28	<b>10</b>	ANTI
1247Z	<b>1.20</b>	0.41	<b>1.66</b>	<b>95%</b>	<b>0.09</b>	<b>26</b>	<b>10</b>	ANTI
1250Z	<b>1.29</b>	0.40	<b>2.47</b>	<b>141%</b>	<b>0.09</b>	<b>27</b>	<b>10</b>	DR
1253Z	<b>1.12</b>	0.37	<b>1.95</b>	<b>111%</b>	0.06	<b>26</b>	<b>10</b>	DR
1254Z	1.07	0.37	<b>2.10</b>	<b>120%</b>	<b>0.09</b>	29	<b>10</b>	DR
1255Z	<b>1.21</b>	0.38	<b>2.16</b>	<b>123%</b>	<b>0.09</b>	<b>25</b>	<b>10</b>	DR
1256Z	<b>1.32</b>	0.37	<b>1.80</b>	<b>103%</b>	<b>0.07</b>	<b>25</b>	<b>10</b>	OBAD
1257Z	<b>1.32</b>	0.35	<b>1.73</b>	<b>99%</b>	<b>0.09</b>	<b>25</b>	<b>10</b>	ANTI
1258Z	<b>1.21</b>	0.38	<b>2.73</b>	<b>156%</b>	<b>0.07</b>	<b>27</b>	<b>10</b>	DR
1260Z	<b>1.39</b>	0.40	<b>1.81</b>	<b>103%</b>	<b>0.09</b>	30	<b>10</b>	ANTI
1265Z	<b>1.23</b>	0.35	<b>1.77</b>	<b>101%</b>	<b>0.09</b>	<b>27</b>	<b>10</b>	DR
1266Z	<b>1.33</b>	0.38	1.56	89%	<b>0.09</b>	28	15	DR
1267Z	<b>1.35</b>	0.35	<b>1.82</b>	<b>104%</b>	<b>0.10</b>	28	<b>10</b>	NORM
1274Z	1.05	0.41	<b>1.74</b>	<b>99%</b>	<b>0.08</b>	<b>27</b>	15	NORM
1278Z	<b>1.35</b>	0.36	<b>1.81</b>	<b>103%</b>	<b>0.09</b>	<b>25</b>	<b>10</b>	WRND
1300Z	<b>1.25</b>	0.34	<b>1.84</b>	<b>105%</b>	<b>0.08</b>	<b>25</b>	<b>10</b>	NORM
1301Z	<b>1.17</b>	0.39	1.36	77%	<b>0.10</b>	<b>27</b>	15	CSNO
1302Z	<b>1.58</b>	0.42	<b>1.88</b>	<b>107%</b>	<b>0.10</b>	28	<b>10</b>	DR
1303Z	<b>1.34</b>	0.40	1.54	88%	<b>0.09</b>	<b>27</b>	<b>10</b>	CSNO
1304Z	<b>1.14</b>	0.35	<b>2.11</b>	<b>120%</b>	<b>0.09</b>	28	<b>10</b>	NORM
1309Z	1.01	0.40	<b>2.32</b>	<b>132%</b>	<b>0.08</b>	<b>25</b>	<b>10</b>	OBAD
4550Z	<b>1.20</b>	0.40	<b>1.72</b>	<b>98%</b>	<b>0.07</b>	30	15	JBG
4551Z	<b>1.17</b>	0.41	1.22	70%	<b>0.07</b>	28	<b>20</b>	JBG
4552Z	<b>1.15</b>	<b>0.44</b>	<b>2.10</b>	<b>120%</b>	<b>0.07</b>	<b>26</b>	<b>10</b>	JBG
4553Z	<b>1.24</b>	0.40	1.25	71%	0.06	29	15	JBG
4554Z	<b>1.19</b>	0.41	<b>2.02</b>	<b>115%</b>	<b>0.08</b>	<b>26</b>	<b>10</b>	JBG
4555Z	<b>1.23</b>	0.34	0.89	51%	0.06	<b>27</b>	<b>20</b>	JBG
4556Z	1.05	0.38	<b>2.06</b>	<b>117%</b>	<b>0.08</b>	28	<b>10</b>	JBG
4557Z	<b>1.20</b>	0.40	<b>1.95</b>	<b>111%</b>	<b>0.07</b>	<b>25</b>	15	LEG
4559Z	<b>1.24</b>	0.40	<b>2.26</b>	<b>129%</b>	<b>0.07</b>	28	<b>10</b>	SCT
7602Z	<b>1.11</b>	0.35	0.97	72%	<b>0.08</b>	33	<b>10</b>	PF
7604Z	<b>1.10</b>	0.39	<b>1.74</b>	<b>130%</b>	<b>0.09</b>	31	<b>10</b>	PF
7605Z	<b>1.25</b>	0.43	<b>1.64</b>	<b>123%</b>	<b>0.07</b>	28	<b>20</b>	BRUS
7607Z	<b>1.16</b>	0.37	<b>1.22</b>	<b>91%</b>	<b>0.08</b>	<b>27</b>	15	SCT
7608Z	<b>1.10</b>	0.40	1.12	84%	0.06	28	<b>20</b>	SCT

**At PCC**

ID	REA/CWT	SHAPE	IMF	IMF RATIO	BF	TEND	SIRE
1003Z	<b>1.20</b>	0.34	<b>1.94</b>	<b>111%</b>	<b>0.09</b>	<b>25</b>	S2N
1005Z	<b>1.19</b>	0.39	<b>2.34</b>	<b>133%</b>	<b>0.09</b>	28	BERAL
1006Z	0.99	0.36	<b>1.84</b>	<b>105%</b>	<b>0.09</b>	<b>24</b>	BERAL
1007Z	<b>1.27</b>	0.33	<b>2.43</b>	<b>139%</b>	<b>0.10</b>	<b>27</b>	BERAL
1008Z	<b>1.16</b>	0.43	<b>1.97</b>	<b>112%</b>	<b>0.09</b>	<b>26</b>	ID
1009Z	<b>1.20</b>	0.36	<b>2.26</b>	<b>129%</b>	<b>0.09</b>	<b>26</b>	IRON
1010Z	1.07	0.32	1.40	80%	<b>0.08</b>	28	IRON
1011Z	<b>1.27</b>	<b>0.44</b>	1.20	69%	<b>0.08</b>	28	MAG
1012Z	<b>1.18</b>	0.39	<b>2.23</b>	<b>127%</b>	<b>0.09</b>	<b>25</b>	MAG
1013Z	<b>1.18</b>	0.36	1.25	71%	<b>0.08</b>	<b>26</b>	S2N
1036Z	<b>1.10</b>	0.43	<b>1.96</b>	<b>112%</b>	<b>0.10</b>	30	YOKI
1037Z	1.01	<b>0.44</b>	<b>2.00</b>	<b>114%</b>	<b>0.08</b>	28	YOKI
1038Z	<b>1.13</b>	0.35	1.08	62%	<b>0.07</b>	29	YOKI
1040Z	<b>1.11</b>	0.38	1.31	75%	<b>0.07</b>	28	YOKI
1055Z	<b>1.31</b>	<b>0.45</b>	<b>2.22</b>	<b>127%</b>	<b>0.09</b>	30	ACE
1056Z	<b>1.13</b>	0.40	<b>2.01</b>	<b>115%</b>	<b>0.08</b>	<b>25</b>	S2N
1057Z	<b>1.27</b>	0.40	<b>1.79</b>	<b>102%</b>	<b>0.08</b>	<b>25</b>	S2N
1059Z	1.06	0.42	<b>1.93</b>	<b>110%</b>	<b>0.08</b>	29	TTEN
1060Z	<b>1.22</b>	<b>0.47</b>	1.39	79%	<b>0.08</b>	<b>27</b>	BERAL
1061Z	<b>1.15</b>	0.40	<b>2.14</b>	<b>122%</b>	<b>0.08</b>	<b>26</b>	BERAL
1062Z	<b>1.23</b>	0.38	<b>1.99</b>	<b>114%</b>	<b>0.09</b>	<b>27</b>	BERAL
1063Z	<b>1.12</b>	0.41	<b>2.24</b>	<b>128%</b>	<b>0.12</b>	28	BM
1064Z	0.92	<b>0.44</b>	<b>2.59</b>	<b>148%</b>	<b>0.10</b>	30	IRON
1090Z	<b>1.31</b>	0.42	1.01	58%	<b>0.09</b>	30	ID
1091Z	<b>1.16</b>	0.37	1.15	66%	<b>0.09</b>	28	ID
1092Z	<b>1.14</b>	0.41	1.34	76%	<b>0.07</b>	<b>25</b>	EMAN
1093Z	<b>1.11</b>	0.40	<b>2.29</b>	<b>131%</b>	<b>0.10</b>	28	EMAN
1094Z	0.98	0.38	<b>2.20</b>	<b>125%</b>	<b>0.10</b>	<b>25</b>	EMAN
1190Z	<b>1.20</b>	0.42	<b>1.93</b>	<b>107%</b>	<b>0.08</b>	<b>26</b>	ALMO
1191Z	1.06	<b>0.46</b>	<b>2.04</b>	<b>113%</b>	<b>0.10</b>	<b>27</b>	ALMO
1192Z	1.06	0.39	<b>1.92</b>	<b>106%</b>	<b>0.07</b>	<b>25</b>	SMIT
1200Z	<b>1.25</b>	0.40	<b>1.88</b>	<b>107%</b>	<b>0.09</b>	28	STOK
1203Z	1.03	0.42	1.46	83%	<b>0.09</b>	<b>26</b>	STOK
1204Z	<b>1.19</b>	0.38	<b>2.43</b>	<b>139%</b>	<b>0.10</b>	<b>25</b>	STOK
1206Z	<b>1.11</b>	<b>0.50</b>	1.37	78%	<b>0.11</b>	28	STOK
1227Z	1.05	<b>0.51</b>	1.51	86%	<b>0.10</b>	30	SEMU
1232Z	1.08	0.38	<b>2.42</b>	<b>138%</b>	<b>0.09</b>	<b>24</b>	EMBRK
1236Z	<b>1.15</b>	<b>0.44</b>	<b>2.27</b>	<b>130%</b>	<b>0.09</b>	<b>24</b>	F0203
1406Z	<b>1.12</b>	0.42	1.48	84%	<b>0.09</b>	<b>27</b>	CF
1407Z	<b>1.25</b>	<b>0.47</b>	<b>2.43</b>	<b>139%</b>	<b>0.10</b>	<b>26</b>	CF
1408Z	<b>1.15</b>	0.41	1.53	87%	<b>0.10</b>	28	CF
1409Z	<b>1.16</b>	0.42	<b>1.97</b>	<b>113%</b>	<b>0.08</b>	<b>27</b>	CF
1410Z	<b>1.24</b>	0.43	1.26	72%	<b>0.09</b>	<b>25</b>	CF
1411Z	1.07	0.42	<b>2.00</b>	<b>114%</b>	<b>0.11</b>	<b>24</b>	CF
1702Z	1.09	0.43	0.96	53%	<b>0.08</b>	<b>27</b>	MOJO
1705Z	<b>1.25</b>	0.40	1.21	67%	<b>0.07</b>	28	MOJO
1707Z	<b>1.15</b>	0.43	<b>3.22</b>	<b>178%</b>	<b>0.16</b>	<b>25</b>	TTEN
1708Z	1.09	0.39	1.52	84%	<b>0.09</b>	30	ID
1709Z	<b>1.17</b>	<b>0.49</b>	<b>2.05</b>	<b>113%</b>	<b>0.12</b>	<b>26</b>	TTEN
1717Z	<b>1.12</b>	0.43	1.23	68%	<b>0.08</b>	<b>25</b>	TTEN
1722Z	1.04	0.40	<b>1.82</b>	<b>101%</b>	<b>0.09</b>	<b>25</b>	MOJO
1726Z	<b>1.10</b>	0.43	1.54	85%	<b>0.08</b>	29	DH
1727Z	0.93	0.36	<b>2.10</b>	<b>116%</b>	<b>0.09</b>	29	DOC

**At PCC**

ID	REA/CWT	SHAPE	IMF	IMF RATIO	BF	TEND	SIRE
1729Z	1.09	0.40	1.12	62%	0.07	26	MOJO
1733Z	1.03	0.43	1.78	99%	0.09	27	DOC
1738Z	1.09	0.34	2.46	136%	0.12	28	HDAY
1740Z	1.26	0.40	1.84	102%	0.09	26	HAYD
1743Z	1.01	0.43	1.50	83%	0.08	29	DOC
1744Z	1.16	0.46	1.59	88%	0.10	26	HAYD
1747Z	1.20	0.47	1.53	85%	0.07	25	MOJO
1748Z	1.15	0.36	1.34	74%	0.09	27	HAYD
1750Z	1.16	0.47	1.33	74%	0.08	24	MOJO
2106Z	1.03	0.40	2.20	126%	0.07	27	YOKI
2110Z	1.07	0.35	1.99	114%	0.08	26	YOKI
2121Z	1.18	0.46	1.45	83%	0.07	29	MCCR
2123Z	1.19	0.43	1.53	87%	0.07	28	DR
2124Z	1.16	0.37	1.06	61%	0.07	25	DR
2128Z	1.07	0.34	1.77	101%	0.09	29	DR
2239Z	1.19	0.39	1.62	90%	0.12	28	STUB
2243Z	1.06	0.43	1.13	63%	0.11	28	STUB
2244Z	1.28	0.48	2.40	133%	0.10	26	STUB
2245Z	1.01	0.47	1.30	72%	0.08	25	DAK
2249Z	1.11	0.46	2.06	114%	0.10	30	DAK
2250Z	1.21	0.44	1.87	104%	0.11	29	DAK
2252Z	1.12	0.45	2.08	115%	0.10	29	STUB
2332Z	1.08	0.38	1.36	78%	0.11	29	SCI
2338Z	1.12	0.41	2.21	126%	0.13	27	SCI
2343Z	1.08	0.45	1.75	100%	0.11	29	TTNC
2346Z	0.89	0.41	2.04	115%	0.07	29	TTNC
2350Z	1.08	0.45	1.84	105%	0.08	27	TFIC
2351Z	1.14	0.43	2.34	133%	0.14	27	SCI
2353Z	1.08	0.47	1.99	113%	0.09	28	TFIC
2354Z	1.00	0.43	1.43	81%	0.07	28	TFIC
2361Z	1.09	0.36	1.51	86%	0.10	30	SCI
2370Z	1.19	0.42	1.78	101%	0.07	27	SCI
2374Z	1.28	0.40	1.10	63%	0.08	27	SCI
2378Z	1.25	0.38	2.10	120%	0.10	27	SCI
2452Z	1.07	0.46	1.27	73%	0.07	25	BO
2454Z	1.11	0.37	0.76	43%	0.11	27	115J
2458Z	1.05	0.42	1.26	72%	0.09	27	WALD
2650Z	0.92	0.39	1.63	92%	0.08	29	UB
2652Z	1.07	0.40	2.64	149%	0.16	30	IRON
2952Z	1.17	0.37	2.23	123%	0.07	26	SMIT
2953Z	0.97	0.40	1.06	59%	0.06	26	5STR
2954Z	1.01	0.47	2.45	136%	0.11	30	5STR
2955Z	1.08	0.45	2.17	120%	0.08	28	5STR
2956Z	0.97	0.47	1.83	101%	0.11	26	IRON
2958Z	0.92	0.41	2.18	121%	0.09	27	OUTB
2959Z	0.93	0.41	2.18	121%	0.10	26	OUTB
2960Z	1.13	0.43	2.29	127%	0.09	27	OUTB
2961Z	1.01	0.43	2.03	113%	0.09	25	OUTB
2962Z	1.18	0.41	1.69	93%	0.10	27	OUTB
3007Z	1.21	0.46	1.46	83%	0.08	30	MS-AN
3010Z	1.24	0.47	1.58	90%	0.09	28	MS-AN
3012Z	1.23	0.39	1.73	99%	0.09	26	HIP
3013Z	1.09	0.46	1.72	98%	0.10	29	MS-AN

**At PCC**

ID	REA/CWT	SHAPE	IMF	IMF RATIO	BF	TEND	SIRE
3213Z	1.05	0.38	<b>2.03</b>	114%	<b>0.09</b>	<b>27</b>	SEYE
3215Z	0.99	0.36	<b>2.25</b>	127%	<b>0.09</b>	<b>24</b>	RBN
3217Z	<b>1.12</b>	0.39	<b>2.42</b>	137%	<b>0.10</b>	<b>25</b>	RBL
3219Z	1.04	<b>0.45</b>	<b>2.62</b>	148%	<b>0.07</b>	<b>25</b>	RBL
3222Z	1.08	<b>0.44</b>	1.27	71%	<b>0.07</b>	<b>26</b>	HLD
3223Z	1.01	<b>0.44</b>	<b>2.16</b>	122%	<b>0.12</b>	<b>26</b>	WLV
3228Z	0.99	0.42	1.10	62%	<b>0.09</b>	29	PLDG
3230Z	<b>1.13</b>	<b>0.44</b>	<b>2.20</b>	124%	<b>0.07</b>	<b>26</b>	TDR
3233Z	0.97	0.40	<b>2.30</b>	130%	<b>0.09</b>	<b>25</b>	PLDG
3236Z	0.99	0.36	1.35	76%	<b>0.09</b>	<b>26</b>	SEYE
3237Z	<b>1.15</b>	0.40	<b>2.05</b>	116%	<b>0.10</b>	<b>25</b>	ARI
3238Z	1.00	0.41	<b>2.35</b>	132%	<b>0.08</b>	<b>25</b>	HLD
3241Z	1.07	<b>0.44</b>	<b>2.22</b>	125%	<b>0.09</b>	28	RMC
3243Z	1.07	0.38	<b>2.34</b>	132%	<b>0.09</b>	<b>25</b>	HLD
3244Z	1.03	0.38	<b>1.77</b>	100%	<b>0.08</b>	<b>27</b>	RAM
3246Z	<b>1.16</b>	<b>0.46</b>	<b>2.03</b>	114%	<b>0.10</b>	28	PLDG
3247Z	<b>1.19</b>	0.38	<b>1.63</b>	92%	<b>0.09</b>	<b>26</b>	RBN
3248Z	0.94	0.42	0.37	21%	0.06	28	PLDG
3250Z	<b>1.10</b>	0.41	<b>1.91</b>	108%	<b>0.09</b>	<b>24</b>	MS-AN
3251Z	1.09	0.43	1.40	79%	<b>0.10</b>	<b>25</b>	PLDG
3252Z	<b>1.11</b>	0.40	1.51	85%	<b>0.08</b>	29	PLDG
3253Z	1.08	0.40	<b>1.70</b>	96%	<b>0.10</b>	<b>25</b>	ARI
3254Z	1.05	0.40	1.30	73%	<b>0.09</b>	28	SEYE
3256Z	1.06	0.41	<b>2.82</b>	159%	<b>0.11</b>	<b>27</b>	WLV
3257Z	<b>1.24</b>	<b>0.44</b>	<b>2.18</b>	123%	<b>0.10</b>	28	RBL
3261Z	0.97	0.40	1.47	83%	<b>0.08</b>	<b>25</b>	SEYE
3263Z	1.05	0.37	1.13	63%	<b>0.09</b>	<b>27</b>	ARI
3264Z	<b>1.12</b>	0.35	<b>1.90</b>	107%	<b>0.09</b>	<b>26</b>	ARI
3265Z	1.07	<b>0.44</b>	1.39	78%	<b>0.08</b>	<b>25</b>	SEYE
3268Z	0.99	0.41	0.84	47%	<b>0.08</b>	28	TDR
3269Z	1.01	<b>0.44</b>	<b>1.88</b>	106%	<b>0.07</b>	<b>26</b>	ARI
3271Z	1.00	0.43	1.06	60%	<b>0.09</b>	<b>27</b>	RGR
3272Z	<b>1.13</b>	<b>0.45</b>	<b>2.24</b>	126%	<b>0.10</b>	<b>25</b>	RBL
3277Z	<b>1.19</b>	0.36	0.99	56%	<b>0.09</b>	29	RBL
3298Z	1.03	<b>0.48</b>	<b>1.86</b>	105%	<b>0.10</b>	29	RBN
3299Z	1.01	0.40	0.87	49%	0.05	<b>26</b>	PLDG
3301Z	<b>1.14</b>	<b>0.44</b>	<b>1.70</b>	97%	<b>0.10</b>	<b>27</b>	WILL
3302Z	1.09	0.42	<b>2.04</b>	116%	<b>0.10</b>	28	WILL
3304Z	0.93	0.40	0.99	56%	<b>0.09</b>	30	WILL
3305Z	1.01	0.38	1.47	84%	<b>0.08</b>	29	WILL
4000Z	0.94	0.38	<b>1.41</b>	91%	<b>0.08</b>	<b>26</b>	GOLD
4001Z	<b>1.14</b>	0.39	<b>2.01</b>	129%	<b>0.07</b>	<b>25</b>	GOLD
4002Z	<b>1.16</b>	0.35	<b>1.42</b>	92%	<b>0.08</b>	<b>25</b>	GOLD
4003Z	<b>1.25</b>	0.37	<b>1.74</b>	112%	<b>0.09</b>	<b>25</b>	GOLD
4011Z	<b>1.21</b>	0.43	1.02	66%	<b>0.07</b>	<b>27</b>	JBG
4012Z	<b>1.21</b>	0.38	<b>1.85</b>	120%	<b>0.08</b>	30	JBG
4013Z	1.00	0.37	<b>1.60</b>	103%	<b>0.10</b>	<b>26</b>	GOLD
4014Z	<b>1.20</b>	0.41	1.38	89%	<b>0.09</b>	<b>27</b>	GOLD
4015Z	<b>1.31</b>	0.41	<b>1.53</b>	99%	<b>0.08</b>	<b>25</b>	GOLD
4016Z	0.98	0.35	<b>1.44</b>	92%	<b>0.07</b>	<b>26</b>	GOLD
4017Z	1.06	0.38	1.21	78%	<b>0.07</b>	<b>25</b>	GOLD
4018Z	<b>1.17</b>	0.42	<b>2.00</b>	130%	<b>0.08</b>	<b>26</b>	GOLD
4019Z	1.08	0.39	<b>1.64</b>	106%	<b>0.07</b>	<b>26</b>	GOLD

**At PCC**

ID	REA/CWT	SHAPE	IMF	IMF RATIO	BF	TEND	SIRE
4020Z	1.03	0.41	<b>1.92</b>	<b>124%</b>	<b>0.09</b>	<b>25</b>	GOLD
4023Z	<b>1.14</b>	0.37	0.87	56%	<b>0.09</b>	<b>27</b>	GOLD
4027Z	<b>1.18</b>	<b>0.47</b>	1.36	88%	<b>0.07</b>	<b>25</b>	CH
4028Z	1.03	0.39	<b>1.76</b>	<b>114%</b>	0.06	<b>27</b>	CH
4029Z	<b>1.25</b>	<b>0.46</b>	<b>1.54</b>	<b>99%</b>	<b>0.07</b>	29	COHI
4030Z	<b>1.18</b>	0.36	<b>1.87</b>	<b>121%</b>	<b>0.08</b>	<b>26</b>	COHI
4060Z	<b>1.32</b>	0.41	<b>2.11</b>	<b>121%</b>	<b>0.09</b>	28	WTNS
4090Z	0.99	0.40	0.98	63%	<b>0.08</b>	<b>26</b>	UNO
4091Z	<b>1.23</b>	0.39	<b>1.50</b>	<b>96%</b>	<b>0.08</b>	28	JBG
4245Z	<b>1.12</b>	0.38	<b>1.77</b>	<b>103%</b>	<b>0.07</b>	<b>25</b>	WSTN
4246Z	0.94	0.43	<b>1.58</b>	<b>92%</b>	<b>0.08</b>	<b>26</b>	WSTN
4247Z	1.05	0.38	<b>1.84</b>	<b>107%</b>	<b>0.10</b>	29	WSTN
4402Z	<b>1.20</b>	0.36	<b>2.14</b>	<b>123%</b>	<b>0.09</b>	<b>25</b>	HKID
4405Z	<b>1.21</b>	0.38	<b>1.62</b>	<b>93%</b>	<b>0.08</b>	28	HKID
4409Z	<b>1.20</b>	0.40	<b>2.46</b>	<b>142%</b>	<b>0.09</b>	<b>27</b>	HKID
4421Z	<b>1.15</b>	<b>0.45</b>	<b>2.20</b>	<b>127%</b>	<b>0.07</b>	<b>26</b>	COSP
4422Z	<b>1.18</b>	0.39	1.45	84%	<b>0.09</b>	28	COSP
4428Z	<b>1.16</b>	<b>0.45</b>	1.16	67%	<b>0.09</b>	<b>27</b>	HKID
4430Z	<b>1.16</b>	0.40	1.53	88%	<b>0.08</b>	<b>27</b>	HKID
4438Z	<b>1.14</b>	<b>0.45</b>	1.43	82%	<b>0.07</b>	30	2BTRU
4504Z	1.00	0.36	1.54	88%	<b>0.09</b>	<b>25</b>	TRITN
4506Z	1.00	0.42	1.32	76%	<b>0.08</b>	28	TRITN
4507Z	<b>1.14</b>	0.40	<b>1.66</b>	<b>95%</b>	<b>0.09</b>	<b>27</b>	TRITN
4508Z	1.04	<b>0.44</b>	<b>2.16</b>	<b>124%</b>	<b>0.08</b>	28	TRITN
4510Z	<b>1.30</b>	0.41	1.13	65%	<b>0.09</b>	<b>26</b>	TRITN
4601Z	1.08	0.43	<b>1.75</b>	<b>100%</b>	<b>0.10</b>	<b>26</b>	WTNS
4650Z	1.01	<b>0.45</b>	1.51	87%	<b>0.08</b>	29	COHI
4703Z	1.01	0.40	<b>2.12</b>	<b>123%</b>	<b>0.08</b>	29	JBOY
4707Z	0.91	<b>0.46</b>	1.48	86%	<b>0.07</b>	<b>25</b>	MASH
4708Z	<b>1.13</b>	<b>0.46</b>	0.92	54%	<b>0.08</b>	<b>27</b>	MASH
4711Z	<b>1.16</b>	0.38	1.18	69%	<b>0.09</b>	<b>26</b>	MASH
4715Z	<b>1.16</b>	<b>0.46</b>	<b>2.43</b>	<b>141%</b>	<b>0.11</b>	28	WTNS
4716Z	<b>1.15</b>	<b>0.44</b>	<b>1.61</b>	<b>94%</b>	<b>0.09</b>	28	WTNS
4717Z	<b>1.13</b>	<b>0.44</b>	<b>2.18</b>	<b>127%</b>	<b>0.08</b>	30	WTNS
4720Z	<b>1.14</b>	<b>0.45</b>	<b>2.01</b>	<b>117%</b>	<b>0.10</b>	29	MYST
4722Z	1.09	<b>0.47</b>	<b>1.74</b>	<b>101%</b>	<b>0.08</b>	<b>27</b>	WTNS
4725Z	1.04	0.43	<b>1.65</b>	<b>96%</b>	<b>0.08</b>	<b>27</b>	MASH
5023Z	<b>1.14</b>	0.41	1.33	77%	<b>0.07</b>	<b>27</b>	HANK
5024Z	<b>1.17</b>	<b>0.46</b>	<b>1.91</b>	<b>110%</b>	<b>0.08</b>	28	HANK
5026Z	<b>1.21</b>	0.38	<b>1.78</b>	<b>103%</b>	<b>0.08</b>	28	HANK
5030Z	1.02	0.39	<b>1.68</b>	<b>96%</b>	0.06	<b>26</b>	HANK
5032Z	<b>1.11</b>	0.43	1.18	68%	<b>0.07</b>	28	HANK
5100Z	1.06	0.42	0.88	57%	<b>0.07</b>	30	CH
5101Z	1.05	0.38	<b>1.75</b>	<b>114%</b>	<b>0.08</b>	28	COHI
5102Z	1.06	0.38	1.21	78%	<b>0.07</b>	<b>27</b>	COHI
5104Z	<b>1.17</b>	0.41	<b>1.63</b>	<b>105%</b>	<b>0.09</b>	30	JBG
5105Z	1.02	0.34	<b>1.92</b>	<b>124%</b>	<b>0.07</b>	<b>26</b>	JBG
5106Z	<b>1.13</b>	0.43	<b>1.40</b>	<b>91%</b>	<b>0.07</b>	30	JBG
5107Z	1.05	0.41	<b>1.76</b>	<b>114%</b>	<b>0.08</b>	<b>26</b>	JBG
5108Z	<b>1.24</b>	0.41	<b>1.44</b>	<b>93%</b>	<b>0.09</b>	<b>26</b>	JBG
5109Z	<b>1.12</b>	0.39	<b>1.45</b>	<b>94%</b>	<b>0.08</b>	<b>25</b>	JBG
5110Z	<b>1.14</b>	0.43	<b>1.87</b>	<b>121%</b>	<b>0.09</b>	<b>25</b>	JBG
5121Z	0.94	0.35	<b>1.40</b>	<b>91%</b>	<b>0.08</b>	<b>25</b>	MTBL

**At PCC**

ID	REA/CWT	SHAPE	IMF	IMF RATIO	BF	TEND	SIRE
5122Z	0.77	0.33	1.07	69%	0.04	27	MTBL
5123Z	1.05	0.37	2.13	138%	0.07	26	MTBL
5125Z	1.12	0.39	1.62	105%	0.07	26	MTBL
5126Z	1.05	0.43	1.89	122%	0.08	28	MTBL
5127Z	1.00	0.41	1.61	104%	0.07	25	MTBL
5200Z	1.10	0.43	2.33	136%	0.10	26	KSOL
5201Z	1.20	0.39	2.64	169%	0.09	29	KSOL
5202Z	0.93	0.39	1.70	99%	0.10	26	KSOL
5203Z	1.06	0.39	1.80	115%	0.09	26	KSOL
5204Z	1.10	0.40	1.28	75%	0.08	28	KSOL
5205Z	1.01	0.42	1.69	98%	0.08	26	KSOL
5206Z	1.37	0.43	2.35	137%	0.10	25	KSOL
5207Z	1.02	0.38	1.35	86%	0.09	25	KSOL
5212Z	1.15	0.42	1.40	81%	0.08	28	KSOL
5215Z	1.22	0.40	2.25	131%	0.10	26	KSOL
5216Z	1.22	0.47	1.68	97%	0.07	27	KSOL
5218Z	0.95	0.41	1.84	107%	0.08	27	KSOL
5219Z	1.04	0.43	1.09	64%	0.09	29	KSOL
5220Z	1.03	0.43	1.64	105%	0.07	26	KSOL
5225Z	1.21	0.40	1.58	101%	0.09	29	SPUD
5226Z	1.22	0.40	1.38	80%	0.07	30	SPUD
5233Z	1.05	0.40	1.53	89%	0.07	28	UNIT
5234Z	1.02	0.38	1.51	88%	0.08	25	UNIT
5237Z	1.14	0.41	1.64	95%	0.08	30	UNIT
5238Z	1.26	0.38	1.95	114%	0.07	26	UNIT
5400Z	1.19	0.35	2.01	129%	0.09	25	JBG
5401Z	1.16	0.42	1.81	116%	0.08	29	JBG
5403Z	1.00	0.35	1.73	111%	0.09	29	JBG
5404Z	1.22	0.47	2.26	145%	0.09	25	JBG
5405Z	1.06	0.44	1.50	96%	0.08	27	JBG
5406Z	1.12	0.44	1.23	79%	0.09	25	JBG
5407Z	1.16	0.38	2.09	133%	0.09	24	JBG
5408Z	0.96	0.38	1.21	77%	0.08	26	JBG
5409Z	0.93	0.42	1.85	118%	0.11	28	JBG
5410Z	1.02	0.42	1.61	103%	0.09	30	JBG
5412Z	1.18	0.38	1.31	84%	0.09	24	JBG
5413Z	1.23	0.43	1.36	87%	0.08	26	JBG
5414Z	1.00	0.38	1.40	89%	0.08	26	JBG
5415Z	0.95	0.44	1.25	80%	0.06	28	JBG
5420Z	1.15	0.41	1.42	91%	0.08	27	CCOAL
5425Z	1.26	0.41	1.46	94%	0.08	30	CH
5426Z	1.09	0.41	1.80	115%	0.10	28	CH
5428Z	1.00	0.43	0.90	57%	0.08	28	CH
5429Z	1.08	0.37	1.01	65%	0.09	26	CH
5430Z	0.98	0.46	1.36	87%	0.08	29	CH
5431Z	0.96	0.36	1.03	66%	0.08	28	CH
5433Z	1.25	0.42	1.65	106%	0.08	26	CH
5434Z	0.98	0.38	1.67	107%	0.09	27	JBG
5600Z	1.14	0.45	1.71	98%	0.10	26	R383
5615Z	1.19	0.40	1.89	109%	0.08	28	WEST
5621Z	1.23	0.38	2.24	129%	0.09	26	MMAN
5727Z	1.21	0.45	2.19	126%	0.09	25	JBG
5728Z	1.24	0.42	1.73	100%	0.08	28	CSHMN

**At PCC**

ID	REA/CWT	SHAPE	IMF	IMF RATIO	BF	TEND	SIRE
5732Z	1.06	0.41	<b>2.33</b>	<b>134%</b>	<b>0.08</b>	<b>26</b>	MEDM
5733Z	<b>1.15</b>	0.33	<b>2.31</b>	<b>148%</b>	<b>0.07</b>	<b>27</b>	MEDM
5803Z	<b>1.12</b>	<b>0.45</b>	1.55	89%	<b>0.10</b>	<b>26</b>	5GLD
5899Z	1.03	0.37	<b>1.97</b>	<b>113%</b>	<b>0.09</b>	<b>27</b>	5GLD
5901Z	<b>1.13</b>	0.38	1.23	71%	<b>0.08</b>	28	UJ
5903Z	1.03	0.39	<b>1.83</b>	<b>106%</b>	<b>0.09</b>	<b>27</b>	MIZ
5904Z	<b>1.29</b>	<b>0.45</b>	1.21	77%	<b>0.08</b>	<b>27</b>	MIZ
5905Z	0.91	0.40	<b>1.79</b>	<b>103%</b>	<b>0.09</b>	28	UJ
5906Z	<b>1.12</b>	0.41	<b>2.04</b>	<b>118%</b>	<b>0.08</b>	28	UJ
5908Z	<b>1.15</b>	0.42	1.38	88%	<b>0.08</b>	<b>25</b>	UJ
7041Z	0.99	0.43	<b>1.44</b>	<b>97%</b>	<b>0.07</b>	30	ALMO
7042Z	1.08	0.42	1.04	70%	<b>0.08</b>	29	COLF
7043Z	1.08	<b>0.45</b>	<b>1.63</b>	<b>109%</b>	<b>0.09</b>	31	JBG
7044Z	<b>1.12</b>	<b>0.46</b>	1.12	75%	<b>0.07</b>	31	COLF
7045Z	0.99	0.42	1.24	84%	<b>0.08</b>	28	BBON
7046Z	<b>1.31</b>	0.36	1.23	83%	<b>0.08</b>	30	BUCK
7047Z	1.05	0.37	0.91	61%	<b>0.10</b>	32	SMIT
7201Z	<b>1.13</b>	0.41	0.84	57%	<b>0.09</b>	<b>27</b>	UB
7202Z	1.07	0.40	<b>1.64</b>	<b>110%</b>	<b>0.09</b>	32	UB
7204Z	0.84	<b>0.46</b>	<b>1.35</b>	<b>91%</b>	<b>0.07</b>	<b>27</b>	UB
7401Z	0.92	0.43	<b>1.68</b>	<b>113%</b>	<b>0.08</b>	28	COLF
7402Z	1.04	0.39	<b>1.40</b>	<b>94%</b>	<b>0.08</b>	<b>27</b>	COLF
7403Z	<b>1.20</b>	<b>0.48</b>	1.25	84%	<b>0.07</b>	30	COLF
7404Z	0.91	<b>0.49</b>	<b>1.60</b>	<b>108%</b>	<b>0.08</b>	30	COLF
7405Z	1.05	0.42	<b>1.97</b>	<b>132%</b>	<b>0.09</b>	30	COLF
7406Z	<b>1.17</b>	0.42	<b>1.95</b>	<b>131%</b>	<b>0.07</b>	29	COLF
7410Z	1.02	0.38	<b>1.46</b>	<b>98%</b>	<b>0.08</b>	32	BUCK
7411Z	<b>1.12</b>	<b>0.48</b>	<b>2.59</b>	<b>151%</b>	<b>0.07</b>	30	BUCK
7412Z	<b>1.14</b>	0.37	<b>1.72</b>	<b>116%</b>	<b>0.09</b>	29	CH
7414Z	<b>1.10</b>	<b>0.45</b>	1.98	133%	<b>0.09</b>	31	CH
7415Z	0.96	0.41	<b>1.79</b>	<b>121%</b>	<b>0.09</b>	28	ELIJ
7416Z	1.00	0.38	<b>1.82</b>	<b>122%</b>	<b>0.08</b>	<b>26</b>	ELIJ
7417Z	<b>1.13</b>	<b>0.46</b>	<b>1.34</b>	<b>90%</b>	0.05	33	ELIJ
7418Z	0.90	0.38	<b>1.36</b>	<b>91%</b>	<b>0.08</b>	29	ELIJ
7421Z	1.05	0.37	1.32	89%	<b>0.10</b>	30	ELIJ
7422Z	1.03	0.42	<b>1.60</b>	<b>108%</b>	<b>0.09</b>	<b>26</b>	ELIJ
7424Z	1.04	0.40	<b>1.71</b>	<b>115%</b>	<b>0.08</b>	<b>27</b>	ELIJ
7425Z	1.03	0.38	1.19	80%	<b>0.08</b>	28	ELIJ
7426Z	<b>1.18</b>	0.40	<b>1.96</b>	<b>132%</b>	<b>0.08</b>	32	SMIT
7427Z	<b>1.17</b>	0.41	<b>1.44</b>	<b>97%</b>	<b>0.07</b>	29	SMIT
7428Z	<b>1.11</b>	0.36	<b>1.60</b>	<b>108%</b>	<b>0.07</b>	31	SMIT
7429Z	1.06	<b>0.49</b>	<b>1.42</b>	<b>95%</b>	<b>0.08</b>	31	SMIT
7430Z	<b>1.19</b>	0.40	0.60	40%	<b>0.07</b>	29	UNO
7528Z	0.98	0.38	0.80	54%	<b>0.07</b>	30	SPK
7750Z	<b>1.25</b>	<b>0.46</b>	<b>2.38</b>	<b>160%</b>	<b>0.10</b>	30	WTNS
7754Z	<b>1.47</b>	<b>0.51</b>	<b>2.20</b>	<b>148%</b>	<b>0.10</b>	33	WTNS
7901Z	<b>1.23</b>	<b>0.47</b>	<b>1.71</b>	<b>115%</b>	<b>0.07</b>	30	COLF
7902Z	1.09	<b>0.46</b>	0.90	61%	<b>0.08</b>	28	MAGC
7903Z	1.03	0.40	<b>1.88</b>	<b>127%</b>	<b>0.08</b>	28	BPWD