

COOP	SIRE	BULL	WT	SCR	HIP	COMM	COOP	SIRE	BULL	WT	SCR	HIP	COMM
ICE	SBET	1110C	770	31.2	46.0		ICE	SPUD	5408C	1000	37.1	46.0	
PLG	SBET	1111C	980	36.9	47.0		ICE	SPUD	5409C	970	35.4	46.0	
PLG	SBET	1112C	975	40.0	49.0		ICE	SPUD	5410C	940	34.4	47.0	
ICE	MOJO	1114C					ICE	SPUD	5411C	920	36.7	45.0	
PLG	BERAL	1116C	860	33.3	46.0		ICE	CH	5412C	930	31.1	49.0	
ICE	BERAL	1118C	840	32.5	47.0		ICE	CH	5413C	1070	39.7	49.0	
ICE	BERAL	1119C	880	31.0	48.0		ICE	CH	5414C	1005	37.3	48.0	
PLG	BERAL	1120C	940	34.5	48.0		ICE	CH	5415C				
ICE	HPT	3403C	1110	35.5	49.0		ICE	CHNK	5417C	895	33.5	46.0	
ICE	RBL	3404C	855	31.7	45.0		ICE	CHNK	5418C				
ICE	RBL	3405C	930	32.4	48.0		ICE	SCT	5420C	940	37.0	47.5	
ICE	RBL	3406C	970	36.6	49.0		ICE	SCT	5422C	900	35.0	46.0	
ICE	RBL	3408C	990	34.0	48.0		ICE	CHNK	5452C	815	30.5	46.5	
ICE	RBL	3409C	1040	32.0	47.0		ICE	JBG	5453C	1030	36.6	49.0	
ICE	PLDG	3410C	960	33.7	47.0		ICE	COLF	7100C	790	33.5	46.0	
ICE	PLDG	3411C	1010	37.8	46.5		ICE	PF	7102C	886	37.1	47.0	
ICE	BERAL	3413C	980	38.5	46.0		PLG	PF	7103C	930	36.9	48.0	
PLG	JBG	4100C	750	30.9	45.0		PLG	PF	7104C	980	36.7	46.0	
ICE	CH	4101C	840	35.2	49.0		ICE	PF	7105C	955	33.4	46.0	
PLG	COHI	4102C	840	35.2	46.5		ICE	PF	7106C	950	37.5	46.0	
ICE	COHI	4103C	1000	34.6	48.0		PLG	PF	7108C	855	35.6	46.0	
ICE	HIRL	5400C	1000	32.6	45.0		PLG	KT	7109C	1060	34.1	47.0	
ICE	JBG	5402C	1020	36.4	48.0		PLG	KT	7110C	1000	34.0	49.0	
ICE	JBG	5403C	1050	37.2	49.0		ICE	RBL	7400C	946	32.1	46.0	
ICE	JBOY	5405C	970	30.0	46.0		ICE	RBL	7401C	920	32.4	46.0	
ICE	JBOY	5406C	1130	37.6	47.5		ICE	RBL	7402C	910	31.4	47.0	
ICE	SPUD	5407C	960	35.3	48.0		ICE	RBL	7403C	930	36.2	47.0	

COOP	SIRE	BULL	WT	SCR	HIP	COMM	COOP	SIRE	BULL	WT	SCR	HIP	COMM
ICE	RBL	7405C	990	34.6	48.0		ICE	RBL	7404C	850	31.4	47.0	
ICE	RBL	7406C	990	31.0	48.0								
ICE	RBL	7407C	945	34.9	47.0		82			950			
ICE	RBL	7408C	940	35.7	49.0								
ICE	RBL	7409C	1035	35.2	47.5								
ICE	JBG	7411C	940	35.3	44.0								
ICE	JBG	7412C	815	36.6	47.0								
ICE	JBG	7413C											
ICE	JBG	7414C	910	34.2	45.5								
ICE	COLF	7415C	910	32.5	47.5								
ICE	PF	7417C	990	33.2	49.0								
ICE	PF	7419C	1120	36.0	51.0								
ICE	PF	7420C	980	35.5	46.5								
ICE	PF	7421C	1000	32.6	49.0								
ICE	PF	7422C	992	32.8	46.0								
ICE	PF	7423C	990	39.9	49.0								
ICE	PF	7425C	990	35.0	49.0								
ICE	ELIJ	7427C	940	34.8	48.0								
ICE	KT	7430C	1050	36.4	48.0								
ICE	KT	7432C	970	36.2	48.0								
ICE	KT	7433C	905	33.3	48.0								
ICE	DPR	7435C	890	31.5	47.0								
ICE	DPR	7436C	990	32.8	48.0								
ICE	DPR	7439C	865	32.6	48.0								
ICE	SMIT	7440C	950	36.5	48.0								
PLG	PF	7459C	960	36.0	48.0								
ICE	PF	7460C	1020	35.9	46.0								

COOP	SIRE	BULL	WT	SCR	HIP	COMM	COOP	SIRE	BULL	WT	SCR	HIP	COMM
IWY	RBL	3415C	940	34.9	44.0		IWY	SPUD	5447C	1010	31.5	44.5	
IWY	RBL	3416C	1035	34.2	44.0		IWY	COHI	5448C	960	38.1	44.5	
IWY	RBL	3417C	1020	32.1	43.5		IWY	COHI	5449C	900	35.3	43.0	
IWY	RBL	3418C	975	31.0	44.0		IWY	SCT	5450C	1000	35.3	43.0	
IWY	BERAL	3419C	960	35.3	48.0		IWY	JACK	5451C	930	34.9	44.0	
IWY	RBL	5423C	940	32.9	45.0		IWY	SBET	7444C	1030	34.5	43.0	
IWY	JBG	5424C					IWY	RBL	7445C	990	34.1	47.5	
IWY	JBG	5425C	885	32.3	45.0		IWY	RBL	7446C	940	31.9	44.0	
IWY	JBG	5426C	890	33.7	44.0		IWY	JBG	7447C	930	36.8	44.0	
IWY	JBG	5427C	990	33.5	47.5		IWY	JACK	7449C	960	34.2	45.0	
IWY	JBG	5428C	880	34.1	44.0		IWY	JACK	7450C	820	35.9	44.0	
IWY	JBG	5429C	985	37.5	44.0		IWY	JACK	7451C	895	33.9	43.5	
IWY	CSTG	5430C	955	34.2	46.0		IWY	JACK	7452C	830	35.4	44.0	
IWY	JACK	5431C	995	31.4	47.0		IWY	JACK	7453C	880	32.2	43.0	
IWY	JACK	5432C	980	36.7	44.5		IWY	SPUD	7454C	950	38.5	44.0	
IWY	JACK	5433C	955	36.2	45.0		IWY	SPUD	7455C	950	35.5	43.0	
IWY	JACK	5434C	1000	34.5	43.0		IWY	SPUD	7456C	790	35.2	42.0	
IWY	JACK	5435C	1000	33.7	47.0		IWY	ELIJ	7457C	1085	36.5	44.0	
IWY	JACK	5436C	805	35.4	43.0		IWY	ELIJ	7458C	1070	36.2	44.5	
IWY	JACK	5437C	870	34.5	45.0								
IWY	JACK	5438C	920	34.5	44.0		46			945			
IWY	JACK	5439C	805	35.7	43.0								
IWY	SPUD	5441C	1025	35.7	45.0								
IWY	SPUD	5443C	930	34.0	43.5								
IWY	SPUD	5444C	916	32.8	43.5								
IWY	SPUD	5445C	920	37.0	44.0								
IWY	SPUD	5446C	1030	37.2	45.0								