

BS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1272J	9.18	1.36	0.37	3.24	121%	0.11	25	10	MAD	4.0
1273J	9.58	1.47	0.48	3.30	124%	0.11	26	10	MAD	4.0
1275J	8.26	1.12	0.46	2.82	105%	0.17	27	10	OR	4.9
1278J	9.03	1.37	0.50	2.60	97%	0.09	28	10	MAD	4.0
1279J	7.92	1.12	0.53	3.13	117%	0.18	28	10	MAD	4.9
1282J	8.78	1.30	0.43	2.78	104%	0.12	27	10	MAD	4.1
1283J	9.7	1.37	0.44	1.85	69%	0.07	26	10	JUL	3.9
1284J	10.2	1.52	0.39	3.13	117%	0.19	30	10	MAD	5.0
1289J	8.48	1.48	0.42	2.86	107%	0.12	25	10	MAD	4.1
1290J	8.65	1.36	0.40	3.33	125%	0.12	30	10	JUL	4.1
1800J	9.92	1.35	0.40	2.91	109%	0.10	26	10	RMC	4.0
1801J	7.93	1.14	0.44	0.99	37%	0.07	26	10	RMC	3.9
1802J	7.57	1.09	0.47	3.29	123%	0.25	26	10	RMC	5.1
1803J	9.67	1.33	0.50	1.86	70%	0.08	25	10	RMC	3.9
1804J	8.5	1.14	0.50	1.99	74%	0.16	26	10	RMC	4.9
1806J	9.02	1.31	0.46	2.80	105%	0.08	25	10	RMC	3.9
1807J	9.5	1.26	0.47	1.93	72%	0.18	27	10	RMC	4.9
1808J	8.37	1.09	0.47	0.85	32%	0.07	27	10	RMC	3.9
1809J	9.65	1.06	0.46	3.32	124%	0.17	27	10	RMC	4.9
1810J	8.15	1.18	0.46	2.26	85%	0.09	26	10	RMC	4.0
1811J	10.54	1.27	0.45	3.66	137%	0.18	26	10	RMC	4.9
1812J	8.67	1.01	0.40	2.39	89%	0.17	30	10	RMC	4.9
1813J	8.65	1.30	0.37	2.78	104%	0.10	25	10	RMC	4.0
1814J	9.58	1.30	0.39	3.81	143%	0.18	26	10	RMC	4.9
1815J	7.57	1.17	0.44	2.93	110%	0.18	25	10	RBL	4.9
1816J	8.84	1.15	0.41	2.23	83%	0.07	27	10	RMC	3.9
1818J	9.47	1.21	0.49	2.47	92%	0.20	26	10	RBL	5.0
1819J	9.08	1.19	0.44	2.79	104%	0.13	28	10	RMC	4.1
1820J	9.35	1.09	0.44	4.85	182%	0.21	29	10	RMC	5.0
1821J	7.26	1.02	0.49	2.42	90%	0.14	25	10	RMC	4.1
1822J	7.98	1.10	0.44	2.63	99%	0.08	28	10	RBL	3.9
1823J	8.86	1.21	0.51	2.36	88%	0.16	28	10	RMC	4.9
1824J	7.63	1.03	0.47	2.28	85%	0.14	25	10	RMC	4.1
1825J	8.69	1.17	0.44	2.78	104%	0.19	25	10	RMC	5.0
1826J	9.41	1.25	0.43	2.80	105%	0.10	28	10	RMC	4.0
1828J	9.54	1.29	0.43	3.54	133%	0.17	26	10	RMC	4.9
1829J	9.11	1.36	0.46	1.01	38%	0.08	27	10	RMC	3.9
1830J	8.9	1.09	0.45	3.42	128%	0.17	25	10	RMC	4.9
1831J	7.7	1.01	0.46	2.50	94%	0.09	27	10	RMC	4.0
1832J	9.59	1.29	0.45	3.59	134%	0.15	25	10	RMC	4.1
1833J	8.62	1.19	0.49	1.16	43%	0.09	26	10	HHUNT	4.0
1834J	9.56	1.18	0.45	1.67	62%	0.13	27	10	HHUNT	4.1
1835J	7.42	1.25	0.51	2.54	95%	0.10	28	10	HHUNT	4.0
1836J	6.94	1.03	0.35	1.14	43%	0.10	26	10	BLUE	4.0
1837J	8.6	1.12	0.46	3.06	114%	0.15	27	10	BLUE	4.1
1839J	8.86	1.12	0.44	1.87	70%	0.10	27	10	BLUE	4.0
1840J	8.81	1.28	0.50	0.74	28%	0.08	27	10	ELV	3.9
1841J	8.29	1.12	0.50	1.08	40%	0.08	26	10	EBRD	3.9
1843J	8.18	1.12	0.46	3.43	128%	0.16	29	10	EBRD	4.9
1846J	8.98	1.26	0.49	3.17	119%	0.18	29	10	BLIZ	4.9
1847J	8.14	1.25	0.42	3.09	116%	0.11	25	10	BLIZ	4.0
1848J	8.38	1.15	0.51	3.17	119%	0.08	28	10	BLIZ	3.9
1849J	11.81	1.64	0.39	3.05	114%	0.15	25	10	BLIZ	4.1
1850J	8.84	1.41	0.47	3.31	124%	0.14	25	10	BLIZ	4.1
1851J	8.62	1.19	0.42	3.21	120%	0.15	26	10	BLIZ	4.1
1852J	8.67	1.21	0.46	2.73	102%	0.11	26	10	BLIZ	4.0
1853J	9.92	1.49	0.42	1.26	47%	0.07	26	10	BLIZ	3.9

BS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1854J	9.03	1.24	0.50	3.37	126%	0.17	27	10	BLIZ	4.9
1860J	9.01	1.20	0.59	1.64	62%	0.15	30	10	SEPBB	4.1
1861J	10.51	1.34	0.57	3.39	127%	0.19	27	10	RIC	5.0
1862J	8.5	1.07	0.44	2.75	103%	0.19	30	10	SEPBB	5.0
1863J	8.64	1.13	0.45	3.23	121%	0.10	25	10	RIC	4.0
1864J	10.85	1.41	0.45	3.25	122%	0.15	29	10	RIC	4.1
1866J	9.47	1.35	0.48	1.65	62%	0.10	26	10	RIC	4.0
1867J	6.66	0.99	0.46	2.17	81%	0.07	26	10	RIC	3.9
1868J	8.69	1.25	0.55	1.24	46%	0.10	26	10	RIC	4.0
1869J	8.32	1.15	0.48	2.44	92%	0.10	26	10	RIC	4.0
1870J	8.92	1.18	0.46	3.73	140%	0.13	29	10	RIC	4.1
1871J	9.72	1.30	0.52	2.36	88%	0.14	27	10	RIC	4.1
1872J	7.83	1.16	0.45	2.68	100%	0.15	27	10	RIC	4.1
1873J	8.64	1.24	0.44	2.71	101%	0.10	25	10	RIC	4.0
1874J	8.16	1.07	0.47	2.77	104%	0.08	27	10	RIC	3.9
1875J	9.31	1.41	0.43	1.33	50%	0.05	26	10	RIC	3.1
1876J	8.36	1.15	0.48	3.53	132%	0.14	27	10	RIC	4.1
1877J	8.27	1.06	0.42	3.14	118%	0.08	26	10	RIC	3.9
1878J	8.56	1.12	0.44	2.83	106%	0.15	28	10	RIC	4.1
1879J	9.58	1.20	0.56	3.48	130%	0.16	26	10	RIC	4.9
1880J	9.73	1.30	0.60	2.73	102%	0.08	25	10	RIC	3.9
1881J	11.34	1.48	0.42	3.31	124%	0.18	26	10	RIC	4.9
1882J	8.89	1.15	0.64	3.09	116%	0.10	28	10	RIC	4.0
1883J	8.05	1.29	0.44	3.09	116%	0.09	25	10	RIC	4.0
1884J	8.18	1.22	0.56	3.40	127%	0.13	25	10	RIC	4.1
1885J	9.94	1.38	0.39	2.89	108%	0.11	26	10	RIC	4.0
1886J	10.47	1.39	0.43	2.81	105%	0.08	27	10	RIC	3.9
1887J	8.39	1.20	0.49	1.59	59%	0.05	26	10	RIC	3.1
1888J	9.91	1.44	0.47	0.36	13%	0.08	26	10	RIC	3.9
1889J	7.15	1.04	0.47	3.16	118%	0.14	28	10	RIC	4.1
1890J	10.97	1.54	0.48	2.48	93%	0.09	26	10	RIC	4.0
1891J	8.22	1.07	0.47	1.74	65%	0.15	27	10	RIC	4.1
1892J	9.36	1.45	0.49	3.31	124%	0.10	28	10	RIC	4.0
1894J	8.26	1.16	0.43	2.83	106%	0.09	25	10	RIC	4.0
1901J	8.96	1.31	0.57	2.12	80%	0.07	25	10	RAZZ	3.9
1902J	10.29	1.16	0.46	1.50	56%	0.06	26	10	DASH	3.9
1904J	10.63	1.44	0.44	2.32	87%	0.21	26	10	DASH	5.0
1908J	8.11	1.15	0.40	1.74	65%	0.13	25	10	RAZZ	4.1
1909J	9.68	1.25	0.55	2.97	111%	0.12	28	10	BUD	4.1
1911J	8.44	1.29	0.44	0.23	9%	0.08	26	10	BUD	3.9
1912J	9.41	1.26	0.43	2.35	88%	0.16	27	10	BUD	4.9
1920J	7.71	1.04	0.44	2.86	107%	0.18	29	10	BUD	4.9
1930J	10.12	1.58	0.53	1.62	61%	0.09	30	10	MS-AN	4.0
1935J	9.07	1.10	0.46	2.30	86%	0.17	29	10	DASH	4.9
1939J	10.63	1.42	0.52	2.97	111%	0.13	26	10	MS-AN	4.1
1942J	8.54	1.29	0.42	3.63	136%	0.10	27	10	MS-AN	4.0
1960J	8.51	1.35	0.54	2.51	94%	0.15	27	10	XFIR	4.1
1961J	9.55	1.17	0.47	3.85	144%	0.19	29	10	RIC	5.0
2000J	9.33	1.35	0.45	3.24	121%	0.15	25	10	MTRK	4.1
2001J	7.63	1.09	0.46	3.43	128%	0.15	29	10	MTRK	4.1
2002J	11.87	1.53	0.33	3.47	130%	0.16	26	10	MTRK	4.9
2003J	10.17	1.29	0.51	2.51	94%	0.17	26	10	MTRK	4.9
2004J	8.32	1.28	0.48	3.23	121%	0.17	29	10	MTRK	4.9
2005J	8.41	1.24	0.41	2.91	109%	0.13	25	10	MTRK	4.1
2006J	8.08	1.16	0.47	2.69	101%	0.09	25	10	MTRK	4.0
2008J	9.42	1.26	0.48	3.87	145%	0.18	26	10	MTRK	4.9
2011J	7.97	1.05	0.45	0.66	25%	0.07	26	10	WACK	3.9

BS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2012J	8.78	1.30	0.46	0.92	34%	0.05	27	10	WACK	3.1
2013J	9.94	1.46	0.40	3.18	119%	0.09	25	10	WACK	4.0
2014J	7.25	1.14	0.50	2.23	84%	0.14	26	10	GRIT	4.1
2015J	8.23	1.35	0.51	2.64	99%	0.09	26	10	WACK	4.0
2016J	8.04	1.23	0.46	2.96	111%	0.11	28	10	WACK	4.0
2017J	8	1.25	0.47	2.62	98%	0.16	26	10	WACK	4.9
2018J	8.27	1.25	0.43	3.41	128%	0.19	26	10	WACK	5.0
2029J	8.86	1.39	0.44	2.91	109%	0.10	27	10	VERD	4.0
2030J	8.29	1.17	0.45	2.58	96%	0.15	29	10	VERD	4.1
2033J	9.27	1.43	0.45	3.45	129%	0.17	26	10	VERD	4.9
2034J	9.24	1.20	0.49	3.32	124%	0.18	26	10	BMGC	4.9
2036J	8.79	1.30	0.50	3.54	133%	0.08	29	10	VERD	3.9
2039J	8.23	1.17	0.45	3.58	134%	0.19	26	10	VERD	5.0
2040J	8.54	1.29	0.42	2.34	88%	0.13	27	10	VERD	4.1
2042J	8.55	1.17	0.48	2.08	78%	0.07	27	10	BMGC	3.9
2046J	7.45	1.24	0.42	2.28	85%	0.07	26	10	HUSK	3.9
2047J	8.4	1.17	0.45	0.92	35%	0.09	27	10	HUSK	4.0
2050J	9.53	1.37	0.59	2.97	111%	0.15	27	10	HBLU	4.1
2052J	7.65	1.19	0.45	2.64	99%	0.10	26	10	SLHM	4.0
2055J	9.28	1.33	0.42	3.56	133%	0.07	29	10	MHK	3.9
2056J	10.08	1.64	0.44	2.44	91%	0.11	27	10	CZAR	4.0
2064J	8.41	1.22	0.46	3.50	131%	0.15	26	10	MHK	4.1
2084J	10.06	1.41	0.50	3.90	146%	0.16	25	10	MHK	4.9
2090J	10.43	1.58	0.51	1.16	43%	0.15	26	10	CZAR	4.1
2900J	8.67	1.21	0.47	2.42	91%	0.09	26	10	CRSH	4.0
2901J	8.62	1.21	0.49	2.38	89%	0.09	27	10	CRSH	4.0
2902J	9.04	1.20	0.47	2.49	93%	0.10	27	10	CRSH	4.0
2903J	8.01	1.14	0.41	3.21	120%	0.11	28	10	CRSH	4.0
2904J	11.55	1.46	0.45	2.66	99%	0.10	28	10	CRSH	4.0
2905J	10.84	1.58	0.52	2.33	87%	0.11	26	10	CRSH	4.0
2907J	8.82	1.37	0.49	1.13	42%	0.19	27	10	CRSH	5.0
2908J	8.33	1.13	0.46	1.42	53%	0.09	29	10	CRSH	4.0
2909J	10.13	1.29	0.46	2.53	95%	0.11	27	10	SMSC	4.0
2910J	8.79	1.22	0.42	2.71	101%	0.11	27	10	SMSC	4.0
2911J	7.66	1.23	0.53	1.90	71%	0.09	27	10	SANT	4.0
2913J	9.65	1.36	0.49	2.99	112%	0.17	25	10	ZAND	4.9
2915J	10.6	1.34	0.42	3.77	141%	0.16	29	10	SANT	4.9
2918J	7.66	0.98	0.50	2.42	90%	0.16	25	10	EOTS	4.9
2919J	8.94	1.18	0.43	3.47	130%	0.11	25	10	JEB	4.0
2920J	12.23	1.51	0.58	3.11	116%	0.29	27	10	RIP	5.2
2922J	8.83	1.20	0.45	2.97	111%	0.14	27	10	ZAND	4.1
2923J	9.69	1.26	0.43	2.58	96%	0.08	26	10	DIEGO	3.9
2925J	9.04	1.22	0.45	3.44	129%	0.11	30	10	HERC	4.0
2926J	10.38	1.39	0.47	3.27	123%	0.21	28	10	EOTS	5.0
2927J	8.85	1.17	0.43	3.50	131%	0.17	26	10	EOTS	4.9
2950J	11.23	1.39	0.42	2.58	97%	0.17	27	10	HICO	4.9
2951J	10.13	1.15	0.58	3.63	136%	0.19	25	10	HICO	5.0
2952J	11.55	1.30	0.51	2.86	107%	0.21	27	10	HICO	5.0
2953J	11.07	1.31	0.43	3.03	113%	0.22	26	10	HICO	5.1
2955J	9.58	1.18	0.48	2.96	111%	0.18	28	10	EOTS	4.9
2956J	9.46	1.19	0.50	1.61	60%	0.11	28	10	HERC	4.0
2957J	10.06	1.37	0.47	2.94	110%	0.18	27	10	HICO	4.9
2958J	10.8	1.53	0.47	2.98	112%	0.15	29	10	HICO	4.1
2959J	9.4	1.24	0.43	3.72	139%	0.15	28	10	HICO	4.1
2960J	9.07	1.11	0.42	2.94	110%	0.18	25	10	HICO	4.9
2961J	9.54	1.26	0.46	3.27	122%	0.11	28	10	DIEGO	4.0
2962J	8.6	1.16	0.43	2.56	96%	0.19	26	10	JEB	5.0

BS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2963J	8.75	1.26	0.45	2.58	96%	0.12	31	10	DIEGO	4.1
2964J	11.19	1.53	0.55	3.27	123%	0.16	27	10	HICO	4.9
2965J	9.41	1.38	0.38	3.77	141%	0.15	28	10	DIEGO	4.1
2966J	8.63	1.29	0.41	3.04	114%	0.11	27	10	DIEGO	4.0
2967J	8.42	1.21	0.45	3.50	131%	0.14	25	10	HERC	4.1
2968J	9.94	1.47	0.40	3.05	114%	0.15	27	10	DIEGO	4.1
3508J	8.37	1.27	0.44	2.77	104%	0.10	27	10	FRON	4.0
3509J	9.35	1.31	0.53	2.93	110%	0.14	30	10	PRBL	4.1
3511J	9.21	1.16	0.47	4.13	155%	0.18	26	10	FONZ	4.9
3512J	8.82	1.22	0.43	2.85	107%	0.11	27	10	FRON	4.0
3515J	7.66	1.12	0.51	2.69	101%	0.11	26	10	FRON	4.0
3516J	8.87	1.34	0.47	2.21	83%	0.11	25	10	FRON	4.0
3517J	10.09	1.67	0.42	3.39	127%	0.15	26	10	FRON	4.1
3518J	8.16	1.30	0.37	2.72	102%	0.15	25	10	PRBL	4.1
3520J	9.98	1.58	0.43	3.38	127%	0.14	26	10	FRON	4.1
3521J	8.26	1.25	0.45	2.61	98%	0.14	26	10	FONZ	4.1
3523J	8.7	1.31	0.45	3.11	117%	0.13	25	10	WL	4.1
3526J	7.27	1.11	0.47	2.01	75%	0.10	25	10	FONZ	4.0
3527J	9.38	1.45	0.45	3.11	117%	0.16	26	10	PRBL	4.9
3529J	9.18	1.40	0.48	3.15	118%	0.15	25	10	FONZ	4.1
3537J	9.8	1.45	0.37	3.32	124%	0.13	26	10	PRBL	4.1
3538J	10.65	1.62	0.44	2.41	90%	0.10	27	10	PRBL	4.0
3539J	8.71	1.36	0.41	3.05	114%	0.13	25	10	WL	4.1
3540J	7.67	1.28	0.43	3.18	119%	0.11	26	10	FONZ	4.0
3541J	8.73	1.39	0.42	3.43	129%	0.17	29	10	PRBL	4.9
3542J	8.48	1.22	0.49	2.27	85%	0.11	30	10	PRBL	4.0
3545J	7.52	1.14	0.44	3.42	128%	0.10	25	10	PRBL	4.0
3548J	10.38	1.50	0.54	2.76	103%	0.17	27	10	PRBL	4.9
3551J	8.94	1.29	0.46	2.65	99%	0.08	27	10	PRBL	3.9
4400J	7.99	1.24	0.44	1.78	67%	0.09	27	10	EVIAN	4.0
4401J	8.76	1.20	0.45	0.72	27%	0.07	27	10	EVIAN	3.9
4402J	8.9	1.27	0.51	1.56	58%	0.08	28	10	EVIAN	3.9
4403J	8.79	1.35	0.46	2.40	90%	0.11	27	10	EVIAN	4.0
4404J	9.9	1.44	0.45	1.55	58%	0.10	26	10	EVIAN	4.0
4405J	9.1	1.26	0.52	2.47	93%	0.15	25	10	EVIAN	4.1
4406J	7.65	1.29	0.49	1.62	61%	0.15	27	10	EVIAN	4.1
4407J	11.44	1.73	0.38	3.37	126%	0.11	26	10	EVIAN	4.0
4680J	9.96	1.29	0.48	3.61	135%	0.19	27	10	GB	5.0
4681J	10.82	1.66	0.51	2.45	92%	0.11	27	10	BRAVE	4.0
4682J	10.41	1.45	0.59	2.29	86%	0.13	27	10	BRAVE	4.1
4683J	9.59	1.60	0.45	1.35	51%	0.10	27	10	BRAVE	4.0
4684J	8.21	1.12	0.44	2.18	81%	0.11	26	10	CLIFF	4.0
4685J	9.59	1.31	0.45	2.93	110%	0.15	27	10	BRAVE	4.1
4686J	9.54	1.40	0.46	2.00	75%	0.08	27	10	BRAVE	3.9
4688J	9.6	1.40	0.50	2.69	101%	0.10	26	10	BRAVE	4.0
4689J	11.54	1.58	0.53	1.86	69%	0.10	27	10	BRAVE	4.0
4690J	9.21	1.42	0.46	2.93	110%	0.15	26	10	BRAVE	4.1
4691J	8.15	1.18	0.45	2.71	102%	0.13	28	10	CLIFF	4.1
4900J	10.02	1.31	0.55	1.91	72%	0.18	26	10	EVIAN	4.9
4901J	10.46	1.70	0.50	2.07	77%	0.11	26	10	XTRA	4.0
4903J	9.5	1.44	0.58	2.26	85%	0.16	27	10	XTRA	4.9
4907J	9.77	1.15	0.44	0.93	35%	0.19	27	10	GB	5.0
4908J	8.39	1.11	0.42	3.57	134%	0.10	27	10	GB	4.0
4909J	10.56	1.39	0.52	2.94	110%	0.10	27	10	GB	4.0
4910J	10.89	1.43	0.50	2.98	112%	0.11	29	10	GB	4.0
4911J	10.03	1.33	0.45	3.01	113%	0.12	25	10	GB	4.1
4913J	9.24	1.29	0.51	3.06	114%	0.10	26	10	GB	4.0

BS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
4914J	8.58	1.13	0.50	2.97	111%	0.13	28	10	GB	4.1
4915J	11.44	1.69	0.43	2.65	99%	0.15	27	10	GB	4.1
4916J	8.74	1.28	0.41	2.06	77%	0.09	26	10	GB	4.0
4917J	10.19	1.25	0.55	2.07	78%	0.09	27	10	BRAVE	4.0
4918J	10.8	1.42	0.47	2.53	95%	0.14	28	10	BRAVE	4.1
4919J	8.08	1.09	0.48	2.88	108%	0.13	26	10	BRAVE	4.1
4920J	8.83	1.19	0.50	2.93	110%	0.16	26	10	BRAVE	4.9
4921J	10.92	1.59	0.45	2.55	95%	0.13	27	10	BRAVE	4.1
4922J	10.86	1.54	0.44	3.48	130%	0.11	28	10	BRAVE	4.0
4923J	8.58	1.35	0.46	2.42	90%	0.09	27	10	BRAVE	4.0
4924J	9.98	1.35	0.58	2.91	109%	0.16	28	10	BRAVE	4.9
4925J	10.2	1.36	0.43	2.67	100%	0.11	28	10	CLIFF	4.0
4926J	7.79	1.13	0.41	2.11	79%	0.11	26	10	BRAVE	4.0
4927J	10.39	1.53	0.54	3.11	117%	0.19	26	10	BRAVE	5.0
4928J	7.83	1.19	0.45	2.49	93%	0.11	29	10	BRAVE	4.0
4930J	10.12	1.31	0.48	2.19	82%	0.14	25	10	BRAVE	4.1
4932J	9.05	1.30	0.52	2.94	110%	0.10	27	10	CLIFF	4.0
4933J	8.8	1.16	0.45	1.29	48%	0.09	27	10	CLIFF	4.0
4934J	10.96	1.67	0.45	3.16	118%	0.09	27	10	BRAVE	4.0
4935J	10.82	1.37	0.60	1.87	70%	0.09	27	10	CLIFF	4.0
4936J	9.04	1.20	0.42	2.44	91%	0.13	26	10	CLIFF	4.1
4937J	11.1	1.59	0.59	2.42	91%	0.11	28	10	BRAVE	4.0
4938J	8.67	1.42	0.45	2.04	76%	0.10	26	10	BRAVE	4.0
4939J	10.07	1.40	0.44	2.33	87%	0.12	26	10	BRAVE	4.1
4940J	9.39	1.22	0.49	1.28	48%	0.11	29	10	BRAVE	4.0
4941J	10.71	1.46	0.51	3.40	127%	0.21	25	10	CLIFF	5.0
4943J	9.21	1.20	0.47	2.37	89%	0.13	25	10	BRAVE	4.1
4944J	7.93	1.13	0.51	2.28	85%	0.12	28	10	CLIFF	4.1
4947J	9.29	34.39	0.45	1.74	65%	0.10	27	10	BRAVE	4.0
5402J	9.16	1.22	0.41	3.42	128%	0.11	26	10	FLBK	4.0
5407J	10.6	1.45	0.52	3.20	120%	0.13	29	10	FLBK	4.1
5411J	8.43	1.10	0.48	3.72	139%	0.17	27	10	CASH	4.9
5421J	9.58	1.38	0.45	2.48	93%	0.16	26	10	FRDM	4.9
5429J	10.87	1.39	0.44	2.41	90%	0.09	26	10	FLBK	4.0
5430J	8.98	1.35	0.39	2.02	76%	0.10	27	10	FRDM	4.0
5433J	9.35	1.19	0.55	1.98	74%	0.19	27	10	FLBK	5.0
5434J	10.86	1.46	0.48	2.45	92%	0.11	29	10	FRDM	4.0
5437J	9.25	1.20	0.47	2.56	96%	0.13	27	10	FRDM	4.1
5438J	10.36	1.50	0.45	2.79	104%	0.23	28	10	FRDM	5.1
5440J	9.46	1.20	0.43	2.86	107%	0.18	25	10	FRDM	4.9
5442J	10.38	1.57	0.39	3.08	115%	0.15	28	10	FRDM	4.1
5443J	10.55	1.67	0.41	2.88	108%	0.11	27	10	FRDM	4.0
5444J	9.22	1.29	0.44	2.62	98%	0.10	28	10	FRDM	4.0
5448J	8.2	1.15	0.47	2.58	97%	0.13	26	10	FRDM	4.1
5452J	9.73	1.41	0.48	2.46	92%	0.17	25	10	FRDM	4.9
5465J	9.54	1.44	0.45	2.87	108%	0.16	27	10	FRDM	4.9
5466J	9.5	1.39	0.43	3.07	115%	0.12	28	10	FRDM	4.1
6102J	10.28	1.22	0.48	2.86	107%	0.13	27	10	FRTE	4.1
6104J	9.55	1.30	0.43	3.54	132%	0.10	28	10	FRTE	4.0
6105J	8.35	1.00	0.47	3.35	126%	0.12	26	10	FRTE	4.1
6111J	9.23	1.30	0.48	3.96	148%	0.22	27	10	EGOR	5.1
6112J	10.17	1.30	0.47	3.30	124%	0.17	27	10	EGOR	4.9
6113J	10.28	1.30	0.44	3.71	139%	0.16	29	10	EGOR	4.9
6115J	8.41	1.51	0.46	2.39	89%	0.07		10	EGOR	3.9
6117J	10.51	1.53	0.40	3.50	131%	0.17	26	10	EGOR	4.9
6123J	10.58	1.29	0.42	3.61	135%	0.19	27	10	EGOR	5.0
6126J	10.05	1.22	0.56	3.75	141%	0.21	28	10	30B	5.0

BS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
7403J	10.34	1.46	0.50	3.28	123%	0.19	30	10	FLBK	5.0
7417J	11.51	1.39	0.49	3.75	141%	0.22	29	10	PNBK	5.1
7450J	13.55	1.82	0.49	2.90	109%	0.12	25	10	FRDM	4.1
7463J	9.67	1.19	0.58	1.28	48%	0.14	28	10	FRDM	4.1
7808J	8.46	1.18	0.47	2.48	93%	0.15	28	10	MTRK	4.1