

MS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1300H	10.71	1.17	0.42	2.68	108%	0.10	27	10	JRT	4.0
1301H	10.09	1.08	0.49	2.67	107%	0.17	26	10	JRT	4.9
1302H	10.12	1.22	0.46	2.95	119%	0.10	25	10	JRT	4.0
1303H	8.33	1.07	0.47	0.87	35%	0.06	27	10	JRT	3.1
1304H	8.78	1.04	0.45	3.04	122%	0.09	28	10	JRT	3.9
1305H	9.74	1.11	0.44	2.49	100%	0.09	25	10	JRT	3.9
1306H	10.56	1.14	0.42	3.12	125%	0.11	28	10	JRT	4.0
1307H	9.61	1.09	0.38	3.17	127%	0.11	27	10	JRT	4.0
1308H	9.18	1.16	0.48	2.52	101%	0.10	26	10	JRT	4.0
1310H	9.65	1.03	0.49	2.54	102%	0.12	27	10	ANAT	4.0
1312H	11.15	1.24	0.42	2.74	110%	0.10	28	10	ANAT	4.0
1313H	11.1	1.10	0.44	1.73	70%	0.10	27	10	ANAT	4.0
1314H	10.39	1.07	0.49	2.80	113%	0.11	27	10	ANAT	4.0
1315H	9.74	0.97	0.41	1.83	73%	0.09	26	10	ANAT	3.9
1317H	9.68	1.13	0.40	2.99	120%	0.12	26	10	ANAT	4.0
2700H	9.7	1.06	0.54	2.74	105%	0.15	27	10	EZC	4.1
2701H	8.75	1.00	0.42	2.33	89%	0.07	26	10	EZC	3.1
2703H	8.73	1.10	0.43	3.53	135%	0.17	29	10	EZC	4.9
2705H	9.31	1.07	0.47	1.69	69%	0.12	28	10	GTR	4.0
2706H	9.25	1.05	0.50	0.88	36%	0.08	27	10	GTR	3.9
2707H	12.77	1.40	0.46	2.76	112%	0.16	28	10	GTR	4.1
2708H	9.91	1.32	0.46	2.27	92%	0.06	28	10	GTR	3.1
2709H	9.42	1.18	0.43	3.41	130%	0.15	25	10	FMOON	4.1
2710H	9.74	1.24	0.42	2.32	88%	0.14	27	10	FMOON	4.1
2711H	9.7	1.07	0.43	2.54	97%	0.16	28	10	RMC	4.1
2712H	10.43	1.12	0.45	2.04	78%	0.16	28	10	RMC	4.1
2714H	9.96	1.11	0.42	2.97	113%	0.14	26	10	RMC	4.1
2715H	8.73	1.02	0.40	2.65	101%	0.12	26	10	RMC	4.0
2716H	12.11	1.21	0.56	2.66	102%	0.21	27	10	RMC	5.0
2717H	9.22	1.12	0.47	2.67	102%	0.17	26	10	RMC	4.9
2718H	9.53	1.12	0.41	2.12	81%	0.10	27	10	RMC	4.0
2719H	9.03	1.09	0.47	1.37	52%	0.10	27	10	RMC	4.0
2720H	13.36	1.29	0.50	2.65	101%	0.10	25	10	RMC	4.0
2721H	11.66	1.19	0.51	3.33	136%	0.07	26	10	CONQ	3.1
2722H	10.26	1.15	0.47	3.12	127%	0.10	27	10	CONQ	4.0
2723H	10.91	1.28	0.52	1.92	78%	0.17	25	10	CONQ	4.9
2724H	11.25	1.32	0.46	1.89	77%	0.11	26	10	CONQ	4.0
2725H	10.74	1.14	0.42	3.02	123%	0.13	26	10	CONQ	4.1
2726H	10.41	1.16	0.50	3.13	127%	0.08	28	10	CONQ	3.9
2727H	10.21	1.11	0.49	2.39	97%	0.13	27	10	CONQ	4.1
2728H	10.53	1.12	0.47	3.00	122%	0.16	26	10	CONQ	4.1
2729H	10.7	1.26	0.40	3.65	148%	0.09	27	10	CONQ	3.9
2730H	10.25	1.01	0.46	2.65	108%	0.11	29	10	CONQ	4.0
2731H	8.37	1.07	0.41	2.72	111%	0.08	26	10	CONQ	3.9
2732H	10.44	1.14	0.44	3.31	135%	0.18	26	10	CONQ	4.9
2733H	10.8	1.18	0.50	2.91	118%	0.12	28	10	CONQ	4.0
2734H	10.76	1.12	0.47	2.72	111%	0.18	26	10	CONQ	4.9
2735H	10.78	1.02	0.47	3.04	123%	0.11	25	10	CONQ	4.0
2736H	9.07	0.94	0.42	2.34	95%	0.12	27	10	CONQ	4.0
2737H	8.29	1.02	0.42	2.86	116%	0.12	28	10	CONQ	4.0
2738H	9.26	0.99	0.48	1.95	79%	0.11	26	10	CONQ	4.0
2741H	9.45	1.07	0.43	2.05	79%	0.09	27	10	DYP	3.9
2742H	12.24	1.46	0.44	3.78	144%	0.20	27	10	DYP	5.0
2743H	9.58	1.12	0.46	2.55	98%	0.18	26	10	DYP	4.9
2745H	10.19	1.16	0.37	2.26	92%	0.09	26	10	DDBL	3.9
2746H	9.69	1.08	0.51	2.97	121%	0.16	25	10	DDBL	4.1
2747H	9.29	0.95	0.50	1.72	70%	0.10	26	10	DDBL	4.0

MS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2748H	10.62	1.06	0.47	1.74	71%	0.12	26	10	DDBL	4.0
2749H	10.83	1.11	0.45	2.53	103%	0.17	29	10	DDBL	4.9
2750H	10.71	1.10	0.54	1.58	64%	0.09	28	10	DDBL	3.9
2751H	10.98	1.05	0.51	1.85	75%	0.19	26	10	DDBL	4.9
2752H	10.92	1.11	0.46	3.02	123%	0.14	25	10	DDBL	4.1
2753H	11.5	1.34	0.56	2.60	99%	0.09	28	10	EAST	3.9
2754H	10.24	1.21	0.50	2.47	94%	0.04	26	10	EAST	3.0
2758H	10.88	1.20	0.45	2.13	81%	0.18	28	10	EAST	4.9
2760H	10.98	1.26	0.47	2.88	110%	0.05	27	10	EAST	3.1
2761H	8.79	1.02	0.47	3.21	123%	0.09	27	10	EAST	3.9
2762H	8.87	1.04	0.45	2.65	101%	0.13	25	10	EAST	4.1
2763H	9.7	1.27	0.44	3.16	121%	0.15	28	10	EAST	4.1
2765H	10.07	1.35	0.49	3.30	126%	0.11	26	10	EAST	4.0
2766H	8.69	1.01	0.43	2.71	104%	0.15	27	10	EAST	4.1
2767H	10.2	1.05	0.48	1.40	53%	0.13	28	10	EAST	4.1
2769H	8.66	1.05	0.54	2.73	111%	0.16	27	10	BGLD	4.1
2770H	10.04	1.03	0.59	3.65	148%	0.09	26	10	BGLD	3.9
2771H	9.95	1.13	0.44	2.45	100%	0.17	25	10	BGLD	4.9
2772H	9.25	1.06	0.44	1.69	69%	0.17	25	10	BGLD	4.9
2773H	9.35	1.02	0.44	2.27	92%	0.10	26	10	BGLD	4.0
2774H	11.68	1.29	0.49	2.67	108%	0.07	26	10	BGLD	3.1
2775H	11.12	1.34	0.43	2.77	113%	0.09	26	10	BGLD	3.9
2776H	8.94	0.99	0.55	1.77	72%	0.09	28	10	BGLD	3.9
2777H	9.12	1.10	0.48	2.42	98%	0.11	26	10	BB	4.0
2778H	11.23	1.53	0.43	1.91	78%	0.08	26	10	BB	3.9
2779H	7.51	1.04	0.53	2.18	89%	0.08	25	10	BB	3.9
2781H	7.45	1.05	0.48	1.54	63%	0.07	27	10	BB	3.1
2785H	9.68	1.11	0.44	2.37	91%	0.11	26	10	FMOON	4.0
4710H	10.48	1.29	0.46	2.52	101%	0.15	27	10	VINCI	4.1
4715H	10.74	1.09	0.51	1.33	54%	0.09	28	10	CDLL	3.9
4717H	10.11	1.12	0.50	2.48	100%	0.15	28	10	CDLL	4.1
4718H	9.81	1.04	0.44	2.55	102%	0.13	27	10	CDLL	4.1
4719H	10.24	1.37	0.41	1.93	77%	0.09	25	10	CFREE	3.9
4721H	10.29	1.25	0.44	2.38	96%	0.09	27	10	CFREE	3.9
4725H	10.65	1.11	0.47	2.29	92%	0.15	27	10	CFREE	4.1
4726H	10.67	1.10	0.49	2.04	82%	0.15	28	10	CFREE	4.1
5800H	11.05	1.06	0.54	3.65	147%	0.15	25	10	BWKL	4.1
5801H	9.61	1.06	0.48	2.03	81%	0.10	27	10	ANGL	4.0
5803H	12.97	1.30	0.44	3.22	129%	0.16	27	10	BWKL	4.1
5804H	11.68	1.15	0.60	2.82	113%	0.16	30	10	BWKL	4.1
5805H	9.87	0.96	0.52	2.34	94%	0.10	27	10	BWKL	4.0
6202H	11.6	1.24	0.50	3.97	134%	0.16	25	10	30B	4.1
6207H	10.86	1.15	0.60	2.45	82%	0.22	26	10	30B	5.1
6208H	11.88	1.12	0.45	2.89	97%	0.20	28	10	30B	5.0
6209H	9.8	1.08	0.49	2.33	78%	0.16	25	10	EGOR	4.1
6214H	12.2	1.25	0.51	3.75	126%	0.23	28	10	EGOR	5.1
6215H	9.62	1.06	0.47	2.40	81%	0.09	25	10	30B	3.9
6216H	13.73	1.31	0.49	3.16	106%	0.21	25	10	30B	5.0
6218H	9.73	0.94	0.50	2.80	94%	0.09	27	10	30B	3.9
6219H	9.42	1.19	0.46	2.42	81%	0.10	26	10	BHNT	4.0
6221H	12.24	1.24	0.56	3.31	111%	0.15	25	10	BHNT	4.1
6222H	10.65	1.16	0.46	3.37	113%	0.14	26	10	BHNT	4.1
6225H	9.81	1.00	0.49	3.41	115%	0.30	25	10	EGOR	5.2
6229H	8.37	1.08	0.38	3.34	113%	0.12	25	10	BHNT	4.0
6233H	9.88	1.00	0.45	3.01	123%	0.17	27	10	FERN	4.9
6234H	9.69	1.01	0.44	3.80	128%	0.16	29	10	30B	4.1
6248H	9.81	1.09	0.43	3.64	123%	0.11	25	10	30B	4.0

MS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
6250H	10.78	1.20	0.41	2.87	117%	0.10	26	10	FERN	4.0
6251H	9.42	1.03	0.49	3.86	130%	0.14	27	10	205Z	4.1
6253H	8.74	1.06	0.45	3.11	105%	0.09	25	10	CAL	3.9
6254H	9.7	1.05	0.46	1.67	56%	0.11	26	10	CAL	4.0
6256H	10.5	1.15	0.52	2.17	73%	0.07	27	10	EGOR	3.1
6257H	8.01	0.94	0.54	2.52	103%	0.11	25	10	FERN	4.0
6259H	9.63	1.07	0.44	3.87	130%	0.23	28	10	EGOR	5.1
6260H	9.41	1.11	0.43	2.70	91%	0.08	25	10	BHNT	3.9
6262H	8.9	1.07	0.53	1.91	64%	0.09	26	10	BHNT	3.9
6263H	10.37	1.22	0.45	3.59	121%	0.11	25	10	EGOR	4.0
6264H	10.08	1.19	0.50	2.93	99%	0.11	26	10	BHNT	4.0
6267H	9.94	1.28	0.43	3.04	102%	0.10	28	10	EGOR	4.0
6268H	10.31	1.29	0.51	2.49	84%	0.11	27	10	30B	4.0
6269H	9.07	1.01	0.51	2.25	92%	0.13	27	10	FERN	4.1
6270H	9.84	1.10	0.44	3.12	105%	0.16	26	10	CAL	4.1
6271H	10.67	1.40	0.38	2.42	81%	0.08	28	10	FERN	3.9
6274H	10.09	1.16	0.50	3.66	123%	0.13	27	10	EGOR	4.1
6277H	10.84	1.23	0.53	2.49	84%	0.11	26	10	BHNT	4.0
6279H	9.34	1.10	0.53	2.45	83%	0.08	28	10	30B	3.9
6280H	11.63	1.34	0.42	2.80	94%	0.11	28	10	EGOR	4.0
6283H	9.03	1.07	0.45	2.70	91%	0.09	28	10	30B	3.9
6284H	10.88	1.16	0.50	3.02	101%	0.16	28	10	EGOR	4.1
6300H	10.38	1.03	0.43	2.05	84%	0.09	27	10	112D	3.9
6301H	9.2	1.06	0.45	2.23	91%	0.10	25	10	MM033	4.0
6303H	10.69	1.07	0.66	3.87	158%	0.16	26	10	112D	4.1
6304H	11.39	1.29	0.48	2.36	96%	0.11	26	10	84S	4.0
6306H	8.71	1.05	0.44	2.90	119%	0.09	28	10	1528	3.9
6307H	11.59	1.21	0.47	1.67	68%	0.11	28	10	112D	4.0
6309H	11.08	1.44	0.42	2.32	95%	0.09	26	10	MM033	3.9
6310H	9.74	1.04	0.46	3.39	138%	0.11	26	10	1528	4.0
6314H	9.57	1.13	0.43	2.66	108%	0.08	26	10	1528	3.9
6317H	10.15	1.24	0.50	1.41	57%	0.08	26	10	1528	3.9
6318H	8.51	1.08	0.54	2.81	115%	0.10	25	10	1528	4.0
6321H	9.72	1.15	0.53	2.88	118%	0.10	25	10	112D	4.0
6322H	9.52	1.15	0.45	2.85	116%	0.11	26	10	MM033	4.0
6323H	10.31	1.14	0.49	3.35	137%	0.12	27	10	1528	4.0
6324H	9.16	1.01	0.50	0.89	36%	0.07	27	10	112D	3.1
6325H	8.41	1.04	0.44	2.13	87%	0.07	25	10	1528	3.1
6326H	11.02	1.16	0.44	2.12	86%	0.09	26	10	112D	3.9
6330H	10.56	1.26	0.39	2.68	109%	0.08	26	10	1528	3.9
6331H	10.22	1.04	0.44	2.84	116%	0.12	26	10	1528	4.0
6334H	8.86	1.02	0.41	1.40	57%	0.08	27	10	1640	3.9
6336H	9.33	1.33	0.45	2.20	90%	0.09	26	10	MM033	3.9
6337H	10.79	1.10	0.45	2.31	94%	0.09	26	10	1640	3.9
6338H	12.49	1.38	0.53	1.98	81%	0.10	26	10	112D	4.0
6339H	9.89	1.21	0.48	2.73	112%	0.10	26	10	MM033	4.0
6341H	9.15	1.15	0.53	2.29	93%	0.08	28	10	112D	3.9
6348H	8.35	1.14	0.42	2.49	102%	0.08	25	10	1640	3.9
8700H	12.93	1.18	0.48	1.56	62%	0.11	29	10	M48	4.0
8701H	11.67	1.03	0.49	2.62	105%	0.11	29	10	M48	4.0
8702H	12.03	1.22	0.54	2.14	85%	0.11	29	10	M48	4.0
8703H	11.11	1.10	0.51	2.97	118%	0.12	29	10	M48	4.0
8704H	10.3	1.01	0.45	3.55	141%	0.11	29	10	M48	4.0
8705H	10.77	1.13	0.43	2.05	82%	0.09	29	10	M48	3.9
8706H	11.98	1.05	0.56	1.80	72%	0.10	28	10	M48	4.0
8707H	11.06	1.15	0.61	3.17	126%	0.16	30	10	M48	4.1
8708H	10.19	1.05	0.52	2.70	108%	0.12	28	10	M48	4.0

MS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
9100H	11.45	1.29	0.47	2.95	132%	0.17	27	10	CANT	4.9
9101H	10.76	1.08	0.56	1.53	69%	0.17	27	10	W328	4.9
9102H	9.01	0.94	0.46	1.83	82%	0.08	26	10	W328	3.9
9103H	10.34	1.29	0.45	2.87	129%	0.14	28	10	W328	4.1
9104H	10.62	1.03	0.53	2.81	126%	0.17	29	10	W328	4.9
9105H	9.66	1.09	0.48	1.40	63%	0.15	28	10	W328	4.1
9106H	10.18	1.01	0.48	2.02	91%	0.08	26	10	W328	3.9
9107H	9.75	0.98	0.51	2.88	129%	0.15	28	10	W328	4.1
9108H	10.63	1.24	0.48	2.28	103%	0.19	27	10	W328	4.9
9110H	10.48	1.16	0.44	2.48	111%	0.10	27	10	W328	4.0
9112H	10.32	1.17	0.53	1.45	65%	0.09	26	10	W328	3.9