

TS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1100H	8.85	1.18	0.42	2.55	103%	0.09	27	10	CONQ	4.0
1101H	10.42	1.38	0.39	2.38	96%	0.11	26	10	CONQ	4.1
1102H	10.79	1.23	0.52	1.88	76%	0.10	26	10	CONQ	4.0
1103H	10.32	1.24	0.46	2.32	94%	0.09	26	10	CONQ	4.0
1104H	9.11	1.13	0.43	3.07	124%	0.09	27	10	CONQ	4.0
1105H	8.52	1.09	0.36	2.60	105%	0.09	27	10	EZ	4.0
1106H	10.07	1.24	0.45	2.07	83%	0.09	25	10	CONQ	4.0
1107H	10.06	1.18	0.47	3.09	125%	0.10	28	10	CONQ	4.0
1108H	9.87	1.28	0.51	2.13	86%	0.08	26	10	EZ	3.9
1109H	12.16	1.31	0.54	1.56	63%	0.10	25	10	EZ	4.0
1110H	9.38	1.17	0.41	2.56	104%	0.10	26	10	CONQ	4.0
1111H	13.78	1.44	0.52	2.56	103%	0.14	27	10	FORT	4.9
1112H	11.45	1.30	0.51	2.34	94%	0.11	27	10	EZ	4.1
1113H	9.04	1.13	0.49	2.68	108%	0.09	26	10	EZ	4.0
1114H	10.87	1.13	0.51	2.77	112%	0.11	27	10	EZ	4.1
1115H	11.07	1.17	0.50	2.40	97%	0.12	29	10	EZ	4.1
1116H	9.32	1.23	0.46	1.60	65%	0.07	27	10	EZ	3.1
1117H	10.57	1.24	0.49	2.32	94%	0.12	25	10	EZ	4.1
1118H	10.53	1.58	0.42	3.16	128%	0.11	25	10	FORT	4.1
1119H	10.97	1.30	0.56	2.46	99%	0.10	28	10	FORT	4.0
1120H	11.04	1.38	0.45	1.87	75%	0.12	26	10	FORT	4.1
1121H	9.7	1.12	0.47	3.59	145%	0.10	28	10	EZ	4.0
1122H	9.04	1.21	0.45	2.01	81%	0.07	28	10	CISCO	3.1
1123H	11.02	1.32	0.44	3.00	121%	0.13	26	10	FORT	4.9
1125H	10.18	1.20	0.45	3.20	129%	0.10	25	10	CISCO	4.0
1126H	10.69	1.26	0.50	2.86	116%	0.09	26	10	CISCO	4.0
1127H	7.48	1.00	0.39	2.10	85%	0.10	27	10	CISCO	4.0
3700H	10.04	1.31	0.44	2.56	104%	0.08	25	10	FLDA	3.9
3703H	9.99	1.33	0.47	2.49	101%	0.10	25	10	FLDA	4.0
4620H	10.96	1.45	0.58	2.27	94%	0.10	27	10	MDLT	4.0
4623H	11.03	1.42	0.44	2.20	91%	0.09	26	10	BRAVE	4.0
4624H	10.34	1.12	0.50	2.56	106%	0.18	25	10	CON	5.0
4625H	10.16	1.29	0.49	2.66	110%	0.11	28	10	EVRT	4.1
4626H	8.38	1.24	0.52	2.22	92%	0.10	27	10	EVRT	4.0
4628H	9.26	1.21	0.46	1.95	80%	0.09	27	10	EVRT	4.0
4629H	7.45	1.11	0.46	2.80	116%	0.09	27	10	XTRA	4.0
4633H	10.22	1.34	0.47	2.98	123%	0.11	28	10	MDLT	4.1
4634H	9.61	1.14	0.45	2.43	100%	0.12	28	10	CON	4.1
4637H	10.04	1.25	0.43	1.74	72%	0.09	26	10	BRAVE	4.0
4640H	8.52	1.28	0.49	2.36	97%	0.11	28	10	MDLT	4.1
4642H	9.58	1.21	0.47	3.15	127%	0.21	26	10	5673B	5.1
4644H	6.98	1.14	0.36	2.64	109%	0.07	25	10	XTRA	3.1
4646H	10.92	1.43	0.40	2.16	89%	0.10	25	10	MDLT	4.0
4647H	10.7	1.52	0.45	3.00	124%	0.10	28	10	CRSN	4.0
4648H	10.71	1.74	0.40	2.03	84%	0.27	26	10	BRAVE	5.2
4650H	8.14	1.15	0.47	2.78	115%	0.12	25	10	BRAVE	4.1
5300H	10.01	1.28	0.45	2.21	94%	0.10	26	10	PRKR	4.0
5301H	10	1.33	0.43	2.78	118%	0.09	27	10	CDLL	4.0
5302H	10.45	1.22	0.44	2.46	105%	0.13	26	10	CDLL	4.9
5303H	10.29	1.23	0.46	1.38	59%	0.10	26	10	CDLL	4.0
5304H	10.38	1.14	0.49	3.07	131%	0.11	27	10	PRKR	4.1
5305H	9.92	1.40	0.45	2.84	121%	0.11	26	10	CDLL	4.1
5306H	8.95	1.13	0.42	1.76	75%	0.10	27	10	PRKR	4.0
5307H	8.36	1.05	0.45	1.93	82%	0.08	26	10	CDLL	3.9
5308H	12.75	1.42	0.64	2.81	120%	0.12	28	10	PRKR	4.1
5309H	10.3	1.28	0.40	3.35	142%	0.10	25	10	CDLL	4.0
5310H	10.02	1.17	0.45	2.89	123%	0.11	26	10	CDLL	4.1

TS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
5311H	11.45	1.23	0.44	2.55	109%	0.07	28	10	CDLL	3.1
5312H	11.53	1.25	0.53	2.07	88%	0.11	29	10	CDLL	4.1
5313H	10.46	1.11	0.46	2.08	89%	0.10	27	10	CDLL	4.0
5314H	9.31	1.00	0.50	2.37	101%	0.14	28	10	CDLL	4.9
5315H	9.92	1.01	0.50	2.62	111%	0.13	27	10	PRKR	4.9
5316H	9.75	1.10	0.51	1.95	83%	0.12	27	10	CDLL	4.1
5317H	10.25	1.31	0.49	2.20	94%	0.10	26	10	CDLL	4.0
5319H	9.86	1.19	0.45	2.65	113%	0.10	27	10	CDLL	4.0
5320H	10.51	1.38	0.52	2.52	107%	0.11	26	10	PRKR	4.1
5321H	11.67	1.39	0.52	3.18	135%	0.09	27	10	CDLL	4.0
5322H	7.61	1.28	0.50	1.95	83%	0.07	26	10	PRKR	3.1
5323H	8.69	1.09	0.46	1.60	68%	0.10	26	10	PRKR	4.0
5325H	9.87	1.18	0.44	1.20	51%	0.09	29	10	CDLL	4.0
7733H	10.59	1.47	0.47	3.33	158%	0.14	28	10	TARZ	4.9
7735H	10.87	1.21	0.46	1.72	81%	0.17	25	10	W149	5.0
7736H	10.33	1.38	0.47	2.85	135%	0.10	26	10	W149	4.0
7737H	10.67	1.27	0.53	1.98	94%	0.10	27	10	W52	4.0
7739H	10.57	1.24	0.47	2.22	105%	0.08	28	10	W85	3.9
8020H	10.39	1.12	0.54	1.57	75%	0.13	27	10	W48	4.9
8021H	10.59	1.22	0.52	2.47	118%	0.09	27	10	W48	4.0
8022H	10.73	1.18	0.63	2.29	110%	0.11	29	10	W85	4.1
8023H	10.27	1.04	0.45	2.05	98%	0.10	28	10	W48	4.0
8024H	11.63	1.12	0.60	2.19	105%	0.13	27	10	W48	4.9
8025H	9.86	1.07	0.51	0.98	47%	0.09	27	10	W48	4.0
8026H	9.17	1.04	0.50	1.35	65%	0.09	28	10	W85	4.0
8027H	12.17	1.48	0.48	3.40	163%	0.16	26	10	W610	5.0
8028H	8.97	1.02	0.48	1.51	73%	0.16	28	10	W610	5.0
8029H	10.9	1.21	0.50	2.70	130%	0.17	28	10	W85	5.0
8031H	10.86	1.25	0.51	2.86	137%	0.14	27	10	W85	4.9
8032H	10.87	1.09	0.57	1.38	66%	0.10	30	10	W48	4.0
8034H	12.21	1.32	0.48	2.55	122%	0.10	25	10	W85	4.0
8038H	11.14	1.19	0.53	1.65	79%	0.16	29	10	W48	5.0
8042H	10.73	1.29	0.44	2.17	104%	0.12	28	10	5845D	4.1
8044H	10.12	1.09	0.52	2.77	133%	0.05	27	10	5673B	3.0
8045H	10.88	1.17	0.59	1.48	71%	0.14	28	10	5673B	4.9
8046H	10.91	1.26	0.51	2.57	123%	0.09	27	10	5673B	4.0
8047H	8.14	0.98	0.53	0.98	47%	0.09	27	10	W610	4.0
8051H	12.02	1.31	0.50	2.13	102%	0.11	28	10	5673B	4.1
8052H	9.85	1.14	0.43	2.66	128%	0.11	30	10	5673B	4.1
8053H	10.08	1.36	0.53	1.56	75%	0.10	27	10	5845D	4.0
8055H	9.99	1.20	0.47	2.55	122%	0.10	27	10	NRGZ	4.0
8056H	11.37	1.20	0.55	2.50	120%	0.15	26	10	NRGZ	4.9
8100H	9.38	1.20	0.47	1.08	51%	0.09	26	10	SP	4.0
8101H	8.68	1.07	0.41	1.87	89%	0.10	25	10	8401	4.0
8102H	11.29	1.27	0.49	1.86	88%	0.10	25	10	SP	4.0
8104H	10.86	1.22	0.47	2.20	104%	0.15	26	10	SP	4.9
8106H	9.5	1.28	0.48	1.40	66%	0.10	26	10	8401	4.0
8107H	9.53	1.13	0.44	2.37	112%	0.11	26	10	24	4.1
8109H	4.95	0.50	0.48	1.18	56%	0.08	27	10	BOJ	3.9
8111H	11.47	1.43	0.45	2.06	97%	0.16	26	10	BOJ	5.0
8112H	8.43	1.17	0.46	1.09	52%	0.08	27	10	BOJ	3.9
8113H	10.55	1.08	0.49	2.12	100%	0.16	25	10	BOJ	5.0
8114H	10.84	1.38	0.42	1.60	76%	0.08	26	10	8401	3.9
8118H	9.51	1.24	0.47	2.14	101%	0.11	28	10	BOJ	4.1
8120H	9.45	0.99	0.46	2.32	110%	0.12	26	10	24	4.1
8121H	9.02	1.11	0.46	1.85	88%	0.08	26	10	24	3.9
8124H	8.76	1.04	0.43	1.33	63%	0.08	27	10	24	3.9

TS22 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
8127H	10.82	1.34	0.42	3.00	142%	0.10	25	10	8401	4.0
8128H	9.81	1.13	0.45	2.39	113%	0.09	27	10	BOJ	4.0
8202H	11.64	1.16	0.52	3.20	151%	0.09	27	10	EDWN	4.0
8208H	12.1	1.37	0.49	1.79	84%	0.12	27	10	TARZ	4.1
8209H	12.03	1.31	0.56	1.98	93%	0.10	30	10	TARZ	4.0
8210H	12.52	1.33	0.51	2.46	116%	0.12	27	10	TARZ	4.1
8211H	12.18	1.31	0.50	2.94	139%	0.09	27	10	TARZ	4.0
8214H	10.01	1.13	0.45	1.83	87%	0.09	27	10	W48	4.0
8500H	7.44	0.97	0.39	2.65	125%	0.10	30	10	W100	4.0
8501H	8.76	1.16	0.45	1.76	83%	0.09	25	10	W100	4.0
8502H	7.89	0.95	0.42	1.92	91%	0.10	25	10	W100	4.0
8504H	10.58	1.23	0.47	2.28	108%	0.11	26	10	W100	4.1
8507H	11.62	1.42	0.47	2.49	118%	0.11	26	10	W130	4.1
8509H	10.25	1.23	0.44	1.81	86%	0.10	26	10	W130	4.0
8513H	9.65	1.35	0.44	2.27	107%	0.11	27	10	DIAM	4.1
8514H	10.19	1.09	0.52	2.49	118%	0.12	26	10	DIAM	4.1
8517H	10	1.42	0.41	2.41	114%	0.10	29	10	EVRD	4.0
9303H	8.12	0.92	0.40	2.02	98%	0.15	26	10	CALV	4.9
9304H	9.42	1.00	0.44	2.29	110%	0.10	27	10	CLEM	4.0
9305H	10.15	1.12	0.48	1.36	65%	0.10	26	10	CLEM	4.0
9307H	10.23	1.20	0.43	3.82	185%	0.17	26	10	CLEM	5.0
9308H	9.36	1.09	0.45	2.37	114%	0.11	27	10	CLEM	4.1
9309H	8.39	1.00	0.45	1.67	81%	0.09	26	10	CLEM	4.0
9311H	10.27	1.22	0.51	1.30	63%	0.08	26	10	CLEM	3.9
9312H	8.82	1.10	0.52	2.26	109%	0.10	26	10	CLEM	4.0
9313H	9.86	1.29	0.50	1.90	91%	0.11	28	10	CLEM	4.1
9314H	8.46	1.06	0.41	2.01	97%	0.10	26	10	M119	4.0
9316H	7.84	0.91	0.48	1.61	78%	0.08	27	10	CALV	3.9
9319H	10.11	1.09	0.44	2.10	101%	0.16	27	10	CALV	5.0
9320H	8.52	1.17	0.44	2.25	109%	0.07	26	10	CLEM	3.1
9321H	10.41	1.22	0.39	1.31	63%	0.08	26	10	CLEM	3.9
9323H	9.67	1.05	0.46	2.53	122%	0.09	26	10	CALV	4.0
9325H	7.27	0.96	0.42	2.62	126%	0.11	25	10	CALV	4.1
9326H	9.63	1.11	0.53	1.65	79%	0.09	27	10	CALV	4.0
9327H	11.32	1.31	0.44	2.11	102%	0.10	26	10	CLEM	4.0
9328H	7.54	0.97	0.42	2.72	131%	0.11	25	10	CALV	4.1
9329H	8.89	1.11	0.49	1.03	50%	0.07	26	10	CLEM	3.1
9330H	10.63	1.40	0.44	2.58	124%	0.04	26	10	CLEM	3.0