

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1000J	11.4	1.48	0.41	0.89	72%	0.07	26	10	BJ	4.0
1002J	9.9	1.09	0.54	1.50	121%	0.07	28	10	FORT	4.0
1003J	11.19	1.37	0.40	1.16	94%	0.06	27	10	BJ	4.0
1031J	9.11	0.99	0.45	2.17	176%	0.08	27	10	FORT	4.1
1035J	11.19	1.38	0.61	0.43	35%	0.07	28	10	DYP	4.0
1050J	11.71	1.35	0.37	0.91	76%	0.07	26	10	BJ	4.0
1051J	11.97	1.50	0.46	0.47	40%	0.08	27	10	BJ	4.1
1052J	9.6	1.04	0.47	0.86	72%	0.07	26	10	DYP	4.0
1053J	9.58	1.16	0.45	0.78	65%	0.06	26	10	BJ	4.0
1054J	9.93	1.02	0.48	1.31	110%	0.09	28	10	FORT	4.9
1055J	10.56	1.36	0.38	1.33	112%	0.06	26	10	BJ	4.0
1056J	12.37	1.30	0.39	2.14	179%	0.12	28	10	FORT	5.1
1057J	9.16	1.15	0.49	1.30	109%	0.06	26	10	BJ	4.0
1060J	8.77	1.05	0.35	1.09	91%	0.07	27	10	BJ	4.0
1061J	10.34	1.36	0.50	1.97	165%	0.07	27	10	FORT	4.0
1062J	10.39	1.31	0.38	0.70	59%	0.05	26	10	BJ	4.0
1184J	9.28	1.12	0.35	1.70	143%	0.10	26	10	FWTR	5.0
1185J	10.3	1.23	0.39	1.50	126%	0.08	25	10	FWTR	4.1
1186J	8.88	1.14	0.39	1.83	153%	0.07	25	10	FWTR	4.0
1188J	10.14	1.25	0.44	0.95	80%	0.08	28	10	FWTR	4.1
1190J	9.1	1.18	0.52	1.08	91%	0.07	27	10	FWTR	4.0
1403J	10.91	1.12	0.46	1.67	102%	0.06	27	10	MMAX	4.0
1404J	13.66	1.47	0.43	1.45	89%	0.07	28	10	MMAX	4.0
1406J	9.82	1.15	0.40	1.14	70%	0.08	26	10	MMAX	4.1
1414J	12.63	1.33	0.44	1.85	114%	0.09	28	10	MMAX	4.9
1416J	12.47	1.48	0.46	1.12	69%	0.07	27	10	MMAX	4.0
1602J	9.84	1.04	0.58	0.55	44%	0.02	28	10	RGR	3.1
1603J	12.63	1.51	0.43	1.75	141%	0.08	25	10	RGR	4.1
1605J	11.4	1.32	0.40	1.30	105%	0.08	26	10	VADER	4.1
1606J	10.79	1.11	0.47	1.50	121%	0.06	26	10	JAKE	4.0
1607J	9.75	1.07	0.60	0.71	57%	0.04	26	10	JAKE	3.9
1608J	9.06	0.99	0.50	1.21	98%	0.08	26	10	JAKE	4.1
1609J	13.97	1.39	0.52	2.03	164%	0.09	27	10	JAKE	4.9
1611J	9.13	1.08	0.51	0.58	47%	0.06	27	10	RBL	4.0
1704J	12.31	1.44	0.48	1.59	128%	0.08	26	10	SE	4.1
1705J	9.52	0.98	0.50	0.87	70%	0.07	27	10	4X4	4.0
1706J	8.4	1.00	0.46	0.40	33%	0.11	26	10	SE	5.0
1708J	10.89	1.18	0.49	0.52	42%	0.06	26	10	4X4	4.0
1709J	11.95	1.35	0.38	1.25	101%	0.07	26	10	SE	4.0
1710J	10.03	1.06	0.46	1.18	95%	0.07	27	10	SLVR	4.0
1711J	9.24	1.13	0.50	1.25	101%	0.09	25	10	CHCO	4.9
1712J	8.8	1.14	0.48	1.28	103%	0.09	29	10	4X4	4.9
1713J	10.64	1.24	0.37	1.48	119%	0.07	26	10	CHCO	4.0
1714J	12.32	1.42	0.45	1.09	88%	0.07	26	10	SLVR	4.0
1716J	9.45	1.02	0.58	0.24	19%	0.11	27	10	SE	5.0
1718J	11.29	1.28	0.33	1.49	120%	0.08	25	10	SLVR	4.1
1723J	11.13	1.30	0.39	2.28	185%	0.07	26	10	SLVR	4.0
1725J	10.77	1.25	0.35	1.34	109%	0.08	25	10	4X4	4.1
1731J	12.16	1.35	0.40	2.30	186%	0.08	27	10	SLVR	4.1
1732J	10.43	1.31	0.52	1.20	97%	0.08	26	10	CHCO	4.1
1738J	9.23	1.06	0.42	1.23	100%	0.06	26	10	4X4	4.0
1739J	10.24	1.29	0.39	1.70	137%	0.10	25	10	CHCO	5.0
1743J	10.64	1.28	0.36	1.51	122%	0.07	27	10	SLVR	4.0
1842J	13.18	1.47	0.41	0.96	59%	0.08	27	10	BLUE	4.1
1844J	10.39	1.07	0.45	2.33	143%	0.09	26	10	EBRD	4.9
1845J	12.36	1.25	0.47	1.23	76%	0.04	28	10	EBRD	3.9
1856J	11.79	1.36	0.38	1.35	83%	0.09	26	10	BLIZ	4.9

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1893J	13.1	1.56	0.39	0.96	78%	0.06	27	10	RIC	4.0
1895J	11.48	1.28	0.36	1.36	111%	0.07	28	10	RIC	4.0
1896J	10.5	1.32	0.55	2.15	175%	0.07	28	10	RIC	4.0
1897J	12.14	1.35	0.39	2.18	178%	0.08	28	10	RIC	4.1
1898J	12.19	1.19	0.54	0.96	73%	0.08	27	10	MLGT	4.1
1899J	11.67	1.26	0.64	1.38	112%	0.07	25	10	RIC	4.0
1903J	9.34	1.06	0.51	1.32	107%	0.07	27	10	RAZZ	4.0
1906J	12.66	1.37	0.44	0.76	62%	0.05	27	10	RAZZ	4.0
1913J	11.93	1.28	0.44	1.47	111%	0.04	27	10	BUD	3.9
1914J	11.51	1.14	0.45	1.03	78%	0.08	26	10	BUD	4.1
1916J	11	1.03	0.55	2.62	198%	0.06	26	10	BUD	4.0
1918J	12	1.17	0.34	0.90	68%	0.06	27	10	BUD	4.0
1919J	12.14	1.19	0.43	1.21	92%	0.08	28	10	BUD	4.1
1925J	11.53	1.16	0.44	0.81	61%	0.06	25	10	BUD	4.0
1927J	10.33	1.08	0.53	1.46	119%	0.08	26	10	JAKE	4.1
1928J	12.09	1.45	0.41	2.06	168%	0.07	27	10	SHKY	4.0
1933J	11.88	1.24	0.38	1.36	111%	0.09	27	10	SHKY	4.9
1938J	10.59	1.08	0.50	1.81	111%	0.09	26	10	BMGC	4.9
1945J	9.91	1.01	0.47	0.87	66%	0.06	27	10	DASH	4.0
1947J	11.73	1.24	0.37	0.30	23%	0.06	27	10	DASH	4.0
1948J	12.19	1.29	0.42	0.77	47%	0.08	28	10	ESTW	4.1
1949J	12.18	1.37	0.38	2.24	183%	0.08	28	10	XFIR	4.1
1951J	13.04	1.29	0.40	1.51	114%	0.08	28	10	MHK	4.1
1955J	11.11	1.41	0.37	1.04	64%	0.06	26	10	BPRF	4.0
1957J	12.75	1.44	0.45	1.47	90%	0.08	26	10	ASSN	4.1
1975J	12.44	1.29	0.48	1.28	96%	0.07	27	10	MORPH	4.0
2010J	10.23	1.20	0.45	0.21	17%	0.07	27	10	MTRK	4.0
2019J	9.83	1.09	0.51	0.16	13%	0.04	27	10	WACK	3.9
2020J	10.67	1.15	0.48	1.24	101%	0.07	26	10	WACK	4.0
2021J	11.26	1.26	0.58	1.93	158%	0.08	26	10	WACK	4.1
2022J	13.18	1.52	0.43	1.24	101%	0.04	27	10	WACK	3.9
2023J	11.49	1.31	0.53	0.58	47%	0.09	26	10	WACK	4.9
2024J	11.6	1.40	0.38	0.74	60%	0.02	26	10	WACK	3.1
2026J	10.75	1.15	0.43	2.35	192%	0.09	28	10	WACK	4.9
2027J	12.3	1.29	0.45	0.53	43%	0.09	26	10	WACK	4.9
2037J	12.92	1.48	0.45	0.97	79%	0.05	25	10	VERD	4.0
2038J	10.53	1.23	0.60	1.16	94%	0.09	27	10	VERD	4.9
2044J	10.29	1.19	0.47	0.61	50%	0.04	27	10	VERD	3.9
2045J	10.94	1.18	0.42	1.77	109%	0.07	27	10	BMGC	4.0
2054J	11.73	1.34	0.50	0.67	50%	0.06	26	10	CZAR	4.0
2057J	11.85	1.21	0.38	1.91	145%	0.07	27	10	HBLU	4.0
2059J	9.83	1.14	0.37	2.89	177%	0.09	27	10	BPRF	4.9
2060J	10.29	1.17	0.53	1.72	105%	0.07	25	10	BPRF	4.0
2061J	11.57	1.26	0.47	2.40	182%	0.08	29	10	MHK	4.1
2062J	9.45	1.04	0.47	0.37	28%	0.04	27	10	BUCH	3.9
2063J	11.52	1.31	0.40	0.93	70%	0.08	26	10	CZAR	4.1
2065J	10.47	1.03	0.55	1.54	116%	0.04	25	10	HBLU	3.9
2066J	9.91	1.13	0.45	1.64	124%	0.08	29	10	CZAR	4.1
2067J	10.13	1.11	0.39	2.02	152%	0.08	27	10	MHK	4.1
2070J	10.76	1.32	0.37	1.34	109%	0.06	27	10	XFIR	4.0
2072J	10.86	1.29	0.37	1.59	120%	0.07	26	10	MHK	4.0
2073J	12.95	1.33	0.46	2.35	178%	0.10	26	10	MHK	5.0
2077J	11.62	1.38	0.43	0.59	48%	0.06	27	10	SLHM	4.0
2078J	10.97	1.22	0.36	1.17	95%	0.07	27	10	XFIR	4.0
2079J	12.72	1.25	0.45	2.11	159%	0.10	28	10	MHK	5.0
2080J	11.67	1.34	0.45	1.70	129%	0.02	26	10	MHK	3.1
2081J	13.86	1.45	0.44	1.07	66%	0.07	26	10	BPRF	4.0

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2086J	13.64	1.75	0.44	0.49	40%	0.07	28	10	SLHM	4.0
2089J	9.75	1.17	0.42	1.56	115%	0.07	25	10	MHK	4.0
2091J	13.38	1.52	0.46	1.18	96%	0.06	28	10	XFIR	4.0
2096J	12.1	1.37	0.46	1.52	112%	0.09	28	10	MHK	4.9
2097J	11.83	1.34	0.36	1.95	159%	0.08	29	10	XFIR	4.1
2098J	12.83	1.40	0.47	0.99	75%	0.06	26	10	MHK	4.0
2099J	12.56	1.31	0.43	1.34	101%	0.07	28	10	MHK	4.0
2102J	10.6	1.15	0.38	1.73	106%	0.08	27	10	BPRF	4.1
2103J	13.2	1.48	0.48	1.47	90%	0.08	28	10	BPRF	4.1
2105J	9.02	1.17	0.45	1.43	117%	0.07	27	10	XFIR	4.0
2107J	11.11	1.01	0.47	0.72	54%	0.08	28	10	MHK	4.1
2110J	9.2	1.11	0.49	1.38	102%	0.13	26	10	BPRF	5.1
2111J	9.01	1.13	0.39	1.77	144%	0.07	26	10	XFIR	4.0
2113J	12.5	1.48	0.44	1.59	97%	0.08	28	10	ESTW	4.1
2119J	8.63	0.97	0.42	0.80	66%	0.06	26	10	UFIR	4.0
2120J	12.46	1.42	0.45	2.18	165%	0.06	26	10	BPRF	4.0
2121J	11.47	1.27	0.38	0.83	63%	0.06	29	10	MHK	4.0
2123J	10.64	1.29	0.38	0.89	73%	0.08	26	10	SLHM	4.1
2126J	10.75	1.10	0.49	0.41	31%	0.06	27	10	MHK	4.0
2130J	12.24	1.45	0.51	0.95	70%	0.05	29	10	BPRF	4.0
2132J	9.42	1.09	0.49	1.98	121%	0.07	25	10	BPRF	4.0
3502J	11.68	1.27	0.48	2.01	123%	0.08	26	10	FLX	4.1
3552J	12.65	1.25	0.51	1.27	78%	0.09	28	10	PRBL	4.9
3554J	9.6	0.94	0.51	2.51	154%	0.13	27	10	PRBL	5.1
3555J	10.56	1.10	0.34	1.82	112%	0.09	28	10	PRBL	4.9
3556J	12.88	1.22	0.44	1.51	93%	0.09	28	10	PRBL	4.9
3557J	9.87	1.00	0.39	1.16	71%	0.07	27	10	PRBL	4.0
3558J	14.69	1.49	0.46	2.28	140%	0.08	27	10	PRBL	4.1
3559J	10.48	1.04	0.52	2.03	125%	0.08	27	10	PRBL	4.1
3567J	11.31	1.17	0.50	1.73	106%	0.08	28	10	PRBL	4.1
3568J	12.27	1.34	0.39	1.79	110%	0.08	26	10	PRBL	4.1
3800J	8.44	1.06	0.48	1.04	87%	0.09	27	10	FWTR	4.9
4012J	12.71	1.35	0.42	1.73	145%	0.09	27	10	FIRST	4.9
4013J	10.46	1.30	0.59	0.96	81%	0.06	25	10	FIRST	4.0
4014J	11.59	1.35	0.42	0.58	49%	0.06	27	10	FIRST	4.0
4015J	8.69	0.99	0.46	0.31	26%	0.07	28	10	FEST	4.0
4016J	10.06	1.09	0.46	0.91	77%	0.09	27	10	FIRST	4.9
4018J	9.68	1.01	0.46	0.39	33%	0.06	27	10	FIRST	4.0
4019J	11.07	1.35	0.42	1.72	144%	0.06	27	10	FEST	4.0
4021J	12.8	1.43	0.43	1.57	131%	0.07	27	10	FIRST	4.0
4030J	11.33	1.28	0.47	1.82	172%	0.08	29	10	FEST	4.1
4036J	12.43	1.48	0.41	2.90	200%	0.09	25	10	FEST	4.9
4037J	9.53	1.11	0.54	1.32	91%	0.08	27	10	FEST	4.1
4040J	9.76	1.15	0.47	1.30	90%	0.08	26	10	DUDE	4.1
4041J	9.87	1.12	0.43	1.91	132%	0.08	26	10	DUDE	4.1
4042J	10.23	1.24	0.41	1.27	87%	0.08	27	10	FEST	4.1
4100J	12.11	1.33	0.36	1.40	96%	0.07	27	10	FEST	4.0
4101J	11.29	1.18	0.51	1.80	124%	0.07	29	10	DUDE	4.0
4102J	11.02	1.22	0.45	1.67	115%	0.07	27	10	FORB	4.0
4103J	9.59	1.10	0.46	1.29	89%	0.07	27	10	FEST	4.0
4104J	10.89	0.97	0.46	2.04	141%	0.09	25	10	DUDE	4.9
4105J	13.86	1.31	0.49	0.73	50%	0.09	28	10	FEST	4.9
4106J	10.99	1.19	0.53	1.15	79%	0.07	27	10	FEST	4.0
4110J	11.95	1.28	0.51	0.94	65%	0.08	28	10	FEST	4.1
4112J	9.86	1.05	0.47	1.14	79%	0.06	27	10	FEST	4.0
4113J	11.47	1.16	0.47	0.94	65%	0.07	27	10	FEST	4.0
4114J	11.66	1.34	0.45	1.29	89%	0.07	28	10	DUDE	4.0

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
4200J	11.41	1.17	0.50	1.67	115%	0.09	27	10	FLYN	4.9
4201J	10.52	0.96	0.52	1.33	92%	0.07	26	10	FLYN	4.0
4203J	11.03	1.12	0.45	2.17	150%	0.08	26	10	FLYN	4.1
4206J	10.05	1.00	0.48	2.49	171%	0.07	29	10	FLYN	4.0
4703J	11.49	1.32	0.38	0.74	51%	0.08	27	10	BANJO	4.1
4707J	10.69	1.25	0.42	1.62	112%	0.07	27	10	BANJO	4.0
4800J	11	1.13	0.48	0.85	80%	0.10	29	10	RBL	5.0
4905J	11	1.36	0.48	1.57	131%	0.07	28	10	XTRA	4.0
4942J	11.65	1.26	0.37	2.14	179%	0.09	28	10	BRAVE	4.9
4945J	12.72	1.33	0.47	1.87	157%	0.11	26	10	CLIFF	5.0
5001J	9.73	0.95	0.55	0.30	32%	0.09	28	10	EGOR	4.9
5002J	9.52	1.09	0.45	1.22	131%	0.07	25	10	FARM	4.0
5003J	8.66	0.95	0.46	1.14	122%	0.07	26	10	FERN	4.0
5007J	12.04	1.22	0.44	1.13	122%	0.06	27	10	DECR	4.0
5010J	11.48	1.19	0.47	0.76	82%	0.07	27	10	FARM	4.0
5018J	10.15	1.10	0.46	0.60	64%	0.13	27	10	EGOR	5.1
5025J	9.82	1.07	0.50	0.91	97%	0.06	29	10	DECR	4.0
5026J	9.41	1.12	0.43	0.76	82%	0.07	27	10	FERN	4.0
5028J	8.42	0.94	0.49	0.33	35%	0.11	26	10	FUSN	5.0
5033J	11.84	1.35	0.58	0.35	38%	0.04	27	10	FARM	3.9
5035J	12.94	1.35	0.48	2.14	230%	0.07	27	10	FUSN	4.0
5037J	10.82	1.20	0.47	0.43	46%	0.04	27	10	DECR	3.9
5038J	8.92	1.06	0.46	0.51	55%	0.04	26	10	FERN	3.9
5040J	8.15	1.02	0.44	0.65	70%	0.06	26	10	FUSN	4.0
5041J	11.87	1.20	0.51	0.80	86%	0.07	26	10	DECR	4.0
5043J	9.27	0.93	0.42	1.72	184%	0.09	26	10	RAIN	4.9
5051J	8.85	0.98	0.46	1.11	119%	0.06	27	10	EGOR	4.0
5053J	10.65	1.02	0.49	0.17	19%	0.04	27	10	EGOR	3.9
5055J	9.75	1.12	0.51	0.25	27%	0.09	27	10	EGOR	4.9
5058J	9.61	1.06	0.45	1.20	129%	0.06	28	10	FUSN	4.0
5060J	8.41	0.92	0.41	2.56	275%	0.08	25	10	RAIN	4.1
5061J	10.5	1.14	0.48	1.36	146%	0.06	28	10	FUSN	4.0
5062J	11.52	1.33	0.54	0.65	70%	0.06	26	10	DECR	4.0
5063J	10.57	1.16	0.41	0.54	58%	0.07	26	10	EGOR	4.0
5071J	10.21	1.26	0.49	1.24	133%	0.06	28	10	EGOR	4.0
5078J	7.58	0.85	0.50	2.39	256%	0.07	26	10	RAIN	4.0
5084J	8.45	1.03	0.46	0.67	72%	0.04	27	10	EGOR	3.9
5089J	9.47	1.19	0.45	0.43	47%	0.07	26	10	EGOR	4.0
5090J	8.88	1.06	0.47	0.65	70%	0.06	27	10	DECR	4.0
5202J	10.67	1.16	0.46	1.37	129%	0.10	30	10	EDWN	5.0
5211J	12.94	1.39	0.41	1.27	88%	0.08	28	10	PRKR	4.1
5214J	13.39	1.40	0.45	1.53	106%	0.07	27	10	PRKR	4.0
5215J	12.98	1.35	0.44	1.59	110%	0.09	29	10	PRKR	4.9
5218J	12	1.26	0.41	1.37	95%	0.09	26	10	BELLY	4.9
5220J	11.95	1.25	0.40	1.63	112%	0.07	28	10	BELLY	4.0
5456J	9.13	0.88	0.52	0.49	41%	0.07	28	10	FRDM	4.0
5467J	14.56	1.39	0.54	1.42	119%	0.07	26	10	MEDIC	4.0
5469J	10.75	1.05	0.51	0.34	28%	0.06	27	10	FRDM	4.0
7030J	9.61	1.18	0.44	1.12	105%	0.08	27	10	FEST	4.1
7601J	10.46	1.01	0.62	1.10	103%	0.09	29	10	RGR	4.9
7800J	11.54	1.29	0.36	1.59	150%	0.08	30	10	SHKY	4.1
7900J	11.99	1.58	0.51	1.26	119%	0.07	29	10	FLBK	4.0
7902J	11.18	1.23	0.57	0.77	73%	0.07	28	10	END	4.0
7903J	11.21	1.24	0.50	1.77	167%	0.08	31	10	END	4.1
7904J	11.15	1.12	0.44	1.43	135%	0.08	28	10	END	4.1
7905J	10.62	1.21	0.52	1.17	111%	0.07	30	10	END	4.0
7910J	11.87	1.45	0.39	1.80	169%	0.08	28	10	END	4.1

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
7912J	11.81	1.22	0.61	1.45	137%	0.07	31	10	END	4.0
7913J	10.3	1.13	0.53	1.50	142%	0.09	29	10	END	4.9
7916J	13.71	1.71	0.48	1.29	122%	0.07	30	10	END	4.0
7920J	12.79	1.52	0.52	1.99	188%	0.08	29	10	END	4.1
7921J	14.16	1.46	0.53	1.24	117%	0.09	28	10	END	4.9
7922J	9.46	1.10	0.49	0.34	32%	0.06	29	10	ODOSE	4.0
8202J	9.71	1.05	0.53	0.53	36%	0.08	27	10	PRKR	4.1
8204J	10.28	1.00	0.41	2.07	143%	0.07	29	10	CFREE	4.0
8236J	11.1	1.41	0.49	1.47	138%	0.08	30	10	BELLY	4.1
8244J	12.3	1.36	0.45	1.49	140%	0.09	29	10	BELLY	4.9
9801J	10.07	1.06	0.59	0.33	31%	0.06	28	10	BWIN	4.0
9802J	13.05	1.44	0.45	0.34	32%	0.08	28	10	BWIN	4.1
9803J	9.24	0.99	0.43	0.22	20%	0.11	28	10	BWIN	5.0
9806J	13.58	1.52	0.41	1.36	128%	0.07	28	10	LR	4.0
9808J	14.35	1.37	0.52	0.26	25%	0.09	28	10	BWIN	4.9
9810J	9.07	1.08	0.43	0.50	47%	0.04	29	10	ELMO	3.9
9812J	12.63	1.34	0.45	0.34	32%	0.06	28	10	BWIN	4.0
9813J	14.74	1.43	0.58	1.17	110%	0.08	28	10	BWIN	4.1
9815J	9.83	1.09	0.52	0.34	32%	0.06	28	10	BWIN	4.0
9817J	12.95	1.46	0.40	0.59	55%	0.09	27	10	BWIN	4.9
9818J	13.83	1.58	0.44	1.52	143%	0.08	28	10	ELMO	4.1
9821J	9.75	1.06	0.53	0.72	68%	0.09	28	10	BWIN	4.9
9830J	9.7	1.12	0.49	0.49	46%	0.11	28	10	BWIN	5.0