

### BF23 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1000K	9.29	1.03	0.49	0.71	62%	0.09	26	10	DILLY	4.1
1001K	11.12	1.29	0.43	1.23	106%	0.08	26	10	DILLY	4.0
1002K	10.75	1.25	0.41	1.05	91%	0.09	26	10	RMC	4.1
1003K	11.38	1.33	0.42	1.60	139%	0.09	27	10	CONQ	4.1
1004K	10.22	1.19	0.44	2.25	195%	0.10	26	10	EAST	4.9
1005K	9.08	1.23	0.43	1.58	137%	0.08	27	10	EAST	4.0
1033K	10.77	1.19	0.52	1.85	130%	0.10	26	10	INF	4.9
1034K	8.45	0.99	0.54	1.12	79%	0.10	27	10	INF	4.9
1050K	10.03	1.14	0.53	1.28	111%	0.09	27	10	BM	4.1
1051K	8.87	1.12	0.61	0.94	81%	0.08	27	10	DILLY	4.0
1053K	9.39	1.20	0.51	1.85	160%	0.09	26	10	DILLY	4.1
1055K	11.47	1.35	0.44	1.25	109%	0.11	28	10	DILLY	5.0
1056K	10.07	1.12	0.50	1.03	90%	0.08	26	10	DILLY	4.0
1057K	8.47	1.06	0.46	1.57	136%	0.07	26	10	EAST	4.0
1058K	6.74	0.76	0.57	0.87	75%	0.04	27	10	EAST	3.1
1059K	12.59	1.32	0.49	0.79	69%	0.09	27	10	EAST	4.1
1060K	9.09	0.94	0.44	1.28	111%	0.09	25	10	EAST	4.1
1061K	9.98	1.21	0.44	1.53	133%	0.08	26	10	EAST	4.0
1062K	8.56	1.01	0.43	0.21	18%	0.07	27	10	EAST	4.0
1063K	9.8	1.07	0.43	1.72	149%	0.08	27	10	EAST	4.0
1064K	7.57	0.94	0.55	1.47	128%	0.08	25	10	EAST	4.0
1065K	7.79	0.93	0.54	1.94	168%	0.08	27	10	BERAL	4.0
1066K	8.08	0.95	0.53	1.00	86%	0.08	27	10	BM	4.0
1190K	8.24	1.12	0.58	1.41	90%	0.10	26	10	FMOON	4.9
1191K	9.31	1.19	0.42	1.56	99%	0.09	26	10	GC	4.1
1193K	9.8	1.25	0.53	1.81	115%	0.10	26	10	GC	4.9
1194K	8.28	1.11	0.53	1.21	77%	0.10	28	10	GC	4.9
1195K	9.92	1.18	0.40	1.98	126%	0.10	25	10	GC	4.9
1402K	11.12	1.20	0.41	1.49	95%	0.09	27	10	SDOL	4.1
1408K	8.37	0.96	0.57	1.10	70%	0.10	27	10	FREE	4.9
1409K	7.83	0.94	0.56	2.15	137%	0.08	26	10	SDOL	4.0
1411K	11.96	1.40	0.51	1.38	88%	0.09	27	10	SDOL	4.1
1413K	8.23	1.09	0.41	1.38	88%	0.09	27	10	SDOL	4.1
1416K	9.27	1.14	0.47	2.06	131%	0.09	27	10	SDOL	4.1
1424K	7.77	0.96	0.50	1.72	110%	0.10	26	10	RMC	4.9
1601K	10.59	1.19	0.48	1.91	122%	0.10	28	10	RGR	4.9
1602K	9.82	1.32	0.42	0.98	62%	0.09	27	10	ELKO	4.1
1605K	9.71	1.16	0.55	0.91	58%	0.09	25	10	JAKE	4.1
1606K	12.22	1.22	0.42	1.38	88%	0.10	27	10	RBL	4.9
1607K	9.48	1.07	0.43	2.09	133%	0.11	27	10	RBL	5.0
1608K	9.21	1.04	0.57	0.81	51%	0.09	27	10	RBL	4.1
1704K	10.45	1.31	0.54	2.09	134%	0.10	29	10	BAM	4.9
1706K	8.51	0.91	0.42	1.23	78%	0.07	27	10	BAM	4.0
1713K	8.16	0.94	0.51	1.38	88%	0.07	27	10	BAM	4.0
1715K	8.45	1.00	0.59	1.64	105%	0.09	27	10	4X4	4.1
1724K	7.74	0.96	0.55	1.24	79%	0.07	27	10	4X4	4.0
1734K	8.95	1.03	0.55	1.55	99%	0.09	25	10	4X4	4.1
1736K	7.81	0.97	0.57	1.85	118%	0.09	27	10	BAM	4.1
1742K	9.85	1.20	0.55	2.47	158%	0.09	27	10	BAM	4.1
1835K	11.89	1.30	0.51	1.59	110%	0.09	25	10	WACK	4.1
1901K	8.9	0.92	0.43	0.76	53%	0.08	27	10	MOCA	4.0
1905K	8.74	1.03	0.38	1.25	86%	0.06	27	10	MOCA	3.9
1920K	10.1	1.19	0.46	0.87	60%	0.06	27	10	RIC	3.9
1922K	10.53	1.07	0.46	1.46	101%	0.10	27	10	RIC	4.9
1925K	12.98	1.33	0.46	0.54	37%	0.05	27	10	DASH	3.9
1927K	11.48	1.07	0.52	1.14	79%	0.07	28	10	DASH	4.0
1928K	10.18	1.14	0.46	1.48	102%	0.07	28	10	RIC	4.0

### BF23 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1929K	10.73	1.08	0.56	1.56	107%	0.07	28	10	RIC	4.0
1931K	11.49	1.17	0.39	2.55	176%	0.08	25	10	RIC	4.0
1932K	10.7	1.27	0.39	1.63	114%	0.09	27	10	RIC	4.1
1933K	10.12	1.03	0.60	1.43	99%	0.08	25	10	RIC	4.0
1934K	11.75	1.18	0.47	2.44	168%	0.08	27	10	RIC	4.0
1936K	9.22	1.07	0.51	1.58	109%	0.08	27	10	RIC	4.0
1940K	9.66	1.04	0.41	2.09	145%	0.09	27	10	BLUE	4.1
1943K	9.23	1.02	0.48	0.97	67%	0.08	27	10	BLUE	4.0
1948K	10.35	1.19	0.51	2.32	163%	0.08	25	10	MOCA	4.0
1954K	11.14	1.32	0.44	1.97	138%	0.10	26	10	BLUE	4.9
1956K	10.16	1.17	0.46	2.02	142%	0.10	27	10	BLUE	4.9
1961K	10.41	1.04	0.53	1.39	97%	0.08	29	10	BPRF	4.0
1962K	9.58	1.00	0.38	1.82	126%	0.07	26	10	BPRF	4.0
1965K	10.46	1.10	0.38	1.70	118%	0.08	27	10	SLHM	4.0
1967K	11.25	1.12	0.39	1.87	129%	0.11	28	10	SLHM	5.0
1968K	10.34	1.08	0.52	1.03	71%	0.08	28	10	SLHM	4.0
1969K	9.76	1.05	0.54	1.10	76%	0.06	28	10	SLHM	3.9
1970K	11.98	1.14	0.40	1.20	83%	0.07	28	10	SLHM	4.0
1975K	9.9	1.00	0.46	0.97	67%	0.08	27	10	HUSK	4.0
1977K	8.99	1.05	0.41	0.69	48%	0.05	27	10	HUSK	3.9
1978K	9.16	0.91	0.43	0.93	64%	0.08	27	10	HUSK	4.0
1979K	9.18	0.97	0.45	1.18	81%	0.07	27	10	HUSK	4.0
1980K	11.52	1.24	0.35	1.49	103%	0.08	27	10	HUSK	4.0
1981K	12.74	1.21	0.44	0.64	44%	0.08	28	10	HUSK	4.0
1983K	8.78	0.95	0.49	1.10	76%	0.08	27	10	HUSK	4.0
1984K	10.67	1.18	0.45	1.86	128%	0.11	27	10	HUSK	5.0
1985K	10.43	1.24	0.53	1.31	92%	0.06	27	10	HUSK	3.9
1986K	9.14	1.08	0.55	2.00	140%	0.08	28	10	ECLR	4.0
1998K	11.13	1.30	0.47	1.15	81%	0.09	26	10	BUD	4.1
1999K	10.4	1.24	0.39	0.35	25%	0.07	27	10	BUD	4.0
2006K	11.85	1.37	0.48	2.16	149%	0.07	28	10	BMGC	4.0
2012K	12.03	1.35	0.37	1.20	83%	0.07	26	10	BMGC	4.0
2021K	12.71	1.30	0.40	2.49	172%	0.10	28	10	CZAR	4.9
2031K	10.85	1.09	0.45	1.59	110%	0.09	26	10	MHK	4.1
2034K	9.55	1.15	0.37	1.34	94%	0.09	26	10	XFIR	4.1
2049K	8.41	0.97	0.43	1.60	112%	0.09	26	10	BLUE	4.1
2053K	8.79	1.07	0.52	1.82	128%	0.09	29	10	BUD	4.1
2056K	9.91	1.17	0.49	0.93	65%	0.08	27	10	ECLR	4.0
2059K	12.89	1.34	0.41	1.30	90%	0.08	28	10	RBL	4.0
2063K	8.96	1.08	0.41	1.33	93%	0.07	27	10	HBLU	4.0
2065K	9.89	1.10	0.55	1.59	112%	0.07	26	10	UNFR	4.0
2066K	9.46	1.11	0.40	1.94	136%	0.09	26	10	GRIT	4.1
2069K	9.98	1.03	0.47	2.40	166%	0.09	29	10	UNFR	4.1
2070K	8.37	0.95	0.56	1.29	91%	0.08	27	10	HBLU	4.0
2919K	11.05	1.19	0.46	1.45	101%	0.09	26	10	BL	4.1
2929K	9.69	1.13	0.57	0.58	41%	0.09	27	10	RIP	4.1
2936K	8.77	1.00	0.41	1.32	93%	0.08	25	10	EOTS	4.0
2937K	10.08	1.15	0.52	1.53	108%	0.08	25	10	SMSC	4.0
3541K	11.4	1.35	0.40	1.35	117%	0.06	28	10	PRBL	3.9
3543K	10.27	1.09	0.40	0.89	77%	0.07	26	10	PRBL	4.0
3544K	10.65	1.08	0.50	0.27	23%	0.07	28	10	PRBL	4.0
3545K	9.56	1.02	0.50	0.80	69%	0.08	27	10	BBON	4.0
3546K	10.67	1.03	0.63	0.76	66%	0.07	28	10	PRBL	4.0
3549K	8.15	0.83	0.57	0.63	54%	0.07	27	10	PRBL	4.0
3550K	13.03	1.35	0.43	2.24	194%	0.08	27	10	BBON	4.0
3555K	9.75	1.05	0.43	0.98	85%	0.08	26	10	BBON	4.0
3556K	10.29	1.04	0.37	1.01	87%	0.07	26	10	BBON	4.0

### BF23 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
3557K	8.46	0.98	0.54	0.67	58%	0.08	26	10	FLX	4.0
3558K	8.33	0.94	0.49	0.59	51%	0.06	27	10	BBON	3.9
3561K	8.5	0.97	0.50	2.06	178%	0.09	27	10	PRBL	4.1
3562K	8.96	0.93	0.63	0.63	54%	0.06	27	10	PRBL	3.9
3563K	10.87	1.13	0.46	0.59	51%	0.07	27	10	PRBL	4.0
3575K	9.45	0.94	0.44	0.92	80%	0.09	27	10	BBON	4.1
3800K	9.82	1.07	0.40	1.57	100%	0.11	28	10	FMOON	5.0
4000K	6.71	0.89	0.56	1.56	135%	0.07	25	10	GPL	4.0
4005K	9.85	1.02	0.43	0.84	72%	0.09	28	10	FLBK	4.1
4010K	8.37	0.93	0.53	1.12	97%	0.07	26	10	JBG	4.0
4011K	9.1	0.98	0.44	1.28	111%	0.07	27	10	JBG	4.0
4012K	8.7	1.08	0.58	1.52	132%	0.06	25	10	JBG	3.9
4013K	11.83	1.29	0.47	1.07	92%	0.08	27	10	HQ	4.0
4014K	11.49	1.29	0.42	0.97	84%	0.06	27	10	5GLD	3.9
4015K	10.12	1.10	0.46	0.84	73%	0.08	26	10	5GLD	4.0
4016K	9.85	1.12	0.42	0.96	83%	0.09	25	10	FRTE	4.1
4017K	10.52	1.07	0.41	0.78	68%	0.07	26	10	FRTE	4.0
4018K	9.37	1.05	0.39	1.16	100%	0.08	25	10	FRTE	4.0
4019K	10.1	1.25	0.38	1.38	119%	0.07	27	10	FRTE	4.0
4021K	10.81	1.22	0.45	1.95	169%	0.07	29	10	FRTE	4.0
4022K	8.8	1.15	0.44	1.13	97%	0.07	25	10	FRTE	4.0
4023K	9.95	1.25	0.40	1.73	150%	0.08	26	10	FRTE	4.0
4024K	10.11	1.09	0.50	1.36	117%	0.08	26	10	GPL	4.0
4025K	7.62	0.82	0.52	0.29	25%	0.08	27	10	GPL	4.0
4027K	9.09	1.24	0.44	1.18	102%	0.07	27	10	GPL	4.0
4028K	9.34	1.16	0.63	1.58	137%	0.08	25	10	GPL	4.0
4030K	9.46	0.94	0.50	0.89	65%	0.08	26	10	DRGO	4.0
4031K	8.75	1.01	0.46	0.63	54%	0.09	26	10	FLBK	4.1
4032K	9.72	1.12	0.63	1.82	158%	0.09	26	10	FLBK	4.1
4035K	10.69	1.07	0.51	1.04	90%	0.06	26	10	FLBK	3.9
4036K	8.48	1.00	0.62	1.06	92%	0.06	26	10	FLBK	3.9
4037K	10.04	1.09	0.47	0.46	40%	0.06	26	10	FLBK	3.9
4038K	8.36	1.02	0.41	1.10	95%	0.07	25	10	DRGO	4.0
4100K	10.45	1.19	0.51	1.54	133%	0.08	27	10	FEST	4.0
4101K	8.38	0.99	0.38	0.40	35%	0.07	27	10	FEST	4.0
4102K	10.2	1.13	0.41	1.16	101%	0.09	25	10	FEST	4.1
4103K	8.83	0.99	0.41	1.25	108%	0.06	28	10	FEST	3.9
4104K	12.33	1.33	0.47	1.29	112%	0.08	27	10	FEST	4.0
4107K	8.61	0.97	0.53	0.62	54%	0.09	26	10	FEST	4.1
4403K	13.01	1.41	0.54	0.81	57%	0.08	26	10	GHRG	4.0
4404K	9.43	1.11	0.59	1.76	124%	0.08	25	10	GHRG	4.0
4405K	9.68	0.95	0.57	0.36	26%	0.06	27	10	EVIAN	3.9
4406K	10.47	1.18	0.46	1.70	120%	0.07	26	10	GHRG	4.0
4407K	9.6	0.90	0.57	1.27	89%	0.08	26	10	EVIAN	4.0
4686K	10.19	1.12	0.47	0.45	32%	0.07	25	10	BRAVE	4.0
4687K	9.73	1.07	0.53	1.07	78%	0.10	26	10	GRDO	4.9
4689K	10.72	1.29	0.41	1.94	141%	0.08	26	10	BRAVE	4.0
4700K	8.03	1.02	0.51	1.53	133%	0.07	25	10	GEYS	4.0
4704K	9.41	1.08	0.35	1.47	127%	0.08	28	10	GLTN	4.0
4705K	8.81	0.96	0.56	0.82	71%	0.08	27	10	GLTN	4.0
4706K	9.47	1.03	0.44	1.24	107%	0.07	25	10	GLTN	4.0
4708K	10.52	1.23	0.48	1.26	109%	0.08	26	10	GLEN	4.0
4710K	10.91	1.15	0.52	0.44	38%	0.07	26	10	GLEN	4.0
4924K	9.3	1.12	0.48	1.76	127%	0.08	26	10	BRAVE	4.0
4925K	10.45	1.09	0.57	2.40	174%	0.07	25	10	BRAVE	4.0
4926K	10.15	1.22	0.49	1.30	94%	0.10	26	10	BRAVE	4.9
4927K	9.21	1.00	0.54	0.68	50%	0.06	26	10	XTRA	3.9

### BF23 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
4931K	7.92	0.97	0.50	0.66	48%	0.09	26	10	XTRA	4.1
4933K	11.28	1.40	0.46	1.30	95%	0.07	25	10	BRAVE	4.0
4935K	9.82	1.03	0.52	1.24	90%	0.08	25	10	MDLT	4.0
4936K	12.28	1.28	0.49	2.77	201%	0.10	24	10	XTRA	4.9
4938K	10.32	1.06	0.36	0.74	54%	0.07	26	10	XTRA	4.0
4940K	10.15	1.11	0.40	1.72	124%	0.09	25	10	XTRA	4.1
4941K	9.48	1.03	0.46	1.24	90%	0.08	25	10	XTRA	4.0
4944K	9.82	1.38	0.49	1.42	103%	0.09	26	10	BRAVE	4.1
4945K	9.68	1.16	0.44	0.76	55%	0.08	26	10	XTRA	4.0
4947K	10.27	0.99	0.42	1.44	104%	0.09	26	10	XTRA	4.1
4948K	8.81	0.98	0.56	2.31	167%	0.07	25	10	XTRA	4.0
4949K	11.19	1.17	0.54	2.05	148%	0.10	26	10	BRAVE	4.9
4950K	9.14	0.96	0.49	1.25	91%	0.07	25	10	XTRA	4.0
4953K	9.45	1.03	0.63	1.05	76%	0.07	26	10	BRAVE	4.0
5000K	9.91	1.01	0.61	0.75	72%	0.08	26	10	GMBT	4.0
5004K	8.72	1.14	0.40	1.50	143%	0.08	25	10	DECR	4.0
5009K	8.01	0.98	0.41	0.50	48%	0.06	26	10	GMBT	3.9
5010K	8.5	0.98	0.66	1.30	124%	0.10	27	10	GMBT	4.9
5011K	10.71	1.18	0.35	2.10	201%	0.02	25	10	EGOR	3.1
5014K	12.49	1.35	0.44	1.69	161%	0.09	25	10	DECR	4.1
5017K	9.27	1.06	0.43	0.74	71%	0.09	27	10	FERN	4.1
5019K	10.8	1.38	0.46	0.52	49%	0.08	25	10	FARM	4.0
5020K	8.93	1.04	0.37	1.31	125%	0.08	25	10	EGOR	4.0
5022K	11.25	1.24	0.45	1.18	113%	0.08	24	10	FUSN	4.0
5031K	8.79	1.03	0.60	0.62	59%	0.07	26	10	FARM	4.0
5034K	6.59	0.84	0.62	0.37	35%	0.13	26	10	EGOR	5.1
5035K	10.44	1.14	0.39	1.15	110%	0.08	25	10	DECR	4.0
5036K	8.08	1.01	0.56	0.28	27%	0.08	26	10	GMBT	4.0
5039K	7.29	0.86	0.57	0.74	71%	0.06	25	10	FARM	3.9
5041K	10.28	1.27	0.39	1.20	114%	0.09	25	10	FUSN	4.1
5047K	9.37	1.04	0.57	1.24	119%	0.09	25	10	DECR	4.1
5048K	8.79	1.02	0.48	1.17	111%	0.09	25	10	FERN	4.1
5050K	10.68	1.38	0.43	0.50	48%	0.08	25	10	FUSN	4.0
5051K	9.1	1.02	0.52	0.69	66%	0.08	26	10	FERN	4.0
5055K	6.98	0.91	0.60	0.44	42%	0.07	26	10	DECR	4.0
5056K	10.15	1.22	0.43	1.43	137%	0.09	25	10	EGOR	4.1
5057K	10.44	1.21	0.42	1.99	190%	0.07	25	10	FARM	4.0
5066K	8.32	1.08	0.45	0.65	62%	0.09	25	10	FUSN	4.1
5067K	6.9	0.84	0.48	2.33	223%	0.09	25	10	FUSN	4.1
5068K	7.73	1.01	0.56	1.04	99%	0.07	25	10	FARM	4.0
5071K	10.09	1.15	0.48	0.48	46%	0.08	27	10	FERN	4.0
5076K	7.65	1.01	0.59	1.59	152%	0.10	26	10	EGOR	4.9
5080K	10.81	1.30	0.45	1.18	113%	0.09	25	10	DECR	4.1
5081K	9.62	1.22	0.58	1.63	155%	0.09	25	10	FARM	4.1
5083K	8.71	0.93	0.57	0.60	57%	0.09	26	10	DECR	4.1
5087K	10.02	1.13	0.44	0.54	52%	0.09	26	10	FARM	4.1
5092K	6.91	0.94	0.50	0.79	75%	0.08	26	10	DECR	4.0
5200K	10.62	1.20	0.42	1.28	93%	0.11	27	10	EDWN	5.0
5309K	8.3	1.06	0.56	1.26	120%	0.08	25	10	FUSN	4.0
5310K	8.48	1.08	0.46	1.17	111%	0.09	24	10	DECR	4.1
5479K	9.38	1.09	0.52	2.68	188%	0.09	26	10	FRDM	4.1
7034K	12.03	1.20	0.42	1.29	91%	0.09	28	10	ODOSE	4.1
7904K	10.35	1.17	0.45	1.94	137%	0.09	28	10	CALL	4.1
7909K	9.52	1.13	0.42	1.24	88%	0.10	28	10	CALL	4.9
7911K	9.02	1.02	0.58	1.71	121%	0.10	27	10	CALL	4.9
7912K	10.31	1.16	0.41	1.52	107%	0.10	25	10	CALL	4.9
7914K	8.56	0.96	0.53	1.04	73%	0.11	28	10	ODOSE	5.0

### BF23 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
7915K	11.83	1.22	0.40	0.73	51%	0.10	27	10	ODOSE	4.9
7918K	10.6	1.16	0.41	1.47	103%	0.08	26	10	GREE	4.0
7920K	11.4	1.28	0.37	2.18	154%	0.09	26	10	ODOSE	4.1
7924K	9.49	1.01	0.41	1.31	93%	0.12	26	10	CALL	5.0
7925K	11.2	1.13	0.49	1.21	85%	0.07	27	10	ODOSE	4.0
7926K	10.05	1.15	0.39	1.37	97%	0.09	26	10	ODOSE	4.1
8287K	9.47	1.10	0.51	1.80	156%	0.09	27	10	HFRD	4.1