

NF23 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2300K	9.7	1.12	0.36	1.32	64%	0.07	27	10	SAT	4.0
2301K	10.55	1.30	0.40	2.47	114%	0.08	25	10	FED	4.0
2304K	10.67	1.19	0.49	1.54	74%	0.09	25	10	SAT	4.1
2305K	11.61	1.32	0.40	2.35	109%	0.09	26	10	EFF	4.1
2306K	10.24	1.26	0.38	2.82	136%	0.10	25	10	SAT	4.9
2309K	11.76	1.38	0.39	1.87	86%	0.08	26	10	EFF	4.0
2310K	11.4	1.31	0.42	2.11	98%	0.07	26	10	FED	4.0
2313K	10.04	1.15	0.34	2.21	107%	0.08	26	10	SVR	4.0
2314K	11.11	1.23	0.43	1.89	87%	0.08	26	10	EFF	4.0
2315K	10.63	1.40	0.42	2.36	109%	0.07	26	10	EFF	4.0
2318K	10.61	1.11	0.34	1.81	84%	0.07	26	10	EFF	4.0
2319K	9.68	1.11	0.37	0.83	40%	0.07	26	10	SAT	4.0
2321K	10.37	1.14	0.39	3.47	167%	0.12	26	10	SVR	5.0
2322K	11.05	1.37	0.42	2.10	101%	0.08	25	10	SAT	4.0
2328K	11.68	1.44	0.37	2.14	103%	0.09	25	10	SVR	4.1
2329K	9.35	1.05	0.40	1.70	82%	0.10	28	10	SAT	4.9
2330K	8.87	1.03	0.35	3.36	155%	0.11	25	10	FED	5.0
2332K	11.35	1.32	0.39	1.97	91%	0.08	27	10	FED	4.0
2335K	10.93	1.36	0.35	1.86	86%	0.07	26	10	EFF	4.0
2336K	11.97	1.27	0.51	1.34	65%	0.09	26	10	SAT	4.1
2337K	11.58	1.37	0.41	1.60	74%	0.08	27	10	EFF	4.0
2338K	11.05	1.37	0.39	1.68	81%	0.09	27	10	SVR	4.1
2340K	9.98	1.23	0.36	1.37	66%	0.08	26	10	SAT	4.0
2341K	9.66	1.27	0.45	2.71	125%	0.09	27	10	FED	4.1
2342K	9.94	1.20	0.38	1.32	64%	0.09	26	10	SAT	4.1
2343K	9.5	1.28	0.38	2.53	117%	0.09	25	10	FED	4.1
2344K	11	1.31	0.53	1.12	54%	0.08	26	10	SAT	4.0
2345K	10.34	1.29	0.41	1.97	95%	0.09	27	10	SAT	4.1
2346K	9.2	1.12	0.43	2.26	109%	0.08	26	10	SAT	4.0
2347K	9.62	1.30	0.38	2.85	132%	0.07	25	10	EFF	4.0
2348K	5.57	0.71	0.44	3.17	153%	0.09	24	10	SAT	4.1
2500K	8.13	1.02	0.49	2.01	97%	0.08	26	10	BUCH	4.0
2501K	11.72	1.43	0.35	2.08	100%	0.08	27	10	BUCH	4.0
2509K	9.2	1.07	0.44	2.26	109%	0.08	26	10	GUMD	4.0
2510K	9.37	1.10	0.60	1.82	88%	0.08	26	10	GUMD	4.0
2511K	8.78	1.14	0.33	2.85	137%	0.09	26	10	GUMD	4.1
2601K	12.49	1.36	0.52	2.01	93%	0.07	27	10	INF	4.0
2604K	11.17	1.45	0.42	2.56	119%	0.08	27	10	INF	4.0
2613K	9.03	1.21	0.30	2.59	125%	0.09	26	10	GNMO	4.1
2619K	11.17	1.48	0.40	3.26	157%	0.09	26	10	GNMO	4.1
2621K	9.48	1.21	0.37	2.72	126%	0.09	25	10	F250	4.1
2622K	9.63	1.30	0.34	2.68	129%	0.06	26	10	GNMO	3.9
2623K	9.53	1.15	0.38	2.63	127%	0.09	25	10	TPAC	4.1
2626K	8.26	1.02	0.36	3.01	139%	0.13	25	10	F250	5.1
2631K	9.79	1.15	0.52	2.00	96%	0.08	26	10	TPAC	4.0
2632K	10.17	1.17	0.48	1.27	61%	0.08	26	10	TPAC	4.0
2633K	11.33	1.39	0.33	2.06	99%	0.09	26	10	TPAC	4.1
2636K	11.49	1.35	0.38	2.19	106%	0.08	26	10	TPAC	4.0
2639K	10.44	1.28	0.36	2.06	99%	0.09	26	10	GNMO	4.1
2640K	8.06	0.99	0.39	2.71	131%	0.08	25	10	TPAC	4.0
2644K	9.16	1.14	0.41	3.31	153%	0.08	25	10	INF	4.0
2647K	10.3	1.23	0.45	2.36	114%	0.06	26	10	TPAC	3.9
2655K	8.94	1.15	0.34	2.44	118%	0.08	26	10	TPAC	4.0
3005K	12.31	1.39	0.42	1.41	68%	0.18	26	10	MCS	5.2
3600K	9.46	1.19	0.55	1.33	62%	0.06	26	10	HPT	3.9
3603K	12.01	1.39	0.44	3.40	157%	0.07	25	10	HPT	4.0
3604K	12.46	1.55	0.54	1.88	87%	0.08	26	10	HPT	4.0

NF23 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
3605K	10.8	1.21	0.41	1.98	95%	0.07	28	10	JEST	4.0
3606K	10.95	1.36	0.51	0.59	27%	0.08	26	10	HPT	4.0
3609K	11.7	1.38	0.41	1.70	82%	0.10	25	10	RICO	4.9
3611K	10.55	1.20	0.47	1.97	91%	0.07	27	10	HPT	4.0
3613K	7.45	1.00	0.34	1.94	93%	0.11	26	10	RICO	5.0
3614K	11.72	1.27	0.52	0.96	44%	0.04	26	10	FLSH	3.1
3615K	9.78	1.19	0.45	1.80	83%	0.07	28	10	HPT	4.0
3616K	8.64	1.07	0.48	2.45	113%	0.07	26	10	HPT	4.0
3617K	10.26	1.27	0.43	0.95	44%	0.06	25	10	HPT	3.9
3619K	10.76	1.21	0.48	2.29	106%	0.08	28	10	HPT	4.0
3623K	10.35	1.20	0.41	1.85	89%	0.09	27	10	RICO	4.1
3624K	11.4	1.41	0.42	1.85	85%	0.06	26	10	FLSH	3.9
3626K	9.48	1.20	0.36	1.62	78%	0.08	26	10	RICO	4.0
3634K	7.68	0.90	0.45	2.54	118%	0.08	26	10	HPT	4.0
3636K	9.75	1.18	0.63	1.00	46%	0.07	26	10	HPT	4.0
3637K	10.6	1.29	0.37	3.13	145%	0.09	26	10	HPT	4.1
3638K	9.62	1.21	0.34	1.94	93%	0.07	26	10	RICO	4.0
3643K	11.27	1.37	0.48	1.74	81%	0.07	26	10	HPT	4.0
3653K	10.09	1.13	0.52	1.67	80%	0.08	26	10	RICO	4.0
3656K	10.15	1.22	0.54	2.45	114%	0.05	26	10	HPT	3.9
4108K	10.27	1.23	0.36	2.30	107%	0.10	26	10	FEST	4.9
4109K	9.85	1.32	0.34	1.49	70%	0.08	25	10	FEST	4.0
4301K	9.24	1.13	0.40	2.14	100%	0.07	28	10	GUMD	4.0
4302K	7.88	0.97	0.35	2.48	116%	0.07	26	10	TSTN	4.0
5002K	10.34	1.27	0.39	1.88	88%	0.08	26	10	RAIN	4.0
5003K	9.37	0.98	0.43	1.32	62%	0.08	26	10	RAIN	4.0
5005K	10.16	1.00	0.57	2.21	103%	0.09	26	10	DECR	4.1
5013K	9.25	0.98	0.45	1.96	92%	0.08	26	10	DECR	4.0
5016K	9.89	1.17	0.46	2.84	133%	0.08	26	10	DECR	4.0
5018K	10.39	1.19	0.53	2.07	97%	0.09	28	10	GMBT	4.1
5024K	9.13	1.06	0.38	2.05	96%	0.08	27	10	FUSN	4.0
5026K	10.02	1.23	0.47	2.53	119%	0.09	26	10	FERN	4.1
5029K	11.28	1.30	0.47	2.67	125%	0.09	26	10	DECR	4.1
5033K	8.44	1.07	0.39	2.43	114%	0.10	26	10	GMBT	4.9
5040K	11.82	1.34	0.40	1.04	49%	0.06	27	10	FUSN	3.9
5043K	8.82	1.17	0.35	2.14	100%	0.09	26	10	GMBT	4.1
5044K	10.19	1.22	0.37	2.86	134%	0.08	28	10	FUSN	4.0
5045K	8.51	0.98	0.47	1.82	85%	0.08	27	10	GMBT	4.0
5046K	9.45	1.18	0.45	3.03	142%	0.08	26	10	FUSN	4.0
5052K	9.67	1.10	0.49	2.65	124%	0.08	27	10	FUSN	4.0
5053K	9.43	1.01	0.55	2.46	115%	0.09	27	10	FERN	4.1
5054K	8.15	0.95	0.39	2.02	94%	0.10	26	10	DECR	4.9
5058K	11.97	1.45	0.32	2.09	98%	0.09	26	10	DECR	4.1
5061K	10.82	1.41	0.35	2.87	134%	0.09	26	10	FUSN	4.1
5062K	11.18	1.32	0.52	2.85	134%	0.09	27	10	HG	4.1
5063K	8.26	0.99	0.52	2.79	131%	0.09	26	10	HG	4.1
5064K	9.3	1.00	0.53	0.92	43%	0.08	28	10	DECR	4.0
5069K	11.05	1.34	0.40	2.49	117%	0.08	25	10	DECR	4.0
5075K	10.86	1.29	0.51	1.22	57%	0.06	27	10	FUSN	3.9
5086K	9.74	1.25	0.54	2.16	101%	0.09	26	10	DECR	4.1
5091K	10.3	1.09	0.52	2.09	98%	0.07	27	10	DECR	4.0
5093K	12.49	1.39	0.40	0.70	33%	0.08	28	10	DECR	4.0
5305K	9.49	1.23	0.55	2.08	97%	0.10	26	10	FERN	4.9
5326K	9.73	1.21	0.42	0.94	44%	0.07	27	10	FEL	4.0
5327K	8.58	1.01	0.53	1.55	73%	0.10	27	10	GBK	4.9
5500K	11.76	1.34	0.46	3.22	151%	0.11	26	10	FEST	5.0
5501K	9.9	1.31	0.42	2.28	107%	0.08	24	10	FEST	4.0

NF23 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
5502K	9.75	1.26	0.56	1.81	85%	0.06	26	10	FEST	3.9
5503K	10.49	1.34	0.35	2.32	109%	0.08	25	10	FEST	4.0
5505K	10.5	1.21	0.43	1.19	56%	0.06	26	10	107H	3.9
5700K	11.45	1.46	0.40	2.75	129%	0.08	27	10	DRBL	4.0
5708K	11.76	1.38	0.40	2.21	104%	0.08	26	10	DRGO	4.0
5709K	12.34	1.28	0.38	1.94	91%	0.08	26	10	FLBK	4.0
5712K	11	1.28	0.38	1.94	91%	0.07	26	10	FLBK	4.0
5713K	10.08	1.08	0.40	1.84	86%	0.09	28	10	FLBK	4.1
5714K	10.08	1.33	0.40	2.39	112%	0.07	27	10	FLBK	4.0
5716K	9.5	1.10	0.43	2.69	126%	0.11	27	10	DRGO	5.0
5718K	11.91	1.38	0.45	3.11	145%	0.10	26	10	FLBK	4.9
5723K	9.01	1.14	0.54	1.91	89%	0.08	27	10	DRGO	4.0
7901K	9.66	1.04	0.53	1.98	107%	0.12	27	10	ODOSE	5.0
7902K	8.46	1.04	0.65	2.38	128%	0.09	27	10	CALL	4.1
7903K	8.48	0.88	0.47	1.95	105%	0.09	28	10	CALL	4.1
7908K	8.27	1.02	0.33	2.31	124%	0.10	27	10	CALL	4.9
7916K	12.72	1.26	0.57	1.15	62%	0.06	28	10	GREE	3.9
7917K	7.09	0.71	0.50	2.07	111%	0.08	28	10	ODOSE	4.0
7919K	11.25	1.16	0.44	1.67	90%	0.09	26	10	GREE	4.1
7921K	10.37	1.12	0.44	0.87	47%	0.09	26	10	ODOSE	4.1
7922K	10.32	0.94	0.47	2.36	127%	0.10	27	10	ODOSE	4.9
9701K	10.55	1.23	0.55	1.33	99%	0.08	29	10	WACK	4.0
9702K	10.21	1.08	0.47	0.93	69%	0.08	28	10	BWIN	4.0
9703K	8.27	0.96	0.53	0.90	67%	0.08	27	10	BWIN	4.0
9704K	10.46	1.07	0.50	2.21	165%	0.10	28	10	BWIN	4.9