

MF 23 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1160K	11.1	1.29	0.55	2.34	105%	0.08	26	10	DDBL	4.0
1161K	10.22	1.14	0.43	2.30	103%	0.10	25	10	DDBL	4.9
1162K	10.66	1.29	0.44	2.96	132%	0.10	25	10	DDBL	4.9
1163K	8	0.87	0.70	1.07	48%	0.09	27	10	DDBL	4.1
1164K	10.12	1.20	0.59	2.60	116%	0.10	26	10	DDBL	4.9
1165K	9.05	1.07	0.59	3.14	140%	0.09	27	10	DDBL	4.1
1166K	7.91	0.91	0.44	1.97	88%	0.08	27	10	DDBL	4.0
1168K	10.56	1.17	0.49	2.00	89%	0.08	25	10	DDBL	4.0
1170K	9.2	1.03	0.53	2.27	101%	0.09	26	10	DDBL	4.1
1171K	9.31	1.05	0.45	2.42	108%	0.09	25	10	BJ	4.1
1173K	9.69	1.31	0.36	2.47	110%	0.08	25	10	BJ	4.0
1174K	8.73	1.24	0.36	2.99	134%	0.08	26	10	BJ	4.0
1176K	9	1.18	0.38	3.10	139%	0.09	27	10	BJ	4.1
1180K	10.06	1.28	0.48	2.22	99%	0.08	26	10	BJ	4.0
1182K	9.08	1.25	0.49	1.86	83%	0.07	27	10	BJ	4.0
1183K	11.2	1.39	0.39	2.21	98%	0.08	27	10	BJ	4.0
1185K	10.46	1.17	0.34	1.76	78%	0.07	26	10	DDBL	4.0
1939K	8.59	0.95	0.44	2.61	117%	0.10	26	10	XFIR	4.9
1942K	9.55	1.07	0.45	1.83	82%	0.11	26	10	BLUE	5.0
1944K	10.34	1.09	0.45	2.73	122%	0.11	27	10	BLUE	5.0
1949K	9.03	0.93	0.39	2.53	113%	0.09	26	10	BLUE	4.1
1950K	9.21	1.06	0.37	2.49	111%	0.08	25	10	BLUE	4.0
1951K	9.09	1.06	0.36	2.52	113%	0.10	26	10	BLUE	4.9
1992K	8.07	0.92	0.55	0.85	38%	0.10	27	10	BUD	4.9
1993K	10.21	1.16	0.39	1.65	74%	0.10	27	10	BUD	4.9
1996K	7.63	0.84	0.57	2.48	111%	0.10	26	10	BUD	4.9
1997K	11.56	1.16	0.47	2.35	105%	0.10	26	10	BUD	4.9
2001K	8.77	1.07	0.39	2.13	95%	0.07	26	10	BUD	4.0
2002K	10.4	1.28	0.46	2.27	101%	0.08	27	10	BUD	4.0
2007K	11.71	1.36	0.52	1.86	83%	0.07	26	10	BMGC	4.0
2008K	11.89	1.22	0.48	1.89	85%	0.08	27	10	BMGC	4.0
2010K	11.31	1.18	0.32	3.08	138%	0.10	26	10	BMGC	4.9
2011K	9.74	1.06	0.39	2.17	97%	0.08	26	10	BMGC	4.0
2024K	10.86	1.36	0.50	2.48	111%	0.09	27	10	XFIR	4.1
2028K	10.23	1.16	0.45	2.02	90%	0.09	26	10	XFIR	4.1
3100K	10.96	1.18	0.63	1.87	84%	0.07	27	10	FITZ	4.0
3102K	11.52	1.30	0.40	1.91	85%	0.09	26	10	CMSR	4.1
3103K	9.08	1.10	0.50	2.13	95%	0.07	25	10	CMSR	4.0
3104K	10.55	1.27	0.50	2.46	110%	0.08	26	10	FITZ	4.0
3106K	7.44	1.04	0.50	2.12	95%	0.08	26	10	FITZ	4.0
3109K	11.71	1.26	0.40	2.95	132%	0.08	25	10	FITZ	4.0
3111K	9.95	1.28	0.41	1.37	61%	0.06	27	10	FITZ	3.9
3112K	8.95	1.13	0.56	1.53	68%	0.09	27	10	FITZ	4.1
3115K	9.51	1.20	0.35	1.36	61%	0.10	26	10	CMSR	4.9
3116K	10.48	1.28	0.37	2.32	103%	0.09	26	10	GLAD	4.1
3117K	7.66	0.96	0.50	2.10	94%	0.09	27	10	GLAD	4.1
3118K	8.58	1.11	0.35	2.56	114%	0.08	27	10	GLAD	4.0
3119K	10.04	1.30	0.42	1.80	80%	0.07	26	10	FITZ	4.0
3123K	10.88	1.34	0.41	2.11	94%	0.08	27	10	FITZ	4.0
3124K	11.01	1.32	0.43	2.22	99%	0.07	26	10	CMSR	4.0
3125K	9.57	1.20	0.44	1.99	89%	0.09	25	10	CMSR	4.1
3128K	7.24	0.99	0.45	2.51	112%	0.08	26	10	TILT	4.0
3130K	10.52	1.31	0.48	2.42	108%	0.09	27	10	TILT	4.1
3131K	10.87	1.28	0.52	2.24	100%	0.08	26	10	FITZ	4.0
3133K	9.88	1.27	0.45	2.75	123%	0.10	25	10	FITZ	4.9
3134K	9.91	1.31	0.41	2.72	122%	0.09	26	10	RMC	4.1

MF 23 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
3142K	8.97	1.21	0.37	2.39	107%	0.10	25	10	FITZ	4.9
3301K	11.15	1.36	0.46	2.66	119%	0.07	28	10	YEL	4.0
3303K	9.02	1.03	0.38	2.57	115%	0.10	26	10	YEL	4.9
3305K	9.62	1.25	0.39	2.78	124%	0.09	25	10	GEN	4.1
3306K	9.99	1.14	0.41	2.45	110%	0.10	26	10	GEN	4.9
3309K	8.7	1.07	0.59	2.44	109%	0.09	26	10	GEN	4.1
3310K	7.69	1.00	0.52	1.58	70%	0.08	26	10	GEN	4.0
3311K	8.81	1.13	0.41	1.71	76%	0.09	26	10	GEN	4.1
3313K	9.38	1.17	0.52	3.10	138%	0.09	26	10	GEN	4.1
3315K	10.94	1.41	0.37	2.00	89%	0.07	27	10	GEN	4.0
3316K	9.73	1.18	0.42	2.71	121%	0.09	25	10	GEN	4.1
5100K	9.75	1.15	0.46	1.41	63%	0.09	26	10	GM	4.1
5102K	9.91	1.12	0.39	2.19	98%	0.09	26	10	GM	4.1
5103K	10.38	1.23	0.34	2.18	97%	0.08	27	10	GM	4.0
5104K	9.79	1.22	0.41	1.73	77%	0.09	26	10	GM	4.1
5105K	8.13	1.13	0.57	1.59	71%	0.06	26	10	GM	3.9
5107K	10.78	1.26	0.39	3.02	135%	0.10	26	10	GM	4.9
5108K	10.37	1.10	0.60	0.94	42%	0.07	27	10	GM	4.0
5109K	10.18	1.35	0.41	2.59	116%	0.10	26	10	GM	4.9
5113K	8.61	1.13	0.34	1.70	76%	0.08	26	10	GM	4.0
5114K	8.22	1.02	0.31	2.39	107%	0.08	25	10	GM	4.0
5116K	10.47	1.13	0.50	2.90	130%	0.09	25	10	GM	4.1
5117K	9.3	0.98	0.50	2.10	94%	0.10	26	10	GM	4.9
5122K	10.35	1.16	0.39	2.66	119%	0.09	25	10	EASY	4.1
5130K	6.92	0.90	0.46	2.48	111%	0.07	25	10	EASY	4.0
5132K	7.7	0.91	0.48	1.98	88%	0.10	27	10	CMAG	4.9
5134K	9.41	1.24	0.36	2.71	121%	0.08	26	10	EASY	4.0
5138K	7.68	1.04	0.33	2.41	108%	0.09	25	10	EASY	4.1
5141K	9.38	1.18	0.36	1.96	87%	0.08	27	10	EASY	4.0
7350K	9.83	0.12	0.50	1.12	100%	0.08	27	10	CALV	4.0