

CP	BULL	SIRE	MASCU	THICK	MUSCLE	RATING	ANGLE	TOES	DP	DISP	COMMENTS
TCH	1251L	BJ	5.0	5.1	5.1	5.1	5.0	4.5	3.9	5.1	
TCH	1252L	RMC	4.1	5.0	5.0	4.1	5.0	5.0	4.9	3.1	
TCH	1253L	MAD	3.9	3.1	3.0	3.1	5.0	4.0	5.0	5.0	PRB?
TCH	1254L	RMC	4.1	4.9	4.9	4.9	5.0	5.0	5.0	4.9	
TCH	1255L	OR	3.9	3.9	3.9	3.1	5.0	5.0	4.9	5.0	PRB?
TCH	1256L	RMC	4.1	4.1	4.0	4.0	5.0	4.5	3.0	3.0	
TCH	1257L	BJ	4.1	4.0	3.9	4.0	6.0	4.0	5.0	4.0	
TCH	1258L	MAD	4.9	4.0	3.9	4.0	5.0	5.0	5.0	4.9	spot in left eye
TCH	1259L	OR	4.0	4.0	3.9	3.9	5.0	5.0	5.0	4.1	
FSR	1800L	XFIR	4.0	4.0	4.0	4.0	6.0	5.0	5.0	5.0	
FSR	1801L	XFIR									Cull-too small
FSR	1802L	XFIR									Cull-feet
FSR	1806L	ECLR	4.9	4.9	4.9	4.9	6.0	4.0	5.0	3.9	
FSR	1807L	HUSK	4.0	4.9	4.9	4.1	5.5	5.0	5.0	3.1	
FSR	1808L	HUSK	4.0	4.0	4.1	4.1	5.5	5.0	4.0	4.9	
FSR	1809L	HUSK	4.0	4.1	4.1	4.0	4.0	5.0	5.0	3.1	PRB Small
FSR	1810L	HUSK	4.0	4.0	4.0	4.0	5.5	5.0	4.9	4.1	
FSR	1814L	HUSK	4.1	4.9	4.9	4.9	5.0	4.5	4.0	4.0	
FSR	1819L	HUSK	4.9	4.9	4.1	4.1	5.0	4.0	4.9	3.0	
FSR	1820L	HUSK	3.9	4.0	4.0	4.0	5.0	4.5	5.0	3.9	
FSR	1825L	ASSN	5.1	5.1	5.0	4.9	4.5	5.0	4.9	5.1	
FSR	1826L	MOCA	4.1	4.9	4.0	3.1	5.5	5.0	5.0	3.1	Recheck hump
FSR	1827L	BUD	3.9	4.1	4.0	3.9	5.0	5.0	5.0	5.0	Short tail; PRB?
FSR	1828L	CZAR	4.9	4.9	4.1	4.1	5.0	4.5	4.9	4.1	
FSR	1829L	CZAR	3.1	4.0	4.1	4.0	4.0	4.0	4.9	5.0	
FSR	1830L	CZAR	4.0	4.1	4.1	4.0	5.0	5.0	5.0	5.0	
FSR	1831L	CZAR	4.0	4.1	4.1	4.0	5.5	5.0	4.0	4.9	spot right eye

CP	BULL	SIRE	MASCU	THICK	MUSCLE	RATING	ANGLE	TOES	DP	DISP	COMMENTS
FSR	1832L	CZAR	4.0	3.9	3.9	4.0	5.0	5.0	4.0	4.1	
FSR	1833L	CZAR	4.0	4.0	4.0	4.0	5.0	4.0	4.9	4.0	
FSR	1834L	CZAR	4.0	4.0	4.1	3.9	5.0	5.0	4.9	4.1	short ears
FSR	1835L	CZAR	3.9	3.9	3.9	3.9	5.0	4.0	4.9	3.0	PRB?
FSR	1836L	BUD	4.0	5.0	4.1	4.1	5.0	5.0	5.0	4.9	
FSR	1837L	CZAR	4.0	5.0	4.9	4.9	5.0	5.0	4.0	5.0	
FSR	1838L	CZAR	4.0	5.0	4.9	4.9	5.0	4.5	4.0	3.9	
FSR	1839L	CZAR	4.1	4.9	4.9	4.9	5.0	4.5	4.9	5.0	
FSR	1840L	CZAR	4.1	4.9	4.9	4.9	5.0	5.0	4.0	3.1	
FSR	1844L	BUD	5.0	5.0	4.9	5.1	5.0	5.0	4.9	5.0	short tail
FSR	1848L	BUD	4.9	5.0	4.0	4.1	6.0	5.0	5.0	5.0	
FSR	1850L	BLUE									cull-dispo
FSR	1851L	BLUE									cull-dispo
FSR	1852L	BLUE	4.0	4.0	4.1	4.0	5.0	5.0	4.0	4.0	
FSR	1853L	BLUE	4.9	4.1	4.9	4.9	5.5	5.0	5.0	4.9	recheck right eye
FSR	1854L	BLUE	4.0	4.1	4.0	4.0	5.0	4.5	5.0	3.9	recheck crooked neck
FSR	1855L	BLUE	5.0	4.0	4.0	4.1	5.0	5.0	4.0	4.9	
FSR	1857L	BLUE	4.1	4.9	4.9	4.1	6.0	5.0	5.0	3.0	
FSR	1858L	BLUE	4.1	4.9	5.1	5.0	5.0	5.0	4.0	4.1	
FSR	1860L	MTRK	3.9	4.9	4.9	4.1	5.5	5.0	4.9	5.0	
FSR	1862L	MTRK	3.9	3.9	4.0	4.0	5.0	5.0	5.0	4.1	
FSR	1867L	ELV	4.0	41.0	4.0	3.9	4.5	5.0	4.0	3.1	
FSR	1873L	WACK	3.1	4.0	3.9	3.9	5.0	5.0	5.0	4.0	
FSR	1874L	WACK	3.1	3.9	4.0	3.1	5.0	4.0	5.0	3.1	
FSR	1876L	WACK	4.9	4.9	4.0	4.1	5.0	5.0	5.0	4.9	
FSR	1878L	WACK	3.1	3.9	3.9	3.9	6.0	6.0	5.0	4.0	
FSR	1879L	WACK	3.1	3.1	3.0	3.1	5.0	5.0	5.0	4.9	PRB?

CP	BULL	SIRE	MASCU	THICK	MUSCLE	RATING	ANGLE	TOES	DP	DISP	COMMENTS
FSR	1881L	WACK	4.0	3.1	3.1	3.9	5.0	5.0	5.0	4.1	PRB?
FSR	1882L	WACK	3.1	4.1	3.9	3.9	5.5	4.5	5.0	4.9	
FSR	1883L	WACK	3.1	3.9	3.0	3.1	5.5	4.0	5.0	4.9	
FSR	1890L	UNFR	3.9	4.0	4.0	3.9	5.5	4.5	5.0	4.1	
FSR	1891L	UNFR	4.0	4.1	4.1	3.9	6.0	5.0	5.0	3.1	
FSR	1892L	FLNR	4.0	4.1	4.1	4.1	5.0	5.0	5.0	5.0	PRB?
FSR	1893L	RWND	4.0	5.0	4.9	4.1	5.0	5.0	5.0	4.1	
FSR	1896L	RWND	4.0	4.9	4.1	4.1	5.5	5.0	4.9	3.9	
FSR	1897L	BMGC	4.1	4.9	4.9	4.9	5.0	4.5	4.9	4.9	
FSR	1900L	SLHM	5.0	5.0	4.9	5.0	5.5	5.0	5.0	4.9	
FSR	1901L	SLHM									Cull-too small
FSR	1902L	DASH	5.0	4.9	4.9	5.0	5.5	5.0	3.0	4.0	
FSR	1903L	DASH	4.9	5.1	5.1	5.1	5.0	5.0	5.0	5.0	
FSR	1904L	DASH	4.0	4.9	4.9	4.1	5.0	5.0	4.9	5.0	
FSR	1905L	DASH	4.1	4.1	4.0	4.0	5.0	5.0	5.0	4.9	
FSR	1906L	DASH	4.1	4.9	4.9	4.9	5.0	5.0	4.1	3.9	
FSR	1907L	DASH	4.9	5.0	4.1	5.0	5.0	4.5	3.1	4.1	
FSR	1908L	SLHM	3.9	4.1	4.0	3.9	5.0	5.0	5.0	3.1	
FSR	1909L	DASH	3.1	3.1	3.0	3.0	6.0	5.0	5.0	4.1	CULL
FSR	1910L	DASH	3.9	4.0	4.0	3.9	5.5	5.0	4.0	4.1	
FSR	1911L	SLHM	3.9	4.1	4.0	3.9	5.0	5.0	4.0	4.0	
FSR	1912L	DASH	4.1	4.9	4.1	4.1	5.5	5.0	5.0	5.0	
FSR	1913L	DASH	4.0	4.1	4.0	4.0	5.5	5.0	5.0	3.9	No tail switch
FSR	1914L	SLHM	3.1	4.0	3.9	3.1	5.5	5.0	5.0	4.0	
FSR	1917L	DASH	4.0	4.1	4.9	4.1	5.0	5.0	5.0	4.9	No tail switch
FSR	1918L	DASH	4.1	4.9	4.9	4.9	4.5	5.0	5.0	5.0	
FSR	1919L	DASH	4.0	4.1	4.9	4.1	5.0	4.5	5.0	5.0	

CP	BULL	SIRE	MASCU	THICK	MUSCLE	RATING	ANGLE	TOES	DP	DISP	COMMENTS
FSR	1920L	DASH	3.9	4.1	3.9	4.0	5.5	5.0	5.0	4.1	
FSR	1925L	DASH	4.0	4.0	3.9	3.9	5.0	5.0	5.0	4.0	
FSR	1936L	BIG\$	4.1	5.0	5.0	4.9	5.0	4.5	5.0	4.0	
FSR	1939L	PNTM	4.1	4.1	4.9	4.1	6.0	5.0	4.9	4.9	
FSR	1940L	BMGC	4.1	4.1	4.1	4.0	5.0	5.0	4.9	3.1	
FSR	1942L	PNTM	4.9	5.0	5.0	4.9	4.0	5.0	4.0	4.1	
FSR	1945L	PNTM	4.0	4.1	4.1	4.1	4.5	4.5	4.0	4.1	PRB?
FSR	1946L	UNFR	4.0	4.1	4.1	4.0	5.0	5.0	5.0	5.0	Short right ear
FSR	1949L	PNTM	4.0	4.1	4.1	4.1	5.0	5.0	5.0	5.0	
FSR	1970L	BUD	4.0	5.0	5.0	4.9	5.0	5.0	5.0	5.0	
FSR	2067L	UNFR	4.0	4.1	4.0	4.0	5.5	5.0	5.0	4.1	
FSR	4400L	EVIAN	4.0	4.1	4.0	4.0	5.0	4.5	4.1	3.9	
FSR	4401L	EVIAN	4.9	5.0	5.1	5.0	5.0	5.0	4.0	4.0	
FSR	4402L	EVIAN	4.1	4.1	4.1	5.0	5.0	4.0	4.0	3.1	
FSR	4407L	EVIAN	3.9	4.1	4.1	4.0	5.5	5.0	4.0	3.9	
T&T	5402L	GALL	3.9	4.1	4.0	4.0	4.0	4.0	5.0	4.9	
T&T	5408L	1042	4.1	4.9	4.9	4.9	5.5	4.0	5.0	3.1	
T&T	5419L	FRDM	4.9	4.9	4.9	4.9	5.0	5.0	4.9	4.0	recheck hump
T&T	5431L	FRDM	5.0	5.0	5.0	5.1	4.5	5.0	5.0	4.0	scurs
T&T	5434L	GALL	4.1	4.9	4.0	4.1	6.0	5.0	5.0	4.1	1/2 tail switch
T&T	5439L	GALL									Cull-dispo
T&T	5442L	FRDM	4.0	4.0	4.1	4.1	5.0	5.0	4.9	4.0	
T&T	5448L	FRDM	3.9	4.0	4.0	4.0	5.0	5.0	4.1	4.9	
T&T	5449L	GALL	4.9	4.9	4.1	4.9	5.0	5.0	4.9	5.0	Short ears/short tail
T&T	5451L	JSFD	3.9	4.0	3.9	3.9	5.0	4.0	5.0	4.0	
T&T	5472L	FRDM	3.9	4.0	4.0	4.0	5.0	5.0	4.9	4.0	
5PF	7200L	GRMO	4.9	4.1	4.0	4.1	5.0	5.0	5.0	5.0	



CP	BULL	SIRE	MASCU	THICK	MUSCLE	RATING	ANGLE	TOES	DP	DISP	COMMENTS
PAR	2901L	HICO	4.9	5.1	5.1	5.0	5.0	5.0	5.0	3.0	
PAR	2902L	HICO	3.1	3.9	3.1	3.0	5.0	5.5	5.0	4.0	
PAR	2903L	HICO	5.1	5.1	5.0	5.0	5.0	5.0	5.0	4.1	
PAR	2905L	NHWK	5.2	5.1	5.1	5.1	5.0	5.5	5.0	4.9	stud
PAR	2906L	HICO	4.9	5.0	5.0	4.9	5.0	4.0	5.0	3.1	
PAR	2907L	HICO	4.9	5.0	5.0	4.1	5.5	4.5	4.9	4.0	short right ear
PAR	2908L	NHWK	4.0	4.9	4.9	4.0	5.5	5.5	5.0	3.9	
PAR	2909L	NHWK	4.1	4.0	4.0	4.0	5.0	4.0	5.0	3.0	
PAR	2910L	COCO	5.1	5.1	5.1	5.1	5.0	5.0	5.0	5.0	No tail switch
PAR	2911L	NHWK	4.1	4.0	4.0	3.9	5.0	4.0	5.0	3.0	
PAR	2912L	NHWK	3.1	4.1	4.0	4.0	5.0	5.0	5.0	4.0	
PAR	2913L	RHN	4.9	4.9	5.0	4.9	5.0	5.5	5.0	4.0	
PAR	2914L	RHN	4.1	4.1	4.0	4.1	5.5	5.0	5.0	4.0	
PAR	2915L	RHN	4.9	4.9	4.1	4.1	5.5	5.5	3.1	2.9	
PAR	2916L	HICO	5.0	5.0	5.1	5.0	5.0	5.0	5.0	5.0	
PAR	2917L	NHWK	4.1	4.1	4.9	4.1	4.0	4.0	5.0	3.1	
PAR	2918L	HICO	4.9	5.0	4.9	5.0	5.0	5.0	5.0	5.0	
PAR	2919L	RHN	3.9	4.1	4.0	3.9	5.0	5.0	4.9	3.9	Very short tail
PAR	2920L	COCO	3.1	3.1	3.1	3.0	5.0	5.0	5.0	4.0	
PAR	2921L	NHWK	5.1	5.1	5.1	5.1	5.0	5.0	4.9	5.0	
PAR	2923L	HICO	4.9	5.0	5.1	5.0	5.0	4.5	4.1	3.9	
PAR	2924L	NHWK	4.1	4.9	4.1	4.1	5.0	4.5	5.0	3.9	
PAR	2925L	HICO	5.0	5.0	4.1	4.9	5.0	5.0	4.9	4.1	
PAR	2926L	NHWK	3.1	3.1	3.0	3.0	5.0	4.0	5.0	3.0	PRB?
PAR	2928L	COCO	4.0	4.1	4.1	4.0	5.0	5.0	4.9	4.9	
PAR	2929L	HICO	4.0	4.0	3.9	3.1	6.0	6.0	5.0	3.0	
PAR	2930L	HICO									CULL-dispo

CP	BULL	SIRE	MASCU	THICK	MUSCLE	RATING	ANGLE	TOES	DP	DISP	COMMENTS
PAR	2931L	COCO	3.9	5.0	5.0	4.0	4.5	5.0	5.0	3.9	
PAR	2933L	HICO	4.9	5.0	5.0	4.8	5.0	5.5	5.0	4.1	
PAR	2934L	HICO	4.0	4.1	4.0	4.0	5.0	4.0	4.0	4.0	
PAR	2935L	HICO									Dead
PAR	2936L	HICO	4.0	4.1	4.0	4.0	6.0	4.5	4.9	3.9	
PAR	2937L	NHWK	4.0	4.1	4.0	4.0	5.0	5.5	5.0	3.1	
PAR	2938L	NHWK	3.9	4.1	4.0	4.0	5.0	5.0	4.9	4.1	
PAR	2939L	NHWK	4.1	4.1	4.0	4.0	5.0	5.0	5.0	4.1	
PAR	2940L	RHN	4.1	5.0	4.9	4.9	5.5	4.0	5.0	3.9	
PAR	2941L	NHWK									Cull-dispo
PAR	2943L	NHWK	3.9	4.0	4.1	4.0	5.0	4.0	4.9	3.9	
PAR	2944L	RHN									Cull-hump
PAR	2946L	HICO	4.0	4.1	3.1	3.1	5.5	5.0	4.9	4.0	
PAR	2948L	NHWK	4.1	4.1	4.0	4.0	5.0	5.0	5.0	4.1	No tail switch
RSR	3501L	FRON	4.1	4.1	4.0	4.1	5.5	6.0	5.0	5.1	
RSR	3502L	WL	3.1	3.9	3.1	3.1	5.0	5.0	4.0	3.9	
RSR	3503L	WL	4.9	4.9	4.9	4.9	5.0	4.5	4.9	4.0	
RSR	3504L	WL	3.9	4.1	41.0	4.0	5.0	5.0	5.0	4.9	
RSR	3505L	BBON	4.9	4.1	4.1	4.0	6.0	5.0			Cull-hump
RSR	3506L	BBON	3.1	3.9	3.9	3.1	5.0	5.0	4.9	5.0	
RSR	3507L	WL	3.9	3.9	3.1	3.1	5.0	5.0	5.0	4.0	
RSR	3508L	WL	3.9	4.1	3.9	3.9	5.0	5.5	4.9	3.9	
RSR	3509L	BBON	4.1	5.0	4.9	5.0	5.0	5.0	3.1	4.1	
RSR	3510L	BBON	4.0	4.1	4.1	4.1	5.0	5.0	4.9	4.9	
RSR	3511L	WL	3.9	4.9	4.1	4.1	5.0	5.0	4.0	4.0	
RSR	3512L	WL	4.0	4.1	4.0	4.0	5.0	5.0	5.0	4.0	
RSR	3514L	FRON									Cull-size/no tail switch

CP	BULL	SIRE	MASCU	THICK	MUSCLE	RATING	ANGLE	TOES	DP	DISP	COMMENTS
RSR	3515L	WL	4.0	4.0	4.0	4.0	5.0	5.0	5.0	5.0	
RSR	3516L	BBON	3.1	3.9	3.1	3.1	5.0	5.0	4.1	4.0	PRB?
RSR	3517L	BBON	3.1	3.1	3.1	3.1	5.0	5.0	5.0	5.0	PRB
RSR	3518L	FRON	4.0	4.1	4.0	4.0	5.0	4.5	4.0	4.0	
RSR	3519L	BBON	4.0	4.0	4.0	3.9	5.0	4.5	5.0	4.9	
RSR	3520L	BBON	3.9	4.9	4.9	4.0	6.0	5.5	4.0	4.1	
RSR	3521L	BBON	4.0	4.0	3.9	4.0	5.5	5.0	4.0	4.9	
RSR	3522L	FRON	3.0	3.1	3.1	3.0	5.0	5.5	4.0	4.0	PRB
RSR	3524L	PRBL	3.9	3.9	3.9	3.9	5.5	5.0	4.0	4.1	
RSR	3525L	BBON	3.9	4.1	3.9	3.1	6.0	5.0	5.0	3.9	
RSR	3526L	BBON	3.1	3.9	3.1	3.1	5.5	5.0	5.0	4.0	
RSR	3527L	BBON	3.1								Cull-dispo/hump
RSR	3529L	BBON	3.0	3.9	3.1	3.0	6.0	5.0	4.9	4.9	
RSR	3530L	BBON	4.0	4.0	4.0	4.0	5.0	5.0	5.0	4.1	
RSR	3531L	WL	3.9	4.1	4.0	3.9	5.0	4.0	4.9	4.9	
RSR	3532L	BBON	3.1	3.9	3.9	3.1	5.5	5.0	4.1	3.9	
RSR	3533L	BBON	3.1	3.9	3.9	3.9	5.0	5.0	5.0	3.9	PRB?
RSR	3534L	BBON	3.0	3.1	3.0	2.9	5.0	5.0	5.0	3.9	PRB
RSR	3536L	PRBL	4.1	4.1	4.1	4.1	5.5	5.0	3.0	4.1	
RSR	3537L	WL	3.1	3.9	3.1	3.1	5.0	5.5	5.0	4.9	
RSR	3538L	WL	4.1	4.9	4.0	4.0	5.0	5.0	4.9	4.0	
RRS	4680L	MAB									CULL-limp
RRS	4681L	MAB	4.1	4.0	3.9	4.0	5.0	5.0	4.9	4.0	
RRS	4683L	HWTH	4.1	4.1	4.1	4.1	5.0	4.0	5.0	4.0	
RRS	4684L	HWTH	3.9	3.9	3.1	3.1	5.5	5.0	4.0	5.0	
RRS	4685L	XTRA	4.1	3.9	3.9	3.1	5.0	5.0	2.1	3.1	
BSR	4900L	MAB	4.0	4.1	3.9	3.9	5.0	5.5	5.0	5.0	

CP	BULL	SIRE	MASCU	THICK	MUSCLE	RATING	ANGLE	TOES	DP	DISP	COMMENTS
BSR	4901L	MAB	4.1	4.0	3.9	4.0	5.0	5.0	4.9	4.0	
BSR	4902L	MAB	4.0	4.0	4.0	4.0	5.5	5.5	5.0	4.0	
BSR	4903L	MAB	4.0	4.9	4.9	4.1	4.0	4.0	5.0	4.1	
BSR	4905L	MAB	4.1	4.1	4.0	4.1	5.0	4.0	4.0	3.0	
BSR	4906L	MAB	4.0	3.9	4.0	3.9	5.0	4.0	5.0	4.1	Small spot in right eye
BSR	4909L	MAB	4.0	3.1	3.1	3.1	5.0	5.0	5.0	4.1	PRB?
BSR	4918L	HWTH	4.0	3.1	3.1	3.1	5.0	4.0	3.9	4.1	PRB
BSR	4920L	HWTH	4.0								Cull-feet
BSR	4921L	HWTH	5.0	5.0	5.0	5.1	5.0	4.0	5.0	4.0	
BSR	4922L	HWTH	4.1	4.1	4.1	4.1	6.0	5.0	4.0	3.9	
BSR	4923L	HWTH	3.9	4.0	4.0	3.9	5.0	5.0	4.0	4.0	
BSR	4924L	HWTH	4.1	4.0	4.0	4.1	5.5	5.0	3.1	4.0	
BSR	4925L	HWTH	4.9	4.1	4.0	4.1	5.0	5.0	5.0	3.1	
BSR	4926L	HWTH	4.1	4.1	4.1	4.0	5.0	4.5	3.1	4.0	
BSR	4927L	HWTH	5.0	5.0	4.9	5.0	5.0	5.0	4.1	4.1	
BSR	4935L	XTRA	4.1	4.1	4.0	4.1	5.0	5.0	4.0	5.0	
BSR	4937L	XTRA									CULL-PRB
BSR	4938L	XTRA	5.0	4.1	4.1	4.9	5.0	4.5	5.0	3.9	
BSR	4948L	HERM	3.9	3.1	3.9	3.0	6.0	5.0	5.0	3.1	
BSR	4949L	HERM	4.1	4.1	4.1	4.1	5.5	4.5	5.0	3.1	
BSR	4951L	HERM	3.9	3.9	3.1	3.1	6.0	5.0	5.0	3.9	PRB
BSR	4953L	HERM	4.1	4.1	4.0	4.1	5.0	4.0	4.9	4.0	
BSR	4958L	HERM	4.0	4.1	4.1	4.0	5.5	5.0	4.9	3.9	
BSR	4961L	HERM	4.0	3.9	3.9	3.1	5.5	5.0	4.9	4.1	limp right rear-recheck
<b>105</b>											