

BS 24 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1251L	10.62	1.43	0.52	3.15	155%	0.16	27	10	BJ	4.9
1252L	6.78	0.97	0.57	3.39	166%	0.25	27	10	RMC	5.2
1253L	7.07	1.15	0.51	2.20	108%	0.09	25	10	MAD	4.0
1254L	9.3	1.28	0.59	3.49	172%	0.14	26	10	RMC	4.9
1255L	6.85	1.11	0.50	3.40	167%	0.16	26	10	OR	4.9
1256L	10.01	1.46	0.69	2.99	147%	0.09	26	10	RMC	4.0
1257L	11.16	1.46	0.66	2.20	108%	0.12	25	10	BJ	4.1
1258L	8.11	1.20	0.47	2.62	128%	0.19	25	10	MAD	5.0
1259L	8.72	1.48	0.69	3.40	167%	0.10	25	10	OR	4.1
1800L	9.34	1.31	0.44	3.32	163%	0.13	25	10	XFIR	4.1
1806L	9.6	1.21	0.63	2.23	110%	0.06	25	10	ECLR	3.9
1807L	10.71	1.39	0.67	2.80	137%	0.19	25	10	HUSK	5.0
1808L	10.87	1.57	0.63	2.65	130%	0.17	25	10	HUSK	4.9
1809L	7.33	1.17	0.63	2.85	140%	0.09	27	10	HUSK	4.0
1810L	8.62	1.39	0.56	3.39	166%	0.13	26	10	HUSK	4.1
1814L	8.95	1.28	0.62	2.91	143%	0.07	25	10	HUSK	4.0
1819L	9.6	1.29	0.64	2.59	127%	0.10	26	10	HUSK	4.1
1820L	9.01	1.32	0.58	2.32	114%	0.09	27	10	HUSK	4.0
1825L	9.83	1.20	0.59	0.53	26%	0.05	26	10	ASSN	3.9
1826L	9.23	1.23	0.72	3.45	170%	0.17	26	10	MOCA	4.9
1827L	9.24	1.46	0.65	2.00	98%	0.04	25	10	BUD	3.1
1828L	9.18	1.36	0.47	1.86	91%	0.10	25	10	CZAR	4.1
1829L	8.64	1.32	0.61	2.33	114%	0.12	25	10	CZAR	4.1
1830L	9.17	1.28	0.53	0.82	40%	0.07	27	10	CZAR	4.0
1831L	9.85	1.39	0.65	2.04	100%	0.08	26	10	CZAR	4.0
1832L	8.94	1.35	0.64	0.50	25%	0.18	27	10	CZAR	4.9
1833L	9.5	1.25	0.63	2.09	103%	0.09	27	10	CZAR	4.0
1834L	9	1.28	0.61	0.77	38%	0.06	27	10	CZAR	3.9
1835L	9.46	1.44	0.54	0.88	43%	0.15	26	10	CZAR	4.9
1836L	9.33	1.24	0.59	0.73	36%	0.13	27	10	BUD	4.1
1837L	11.44	1.63	0.52	2.83	139%	0.12	25	10	CZAR	4.1
1838L	9.29	1.28	0.57	3.21	157%	0.08	25	10	CZAR	4.0
1839L	10.33	1.42	0.54	1.76	86%	0.10	26	10	CZAR	4.1
1840L	8.48	1.15	0.61	2.42	119%	0.10	27	10	CZAR	4.1
1844L	8.97	1.25	0.54	1.28	63%	0.07	27	10	BUD	4.0
1848L	9.19	1.32	0.59	0.27	13%	0.07	26	10	BUD	4.0
1852L	9.85	1.34	0.54	1.15	56%	0.13	27	10	BLUE	4.1
1853L	9.16	1.18	0.49	2.09	102%	0.09	27	10	BLUE	4.0
1854L	7.99	1.16	0.54	2.47	121%	0.10	26	10	BLUE	4.1
1855L	8.9	1.37	0.65	0.24	12%	0.07	27	10	BLUE	4.0
1857L	8.07	1.00	0.61	2.33	114%	0.09	28	10	BLUE	4.0
1858L	8.81	1.16	0.63	1.82	89%	0.10	27	10	BLUE	4.1
1860L	10.5	1.42	0.65	3.71	182%	0.18	27	10	MTRK	4.9
1862L	8.21	1.23	0.64	3.30	162%	0.06	27	10	MTRK	3.9
1867L	9.79	1.33	0.68	2.97	146%	0.06	25	10	ELV	3.9
1873L	10.13	1.51	0.64	1.53	75%	0.04	26	10	WACK	3.1
1874L	8.97	1.46	0.59	1.55	76%	0.07	27	10	WACK	4.0
1876L	7.9	1.02	0.52	0.32	16%	0.09	27	10	WACK	4.0
1878L	8.04	1.29	0.62	0.91	45%	0.09	26	10	WACK	4.0
1879L	8.7	1.29	0.66	3.03	148%	0.09	26	10	WACK	4.0
1881L	9.16	1.42	0.47	0.83	41%	0.07	27	10	WACK	4.0
1882L	9.74	1.45	0.61	2.51	123%	0.08	25	10	WACK	4.0
1883L	8.09	1.20	0.68	3.01	148%	0.09	28	10	WACK	4.0
1890L	9.02	1.41	0.66	1.33	65%	0.08	26	10	UNFR	4.0
1891L	10.01	1.44	0.65	1.89	93%	0.09	26	10	UNFR	4.0
1892L	9.36	1.51	0.67	1.25	61%	0.06	27	10	FLNR	3.9

BS 24 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1893L	7.85	1.14	0.65	1.81	89%	0.13	27	10	RWND	4.1
1896L	7.28	1.02	0.65	2.07	102%	0.06	26	10	RWND	3.9
1897L	8.94	1.30	0.56	2.24	110%	0.13	26	10	BMGC	4.1
1900L	9.36	1.20	0.47	2.45	120%	0.25	27	10	SLHM	5.2
1902L	9.75	1.18	0.74	0.76	37%	0.08	26	10	DASH	4.0
1903L	10.48	1.33	0.62	0.38	19%	0.15	26	10	DASH	4.9
1904L	10.98	1.41	0.44	3.16	155%	0.17	26	10	DASH	4.9
1905L	8.9	1.29	0.48	1.86	91%	0.10	26	10	DASH	4.1
1906L	8.57	1.19	0.55	2.57	126%	0.18	27	10	DASH	4.9
1907L	9.56	1.23	0.55	1.19	58%	0.07	26	10	DASH	4.0
1908L	7.79	1.09	0.42	3.13	154%	0.09	24	10	SLHM	4.0
1910L	11.26	1.45	0.61	2.59	127%	0.11	26	10	DASH	4.1
1911L	8.65	1.31	0.65	0.37	18%	0.09	27	10	SLHM	4.0
1912L	8.53	1.21	0.53	3.82	187%	0.24	26	10	DASH	5.1
1913L	9.92	1.39	0.59	2.98	146%	0.10	26	10	DASH	4.1
1914L	7.3	1.14	0.59	1.37	67%	0.07	25	10	SLHM	4.0
1917L	8.48	1.18	0.48	3.90	192%	0.19	26	10	DASH	5.0
1918L	9.24	1.21	0.65	0.82	40%	0.05	27	10	DASH	3.9
1919L	10.15	1.41	0.63	2.55	125%	0.16	25	10	DASH	4.9
1920L	8.97	1.24	0.59	1.01	50%	0.06	26	10	DASH	3.9
1925L	7.1	0.99	0.61	2.49	122%	0.18	26	10	DASH	4.9
1936L	9.1	1.46	0.65	0.17	9%	0.13	26	10	BIG\$	4.1
1939L	7.02	1.01	0.50	2.55	125%	0.16	27	10	PNTM	4.9
1940L	8.85	1.42	0.52	0.87	43%	0.13	27	10	BMGC	4.1
1942L	10.48	1.52	0.55	0.66	32%	0.09	27	10	PNTM	4.0
1945L	9.87	1.57	0.53	0.85	42%	0.11	27	10	PNTM	4.1
1946L	7.04	1.02	0.55	2.16	106%	0.08	26	10	UNFR	4.0
1949L	8.05	1.13	0.60	0.92	45%	0.09	26	10	PNTM	4.0
1970L	9.5	1.32	0.54	1.08	53%	0.11	27	10	BUD	4.1
2067L	8.56	1.22	0.46	3.08	151%	0.10	26	10	UNFR	4.1
2901L	9.98	1.21	0.62	2.69	106%	0.24	28	10	HICO	5.1
2902L	9.43	1.20	0.63	0.70	28%	0.04	26	10	HICO	3.1
2903L	9.53	1.13	0.61	2.80	111%	0.19	27	10	HICO	5.0
2905L	9.43	1.13	0.55	1.07	42%	0.07	28	10	NHWK	4.0
2906L	8.77	1.04	0.68	2.75	109%	0.17	26	10	HICO	4.9
2907L	11.13	1.32	0.53	3.04	120%	0.23	27	10	HICO	5.1
2908L	8.4	1.01	0.54	0.98	39%	0.11	27	10	NHWK	4.1
2909L	11.21	1.52	0.72	3.21	127%	0.13	26	10	NHWK	4.1
2910L	12.31	1.53	0.59	2.11	83%	0.19	25	10	COCO	5.0
2911L	8.45	1.06	0.78	1.66	66%	0.06	26	10	NHWK	3.9
2912L	11	1.37	0.49	3.20	127%	0.16	26	10	NHWK	4.9
2913L	9.8	1.31	0.76	3.45	136%	0.22	27	10	RHN	5.1
2914L	9.48	1.28	0.83	1.91	76%	0.07	26	10	RHN	4.0
2915L	10.48	1.38	0.65	1.56	62%	0.13	27	10	RHN	4.1
2916L	10.44	1.16	0.64	3.00	119%	0.07	26	10	HICO	4.0
2917L	9.32	1.15	0.63	2.52	100%	0.09	28	10	NHWK	4.0
2918L	10.87	1.90	0.58	0.66	26%	0.07	27	10	HICO	4.0
2919L	8.71	1.15	0.48	3.80	150%	0.20	25	10	RHN	5.0
2920L	9.2	1.32	0.57	0.97	38%	0.04	27	10	COCO	3.1
2921L	10.37	1.16	0.66	2.21	87%	0.06	28	10	NHWK	3.9
2923L	10.53	1.28	0.75	2.33	92%	0.08	27	10	HICO	4.0
2924L	9.54	1.35	0.64	1.84	73%	0.08	27	10	NHWK	4.0
2925L	7.78	0.98	0.61	2.95	117%	0.18	26	10	HICO	4.9
2926L	8.1	1.25	0.49	1.57	62%	0.08	26	10	NHWK	4.0
2928L	9.29	1.07	0.64	1.77	70%	0.07	28	10	COCO	4.0
2929L	8.21	1.16	0.59	1.92	76%	0.07	27	10	HICO	4.0

BS 24 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2931L	9.21	1.20	0.57	1.06	42%	0.06	27	10	COCO	3.9
2933L	8.98	1.07	0.70	1.93	76%	0.17	28	10	HICO	4.9
2934L	7.31	0.93	0.68	1.60	63%	0.21	28	10	HICO	5.0
2936L	8.92	1.10	0.45	2.89	114%	0.20	26	10	HICO	5.0
2937L	8.64	1.22	0.50	2.46	97%	0.10	25	10	NHWK	4.1
2938L	8.51	1.10	0.65	3.32	131%	0.07	25	10	NHWK	4.0
2939L	10.72	1.27	0.57	3.16	125%	0.08	26	10	NHWK	4.0
2940L	10.76	1.30	0.63	2.30	91%	0.05	25	10	RHN	3.9
2943L	9.35	1.28	0.61	1.03	41%	0.05	27	10	NHWK	3.9
2946L	7.57	1.11	0.43	1.32	52%	0.06	25	10	HICO	3.9
2948L	9.46	1.23	0.65	2.25	89%	0.09	26	10	NHWK	4.0
3501L	10.81	1.43	0.51	3.71	147%	0.19	25	10	FRON	5.0
3502L	7.85	1.15	0.41	3.51	139%	0.12	25	10	WL	4.1
3503L	9.82	1.25	0.54	3.03	120%	0.10	26	10	WL	4.1
3504L	9.16	1.26	0.54	3.03	120%	0.11	28	10	WL	4.1
3506L	8.38	1.16	0.50	2.52	100%	0.15	27	10	BBON	4.9
3507L	7.6	1.13	0.47	3.88	154%	0.16	27	10	WL	4.9
3508L	8.85	1.17	0.64	2.99	118%	0.09	25	10	WL	4.0
3509L	12.24	1.56	0.49	4.60	182%	0.24	26	10	BBON	5.1
3510L	6.26	0.81	0.62	3.69	146%	0.21	26	10	BBON	5.0
3511L	8.52	1.15	0.55	1.23	49%	0.08	26	10	WL	4.0
3512L	8.66	1.18	0.44	3.60	142%	0.11	28	10	WL	4.1
3515L	10.28	1.50	0.39	3.81	151%	0.14	24	10	WL	4.9
3516L	6.38	1.02	0.37	3.26	129%	0.12	25	10	BBON	4.1
3517L	7.79	1.23	0.55	2.92	116%	0.10	27	10	BBON	4.1
3518L	8.89	1.13	0.64	1.91	75%	0.18	26	10	FRON	4.9
3519L	8.35	1.08	0.65	3.26	129%	0.04	26	10	BBON	3.1
3520L	9.48	1.31	0.67	3.75	148%	0.17	26	10	BBON	4.9
3521L	9.43	1.27	0.59	3.95	156%	0.23	26	10	BBON	5.1
3522L	9.65	1.44	0.52	3.46	137%	0.09	26	10	FRON	4.0
3524L	11.87	1.46	0.44	3.59	142%	0.16	26	10	PRBL	4.9
3525L	7.48	1.16	0.48	4.07	161%	0.14	26	10	BBON	4.9
3526L	6.68	0.96	0.49	3.99	158%	0.10	26	10	BBON	4.1
3529L	6.27	0.98	0.42	1.79	71%	0.07	24	10	BBON	4.0
3530L	8.12	1.08	0.45	3.35	133%	0.09	25	10	BBON	4.0
3531L	9.48	1.29	0.46	3.18	126%	0.11	27	10	WL	4.1
3532L	11.81	1.78	0.47	3.45	136%	0.14	26	10	BBON	4.9
3533L	7.66	1.20	0.70	0.90	36%	0.09	27	10	BBON	4.0
3534L	6.16	0.98	0.51	3.75	149%	0.21	26	10	BBON	5.0
3536L	8.25	1.15	0.61	0.79	31%	0.04	27	10	PRBL	3.1
3537L	8.13	1.21	0.56	3.39	134%	0.11	26	10	WL	4.1
3538L	7.35	1.07	0.73	1.13	45%	0.05	27	10	WL	3.9
4400L	8.93	1.25	0.49	3.49	172%	0.15	26	10	EVIAN	4.9
4401L	9.23	1.36	0.51	3.14	154%	0.08	26	10	EVIAN	4.0
4402L	9.52	1.36	0.63	0.96	47%	0.06	26	10	EVIAN	3.9
4407L	7.53	1.12	0.56	0.87	42%	0.08	26	10	EVIAN	4.0
4681L	11.59	1.55	0.43	3.34	132%	0.14	27	10	MAB	4.9
4683L	10.34	1.45	0.62	2.38	94%	0.09	26	10	HWTH	4.0
4684L	7.3	0.96	0.78	2.87	114%	0.13	25	10	HWTH	4.1
4685L	8.48	1.17	0.61	2.25	89%	0.07	27	10	XTRA	4.0
4900L	8.84	1.14	0.52	1.84	73%	0.10	26	10	MAB	4.1
4901L	12.54	1.62	0.48	4.03	160%	0.19	26	10	MAB	5.0
4902L	9.64	1.27	0.55	2.35	93%	0.09	25	10	MAB	4.0
4903L	10.73	1.33	0.50	3.19	126%	0.17	26	10	MAB	4.9
4905L	9.19	1.13	0.61	3.48	138%	0.09	27	10	MAB	4.0
4906L	8.79	1.05	0.72	2.15	85%	0.07	27	10	MAB	4.0

BS 24 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
4909L	10.99	1.61	0.57	3.27	129%	0.08	27	10	MAB	4.0
4918L	9.36	1.41	0.67	1.28	51%	0.07	26	10	HWTH	4.0
4921L	8.37	1.13	0.67	2.27	90%	0.08	25	10	HWTH	4.0
4922L	8.44	1.24	0.70	2.16	86%	0.11	26	10	HWTH	4.1
4923L	8.54	1.20	0.53	3.08	122%	0.11	28	10	HWTH	4.1
4924L	10.16	1.46	0.67	0.83	33%	0.07	26	10	HWTH	4.0
4925L	10.26	1.41	0.50	2.79	111%	0.11	27	10	HWTH	4.1
4926L	9.73	1.36	0.69	0.79	31%	0.09	27	10	HWTH	4.0
4927L	9.79	1.36	0.57	0.67	26%	0.12	27	10	HWTH	4.1
4935L	9.69	1.38	0.63	2.50	99%	0.09	26	10	XTRA	4.0
4938L	10.42	1.39	0.52	3.08	122%	0.10	26	10	XTRA	4.1
4948L	9.34	1.38	0.60	3.57	141%	0.20	26	10	HERM	5.0
4949L	8.7	1.23	0.59	0.69	27%	0.06	26	10	HERM	3.9
4951L	8.86	1.52	0.39	1.55	61%	0.11	27	10	HERM	4.1
4953L	8.94	1.20	0.51	3.04	121%	0.08	28	10	HERM	4.0
4958L	9.75	1.30	0.63	2.79	111%	0.21	26	10	HERM	5.0
4961L	10.91	1.51	0.60	2.07	82%	0.17	28	10	HERM	4.9
5402L	9.08	1.31	0.62	1.39	68%	0.08	28	10	GALL	4.0
5408L	9.75	1.15	0.47	4.02	197%	0.16	25	10	1042	4.9
5419L	8.64	1.11	0.59	0.77	38%	0.09	26	10	FRDM	4.0
5431L	9.88	1.33	0.65	2.57	126%	0.10	26	10	FRDM	4.1
5434L	8.4	1.16	0.47	3.19	157%	0.10	24	10	GALL	4.1
5442L	9.26	1.15	0.70	1.04	51%	0.06	27	10	FRDM	3.9
5448L	11.07	1.61	0.55	2.15	105%	0.08	26	10	FRDM	4.0
5449L	8.59	1.17	0.67	2.78	136%	0.10	26	10	GALL	4.1
5451L	7.36	1.07	0.63	2.18	107%	0.09	27	10	JSFD	4.0
5472L	8.15	1.21	0.49	2.44	120%	0.11	26	10	FRDM	4.1
7200L	8.3	1.10	0.56	1.41	69%	0.09	28	10	GRMO	4.0
7479L	8.19	1.17	0.62	2.02	99%	0.10	27	10	FRDM	4.1
7801L	8.64	1.34	0.74	1.06	52%	0.07	27	10	PNTM	4.0
7810L	9.02	1.22	0.58	3.11	153%	0.15	25	10	MOCA	4.9