

CP	BULL	SIRE	MASC	THICK	MUS	RATE	HAIR	FLIES	ANGLE	TOES	DP	DISP	COMMENTS
B-A	2300L	EQR	4.0	4.9	4.9	4.1	4.9	4.1	5.0	5.5	5.0	4.0	No tail switch
B-A	2301L	HAPP	4.9	4.9	4.9	4.9	5.0	4.0	5.0	6.0	4.1	5.0	Recheck feet
B-A	2302L	HAPP	4.0	5.1	4.1	4.1	4.1	3.1	5.0	6.0	3.9	4.1	
B-A	2303L	HAPP	4.0	4.1	4.1	4.0	3.0	4.1	5.0	5.5	4.0	3.9	
B-A	2304L	HAPP	3.0	4.0	3.1	3.0	4.1	4.9	5.0	5.5	4.0	5.0	Recheck neck
B-A	2305L	HAPP	4.9	5.1	4.1	4.9	5.1	4.0	5.0	5.5	5.0	5.1	
B-A	2306L	HAPP	4.1	4.1	4.0	4.1	4.1	4.0	5.5	6.0	5.0	4.0	
B-A	2307L	HAPP											Cull-feet
B-A	2308L	HAPP	4.0	5.1	4.9	4.9	4.1	4.0	5.0	4.0	5.0	3.9	Abcess tooth
B-A	2309L	HNBL											Cull- quality
B-A	2310L	HAPP	4.0	4.9	4.1	4.1	3.1	4.0	5.5	5.5	3.0	5.0	
B-A	2312L	HAPP	4.1	4.9	4.1	4.1	4.0	3.9	5.0	5.5	5.0	4.9	
B-A	2313L	HAPP	4.0	4.1	4.1	4.0	4.1	4.0	5.5	5.5	5.0	4.1	Recheck back
B-A	2314L	HAPP	3.1	4.0	3.9	3.9	4.1	3.1	5.5	5.5	4.0	3.9	
B-A	2315L	HNBL	4.0	4.1	4.0	4.1	3.1	3.9	5.0	5.5	4.9	4.0	
B-A	2316L	HNBL	3.9	4.0	4.0	4.0	4.1	4.1	5.5	5.5	3.0	4.1	
B-A	2318L	HAPP	4.1	5.0	4.1	4.1	4.0	4.0	5.0	5.0	4.1	5.0	
B-A	2319L	HAPP	5.1	5.0	5.0	5.1	5.0	4.1	5.0	5.5	4.0	5.0	
B-A	2320L	HAPP	4.9	4.9	4.1	4.9	4.1	3.9	5.0	4.0	4.0	3.1	
B-A	2321L	HAPP	5.0	5.0	4.9	4.9	3.1	4.1	5.0	5.5	5.0	3.9	Recheck back
B-A	2324L	HAPP	4.0	4.0	4.1	4.0	4.9	4.9	5.0	6.0	5.0	4.9	
B-A	2325L	HNBL	3.9	4.0	4.0	4.0	3.9	4.0	5.0	6.0	4.0	3.9	
OAR	2602L	HNBL	4.1	4.1	4.9	4.1	4.0	3.1	5.0	5.5	5.0	5.0	Recheck hump
OAR	2603L	HAPP	3.1	4.1	3.9	3.9	3.9	2.0	5.5	6.0	5.0	5.0	Recheck temp
OAR	2604L	GNMO	4.1	4.1	4.1	4.1	4.1	4.9	5.0	5.0	5.0	3.9	
OAR	2606L	GNMO	4.0	4.1	4.1	4.0	4.0	3.9	5.0	5.0	5.0	4.1	
OAR	2607L	GNMO	3.0	4.1	3.1	3.1	4.1	4.1	5.0	5.5	4.9	4.0	

CP	BULL	SIRE	MASC	THICK	MUS	RATE	HAIR	FLIES	ANGLE	TOES	DP	DISP	COMMENTS
OAR	2609L	GNMO	4.0	4.0	3.9	4.0	4.0	4.0	5.0	5.0	4.0	4.0	
OAR	2611L	GNMO	3.0	4.0	3.1	3.1	4.0	4.9	5.0	5.0	4.0	3.1	
OAR	2613L	INF	4.0	4.1	4.0	4.0	3.9	3.0	5.0	6.0	3.0	4.1	
OAR	2614L	F250	3.1	3.9	3.1	3.1	4.0	3.9	5.0	5.0	5.0	4.0	
OAR	2615L	F250	3.1										Cull-feet
OAR	2616L	HAPP	3.9	4.0	4.0	4.0	3.9	3.9	5.0	4.0	4.9	3.1	
OAR	2617L	GNMO	3.1	4.0	3.0	3.1	4.0	3.9	5.5	5.5	5.0	3.9	No tail switch
OAR	2619L	GNMO											Cull-humpback
OAR	2620L	GNMO	4.0	4.1	4.0	4.0	4.0		5.0	5.0	4.9	4.1	
OAR	2623L	F250	3.1	4.0	3.9	3.1	4.0	4.0	5.0	6.0	4.9	3.9	
OAR	2629L	F250	4.0	4.1	4.0	4.0	4.1	3.1	5.0	4.0	4.1	4.9	
OAR	2631L	GNMO											Cull- legs/No tail switch
OAR	2636L	F250	3.1	4.1	4.1	3.9	4.1	4.0	5.0	6.0	5.0	3.1	
OAR	2645L	F250	4.0	4.0	4.0	4.0	4.1	4.0	5.5	6.0	4.0	3.9	
OAR	2646L	INF											Cull-dispo
42													

CP	BULL	SIRE	MASC	THICK	MUS	RATE	HAIR	FLIES	ANGLE	TOES	DP	DISP	COMMENTS
N-K	2502L	GUMD	5.0	4.1	4.1	4.9	4.9	4.9	5.0	5.0	4.0	4.0	
N-K	2504L	NKEC	4.1	4.9	4.9	4.9	4.0	5.0	5.0	5.0	5.0	5.0	
N-K	2507L	GUMD	5.0	5.1	5.0	5.1	4.1	4.0	5.0	5.0	4.1	4.9	
83R	3601L	HPT	5.1	4.9	5.0	5.1	3.9	3.9	5.0	5.5	5.0	5.1	Spot in left eye
83R	3602L	HPT	3.1	4.0	4.0	3.9	3.1	3.1	5.0	5.0	3.0	4.9	
83R	3604L	HPT	3.9	4.0	3.9	4.0	4.0	4.0	5.0	5.0	3.0	4.0	
83R	3605L	GNRL	4.0	3.9	4.0	4.0	3.9	3.0	5.0	5.0	4.0	5.0	Recheck temp
83R	3606L	GNRL	4.0	4.1	4.1	4.1	4.1	3.1	5.0	5.0	4.0	5.0	
83R	3609L	HPT	4.0	4.1	4.9	4.9	3.9	3.1	5.0	5.5	3.0	5.1	
83R	3610L	HPT	4.9	4.1	4.1	4.1	4.0	3.9	5.0	5.0	4.0	4.9	
83R	3611L	HPT	3.9	4.9	4.1	4.0	4.0	4.0	5.0	5.0	4.9	4.1	
83R	3612L	FLSH	4.9	4.1	4.1	4.1	4.9	4.9	5.0	4.0	5.0	5.0	
83R	3615L	HPT											cull; quality
83R	3619L	HPT	3.9	4.1	4.0	3.9	4.1	4.9	5.0	5.0	5.0	5.0	
83R	3620L	HPT	4.0	4.1	4.1	4.1	4.0	4.0	5.0	5.5	5.0	4.1	
83R	3625L	HPT	3.9	3.9	3.9	3.1	4.0	4.9	5.0	5.5	3.9	3.1	
83R	3631L	HB	4.1	4.0	4.0	4.1	4.1	4.1	5.5	5.0	4.0	4.1	
83R	3633L	HPT	3.9	4.0	3.9	3.9	4.1	4.1	5.5	5.5	4.9	3.9	
83R	3634L	HPT	4.0	4.0	4.0	4.0	3.9	3.1	5.5	5.5	4.0	3.9	Slightly cloudy right eye
83R	3636L	HB	4.0	5.0	5.0	4.1	4.9	3.9	5.5	5.5	4.9	5.0	
83R	3637L	FLSH	4.1	5.0	5.0	5.0	3.9	4.0	5.0	5.0	4.9	4.1	
83R	3638L	FLSH	4.0	4.0	4.0	4.0	3.9	3.0	5.0	5.5	4.9	5.0	
83R	3640L	FLSH	4.0	4.0	3.9	4.0	4.0	4.9	5.0	5.0	4.1	4.1	
83R	3642L	GNRL	4.0	5.0	4.9	4.9	3.9	3.9	4.5	4.0	5.0	5.0	
P-L	7906L	DAY	5.0	4.1	4.1	4.9	5.0	5.1	5.5	5.5	4.9	3.9	Orangeish
P-L	7907L	DAY	4.1	4.1	4.0	4.0	3.9	4.0	5.5	5.0	5.0	5.0	
P-L	7909L	DAY	4.9	4.1	4.0	4.1	4.1	4.1	5.5	5.0	4.0	4.0	

CP	BULL	SIRE	MASC	THICK	MUS	RATE	HAIR	FLIES	ANGLE	TOES	DP	DISP	COMMENTS
N-K	4300L	NKEC	4.9	4.1	5.0	4.9	4.1	2.0	5.0	5.0	4.0	5.0	
N-K	4301L	TSTN	4.1	4.1	4.0	4.0	4.1	4.9	5.0	6.0	4.9	5.0	
N-K	4302L	TSTN	3.1	4.0	3.9	3.1	4.1	3.9	5.0	6.0	4.9	4.9	
DCR	5004L	FARM	5.1	5.0	5.1	5.1	5.0	5.0	5.0	5.5	5.0	5.0	
DCR	5005L	FRTE	4.1	4.9	5.0	4.1	3.9	4.1	6.0	6.0	5.0	4.0	slightly cloudy left eye
DCR	5006L	FRTE	5.0	5.0	5.0	4.9	4.1	4.0	5.0	5.0	5.0	5.0	
DCR	5007L	HWTH	4.0	4.9	5.0	4.1	4.0	4.1	5.0	5.0	3.0	3.9	
DCR	5008L	FRTE	4.0	4.9	4.0	4.0	4.0	4.0	5.5	5.5	3.0	4.9	
DCR	5009L	HWTH	4.9	5.0	4.1	4.9	4.0	4.0	5.5	6.0	3.0	3.9	
DCR	5011L	FRTE	4.1	4.9	4.9	4.9	3.9	3.1	5.0	5.0	5.0	5.0	
DCR	5012L	FRTE	4.0	4.0	4.0	4.1	3.9	3.1	5.0	6.0	4.0	4.0	
DCR	5017L	HWTH	3.9	4.0	4.0	3.9	3.1	3.1			5.0	3.9	Cull-limp
DCR	5021L	FRTE											cull; bad foot
DCR	5023L	FARM	4.9	4.9	4.0	4.1	4.0	3.9	5.5	6.0	5.0	4.1	
DCR	5024L	FRTE	3.9	5.0	5.0	4.1	3.9	3.9	5.0	5.5	5.0	4.0	
DCR	5027L	DECR	4.1	4.1	4.9	5.0	3.1	3.1	5.0	5.0	3.9	4.9	
DCR	5035L	FRTE	4.0	4.0	4.1	4.0	2.9	4.0	6.0	6.0	5.0	3.1	
DCR	5039L	DECR	4.1	4.1	4.0	4.1	3.1	3.1	5.5	6.0	3.9	4.9	
DCR	5047L	FRTE	4.0	4.1	4.0	4.0	4.1	3.9	5.0	6.0	5.0	4.9	
DCR	5060L	FRTE	4.0	4.1	4.1	4.1	4.1	4.1	5.5	5.5	3.0	3.9	
DCR	5061L	FARM	4.1	4.0	4.0	4.0	3.1	4.1	5.0	5.0	4.1	4.0	
DCR	5063L	DECR	4.1	4.9	4.1	4.1	4.0	4.0	5.0	5.0	3.9	5.0	
DCR	5068L	DECR											Cull; quality
DCR	5083L	FARM	4.0	4.1	4.1	4.1	4.0	4.1	5.0	5.5	4.0	4.1	
DCR	5085L	DECR	4.9	4.1	4.0	4.1	4.0	4.1	5.0	5.0	4.1	5.0	
B-A	5501L	FEST	4.1	3.9	4.0	4.1	3.1	3.1	5.0	6.0	4.0	5.0	
B-A	5502L	FEST	4.9	4.9	5.1	4.9	4.0	3.0	5.0	6.0	5.0	5.0	

CP	BULL	SIRE	MASC	THICK	MUS	RATE	HAIR	FLIES	ANGLE	TOES	DP	DISP	COMMENTS
B-A	5504L	HWMN	4.9	5.0	4.9	5.0	3.9	4.1	5.0	5.5	5.0	5.0	
B-A	5505L	HWMN	4.0	4.0	4.0	4.0	4.0	3.1	5.0	5.5	4.1	5.0	
B-A	5507L	HWMN											cull; crooked foot
B-A	5508L	HEIN	5.0	5.0	4.9	4.9	5.1	4.0	5.0	5.5	5.0	4.0	
B-A	5509L	HWMN	4.0	4.0	3.9	3.9	4.9	3.1	5.0	5.5	3.0	4.9	
B-A	5510L	HEIN	4.9	5.0	5.0	5.0	4.1	3.9	5.0	5.5	5.0	4.1	
B-A	5514L	HWMN	3.1	4.0	3.9	3.1	3.9	4.0	5.0	5.5	4.0	4.0	
B-A	5516L	RIP	4.1	4.9	4.9	4.1	4.0	3.1	5.0	6.0	4.0	3.9	
B-A	5517L	HEIN	4.9	4.9	4.1	4.1	3.9	3.1	5.0	5.0	4.9	4.9	
B-A	5518L	RIP	3.9	4.0	4.0	3.9	4.0	4.0	5.0	5.5	4.1	5.0	
B-A	5520L	HEIN	5.0	5.0	4.9	4.9	4.0	4.1	5.0	6.0	4.9	5.0	
B-A	5521L	HEIN	4.1	5.0	4.9	4.9	4.0	2.1	5.5	5.5	4.0	4.0	
B-A	5522L	HEIN	4.1	4.1	4.0	4.0	3.1	3.0	5.0	5.5	4.0	4.0	
B-A	5524L	HEIN	4.0	4.9	4.1	4.0	4.1	3.1	5.5	5.0	3.0	4.0	
B-A	5525L	RIP	4.1	5.0	4.9	4.1	4.1	3.0	5.0	6.0	4.0	3.9	
B-A	5527L	HEIN	4.0	4.1	4.1	4.0	3.9	3.0	5.0	5.0	3.9	3.9	
B-A	5528L	RIP	4.1	4.0	3.9	4.0	3.9	3.1	5.0	6.0	3.0	4.9	Recheck rt rear foot
B-A	5529L	HEIN	3.9	4.1	4.1	4.0	4.0	3.9	5.5	5.0	5.0	4.1	No tail switch
B-A	5536L	RIP	3.9	4.1	3.9	3.9	3.1	2.9	5.5	6.0	5.0	3.9	
B-A	5542L	HWMN	3.9	4.0	3.1	3.9	3.1	3.1	5.0	6.0	3.1	4.0	
P-L	5710L	DRBL	4.0	4.1	4.0	4.0	3.9	3.0	5.0	5.0	5.0	4.9	
P-L	5715L	DRBL	5.0	5.0	4.1	4.1	4.0	3.1	5.0	5.0	3.0	4.1	
P-L	5719L	DRGO	4.1	4.9	4.1	4.1	3.1	4.9	5.0	5.0	5.0	3.0	
P-L	5723L	DRGO	4.0	4.1	3.9	4.0	3.1	3.1	5.0	5.5	5.0	3.9	
P-L	5725L	DRGO	3.9	4.0	3.1	3.1	3.1	3.9	5.0	5.5	5.0	4.9	Recheck back
P-L	5733L	DRGO	3.0	3.1									Cull-dispo
53													