

BS 25 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1272M	9.47	1.36	0.58	3.55	172%	0.08	25	10	RMC	4.0
1273M	9.39	1.36	0.50	2.24	109%	0.09	28	10	MAD	4.0
1275M	8.31	1.04	0.59	2.42	117%	0.14	26	10	RMC	4.1
1276M	9.16	1.41	0.63	3.18	154%	0.08	25	10	BJ	4.0
1279M	11.05	1.47	0.62	1.83	89%	0.07	27	10	EMAN	4.0
1284M	7.74	1.07	0.58	2.50	121%	0.15	27	10	RMC	4.1
1285M	10.31	1.25	0.70	1.77	86%	0.16	25	10	LRY	4.9
1800M	9.28	1.23	0.51	2.51	122%	0.10	25	10	RMC	4.1
1801M	7.56	1.08	0.52	1.73	84%	0.14	26	10	RBL	4.1
1803M	11.14	1.51	0.67	1.60	78%	0.05	26	10	JC	3.9
1804M	10.03	1.27	0.58	2.78	135%	0.15	27	10	RMC	4.1
1806M	6.7	1.04	0.50	2.22	108%	0.10	26	10	RBL	4.1
1808M	10.28	1.31	0.51	3.46	168%	0.21	26	10	JC	5.0
1810M	6.85	0.99	0.47	3.17	154%	0.20	26	10	RMC	4.9
1812M	9	1.14	0.57	0.57	28%	0.15	27	10	RMC	4.1
1813M	10.12	1.39	0.49	3.17	154%	0.15	27	10	RBL	4.1
1816M	6.65	0.92	0.48	3.01	146%	0.18	25	10	RBL	4.9
1817M	9.08	1.20	0.54	2.45	119%	0.16	27	10	RBL	4.9
1818M	9.4	1.44	0.54	2.49	121%	0.10	28	10	RMC	4.1
1819M	8.72	1.20	0.54	1.58	76%	0.12	27	10	RMC	4.1
1820M	7.84	1.12	0.59	2.53	122%	0.09	26	10	RMC	4.0
1821M	9.46	1.37	0.51	1.23	60%	0.15	27	10	HI 5	4.1
1822M	8.62	0.99	0.59	0.78	38%	0.05	27	10	MS-AN	3.9
1823M	9.9	1.15	0.58	2.56	124%	0.18	26	10	SBET	4.9
1824M	8.04	1.13	0.57	2.23	108%	0.08	27	10	GIZ	4.0
1825M	9.16	1.14	0.54	1.19	58%	0.07	27	10	MS-AN	4.0
1826M	9.59	1.23	0.71	2.41	117%	0.15	29	10	HI 5	4.1
1828M	10.06	1.34	0.64	1.36	66%	0.09	27	10	BIG\$	4.0
1829M	10.18	1.45	0.54	2.13	103%	0.07	26	10	SLHM	4.0
1830M	7.81	0.98	0.45	2.25	109%	0.07	26	10	BLKI	4.0
1831M	9.11	1.22	0.53	2.79	136%	0.20	28	10	FLNR	4.9
1832M	10.24	1.36	0.55	2.21	107%	0.07	27	10	FLNR	4.0
1833M	8.91	1.28	0.51	0.87	42%	0.06	27	10	BLKI	3.9
1834M	9.03	1.29	0.58	1.37	67%	0.04	27	10	HBLU	3.1
1835M	10.14	1.34	1.01	1.19	58%	0.16	28	10	FLNR	4.9
1836M	10.78	1.23	0.48	3.16	153%	0.17	26	10	HBLU	4.9
1837M	8.78	1.22	0.57	2.55	124%	0.16	25	10	SLHM	4.9
1838M	9.28	1.21	0.63	0.51	25%	0.11	27	10	BIG\$	4.1
1839M	8.95	1.26	0.66	2.13	103%	0.09	27	10	JNGL	4.0
1840M	9.41	1.44	0.56	2.39	116%	0.07	28	10	BIG\$	4.0
1841M	9.07	1.26	0.54	1.88	91%	0.04	25	10	BLKI	3.1
1843M	11.45	1.32	0.56	2.04	99%	0.18	27	10	FLNR	4.9
1844M	10.13	1.48	0.48	2.47	120%	0.14	29	10	FLNR	4.1
1845M	8.37	1.25	0.58	1.78	87%	0.15	26	10	BLKI	4.1
1846M	10.42	1.41	0.52	2.05	100%	0.10	27	10	FLNR	4.1
1847M	9.19	1.43	0.54	0.53	26%	0.10	27	10	SLHM	4.1
1849M	8.03	1.14	0.41	2.70	131%	0.13	25	10	JSTC	4.1
1850M	9.76	1.32	0.49	3.33	161%	0.14	26	10	CZAR	4.1
1851M	7.37	1.15	0.54	3.91	189%	0.09	25	10	SLHM	4.0
1852M	9.5	1.25	0.60	2.33	113%	0.20	27	10	FLNR	4.9
1853M	8.76	1.24	0.95	0.82	40%	0.12	27	10	SLHM	4.1
1854M	7.02	0.90	0.44	3.55	172%	0.20	25	10	FLNR	4.9
1855M	10.09	1.34	0.56	2.39	116%	0.07	28	10	BUD	4.0
1856M	9.28	1.44	0.53	1.54	75%	0.07	26	10	FLNR	4.0
1857M	8.67	1.19	0.58	3.36	163%	0.21	25	10	HBLU	5.0
1859M	9.22	1.25	0.59	3.69	179%	0.26	25	10	INDM	5.1

BS 25 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1860M	11.36	<b>1.72</b>	<b>0.62</b>	<b>1.97</b>	<b>96%</b>	0.05	<b>26</b>	<b>10</b>	BUD	3.9
1861M	6.88	1.05	<b>0.61</b>	<b>2.47</b>	<b>120%</b>	<b>0.11</b>	<b>25</b>	<b>10</b>	FLNR	4.1
1863M	9.24	<b>1.42</b>	<b>0.63</b>	<b>2.08</b>	<b>101%</b>	<b>0.09</b>	<b>27</b>	<b>10</b>	BLKI	4.0
1864M	9.66	<b>1.28</b>	<b>0.51</b>	<b>2.49</b>	<b>121%</b>	<b>0.14</b>	<b>27</b>	<b>10</b>	BLKI	4.1
1867M	9.42	<b>1.43</b>	<b>0.70</b>	<b>1.09</b>	53%	<b>0.09</b>	28	<b>10</b>	BIG\$	4.0
1868M	9.29	<b>1.23</b>	<b>0.61</b>	<b>0.72</b>	35%	<b>0.17</b>	<b>27</b>	<b>10</b>	SLHM	4.9
1869M	12.49	<b>1.64</b>	<b>0.70</b>	<b>2.01</b>	<b>97%</b>	<b>0.18</b>	<b>26</b>	<b>10</b>	FLNR	4.9
1870M	7.18	<b>1.16</b>	<b>0.59</b>	<b>3.18</b>	<b>154%</b>	<b>0.08</b>	<b>25</b>	<b>10</b>	SLHM	4.0
1871M	8.68	<b>1.34</b>	<b>0.61</b>	<b>1.52</b>	74%	<b>0.13</b>	<b>27</b>	<b>10</b>	BUD	4.1
1872M	7.81	<b>1.11</b>	<b>0.57</b>	<b>3.67</b>	<b>178%</b>	<b>0.08</b>	<b>25</b>	<b>10</b>	FLNR	4.0
1874M	9.93	<b>1.42</b>	<b>0.58</b>	<b>1.23</b>	60%	0.04	<b>27</b>	<b>10</b>	BLKI	3.1
1875M	9.39	<b>1.38</b>	<b>0.64</b>	<b>1.02</b>	49%	<b>0.12</b>	<b>27</b>	<b>10</b>	BUD	4.1
1877M	8.8	<b>1.10</b>	<b>0.55</b>	<b>1.67</b>	81%	<b>0.21</b>	28	<b>10</b>	FLNR	5.0
1878M	9.19	<b>1.14</b>	<b>0.56</b>	<b>3.18</b>	<b>154%</b>	<b>0.21</b>	<b>26</b>	<b>10</b>	BUD	5.0
1879M	9.41	<b>1.32</b>	<b>0.48</b>	<b>2.51</b>	<b>122%</b>	<b>0.08</b>	<b>26</b>	<b>10</b>	BLKI	4.0
1880M	9.46	<b>1.34</b>	<b>0.60</b>	<b>1.62</b>	79%	0.06	<b>26</b>	<b>10</b>	BMGC	3.9
1881M	9.81	<b>1.38</b>	<b>0.55</b>	0.35	17%	<b>0.07</b>	<b>27</b>	<b>10</b>	BMGC	4.0
1882M	7.79	<b>1.12</b>	<b>0.54</b>	<b>1.85</b>	<b>90%</b>	<b>0.12</b>	29	<b>10</b>	BUD	4.1
1886M	8.36	<b>1.20</b>	<b>0.47</b>	<b>2.91</b>	<b>141%</b>	<b>0.13</b>	<b>26</b>	<b>10</b>	FLNR	4.1
1887M	9.77	<b>1.26</b>	<b>0.57</b>	<b>1.47</b>	71%	<b>0.09</b>	<b>27</b>	<b>10</b>	FLNR	4.0
1889M	9.66	<b>1.31</b>	<b>0.59</b>	<b>1.39</b>	68%	<b>0.07</b>	<b>26</b>	<b>10</b>	HBLU	4.0
1890M	10.49	<b>1.46</b>	<b>0.58</b>	<b>1.82</b>	88%	0.06	<b>27</b>	<b>10</b>	XFIR	3.9
1891M	8.31	<b>1.16</b>	<b>0.50</b>	<b>2.76</b>	<b>134%</b>	<b>0.11</b>	<b>27</b>	<b>10</b>	BIG\$	4.1
1895M	9.93	<b>1.44</b>	<b>0.59</b>	<b>0.56</b>	27%	<b>0.09</b>	<b>27</b>	<b>10</b>	XFIR	4.0
1896M	9.62	<b>1.23</b>	<b>0.51</b>	<b>1.91</b>	<b>93%</b>	<b>0.16</b>	<b>26</b>	<b>10</b>	FLNR	4.9
1897M	11.61	<b>1.80</b>	<b>0.67</b>	<b>1.67</b>	81%	<b>0.18</b>	<b>27</b>	<b>10</b>	HBLU	4.9
1899M	9.75	<b>1.30</b>	<b>0.55</b>	<b>0.67</b>	32%	<b>0.13</b>	<b>27</b>	<b>10</b>	BLKI	4.1
1901M	9.41	<b>1.41</b>	<b>0.65</b>	<b>0.50</b>	24%	0.05	28	<b>10</b>	BMGC	3.9
1902M	8.38	<b>1.13</b>	<b>0.52</b>	<b>1.88</b>	<b>91%</b>	0.05	<b>27</b>	<b>10</b>	FLNR	3.9
1903M	10.08	<b>1.41</b>	<b>0.52</b>	<b>2.29</b>	<b>111%</b>	<b>0.22</b>	<b>27</b>	<b>10</b>	FLNR	5.0
1904M	9.79	<b>1.28</b>	<b>0.50</b>	<b>1.54</b>	74%	0.06	<b>27</b>	<b>10</b>	BLKI	3.9
1906M	8.91	<b>1.33</b>	<b>0.66</b>	<b>1.56</b>	76%	<b>0.10</b>	<b>26</b>	<b>10</b>	FLNR	4.1
1909M	8.14	<b>1.25</b>	<b>0.56</b>	<b>2.73</b>	<b>132%</b>	<b>0.10</b>	<b>25</b>	<b>10</b>	GL	4.1
1910M	7.7	<b>1.22</b>	<b>0.47</b>	<b>2.25</b>	109%	<b>0.14</b>	<b>26</b>	<b>10</b>	SLHM	4.1
1911M	9.63	<b>1.16</b>	<b>0.58</b>	<b>2.57</b>	<b>125%</b>	<b>0.16</b>	28	<b>10</b>	BIG\$	4.9
1912M	8.94	<b>1.30</b>	<b>0.57</b>	<b>2.89</b>	<b>140%</b>	<b>0.09</b>	28	<b>10</b>	BIG\$	4.0
1914M	10.13	<b>1.34</b>	<b>0.47</b>	<b>3.04</b>	<b>147%</b>	<b>0.17</b>	<b>26</b>	<b>10</b>	BUD	4.9
1915M	9.07	<b>1.28</b>	<b>0.61</b>	<b>2.14</b>	<b>104%</b>	0.06	28	<b>10</b>	XFIR	3.9
1919M	8.89	<b>1.17</b>	<b>0.51</b>	<b>2.01</b>	<b>97%</b>	<b>0.16</b>	<b>26</b>	<b>10</b>	XFIR	4.9
1925M	8.09	<b>1.12</b>	<b>0.57</b>	<b>1.81</b>	88%	<b>0.09</b>	<b>27</b>	<b>10</b>	UNFR	4.0
1933M	9.24	<b>1.27</b>	<b>0.52</b>	<b>2.72</b>	<b>132%</b>	<b>0.07</b>	<b>25</b>	<b>10</b>	XFIR	4.0
1945M	8.24	<b>1.16</b>	<b>0.47</b>	<b>2.49</b>	<b>121%</b>	<b>0.15</b>	<b>26</b>	<b>10</b>	BUD	4.1
1946M	8.31	<b>1.17</b>	<b>0.54</b>	<b>2.67</b>	<b>129%</b>	<b>0.11</b>	<b>26</b>	<b>10</b>	UNFR	4.1
1950M	9.96	<b>1.26</b>	<b>0.53</b>	<b>2.43</b>	118%	0.06	<b>26</b>	<b>10</b>	BUD	3.9
1955M	9.18	<b>1.30</b>	<b>0.52</b>	<b>2.36</b>	<b>114%</b>	<b>0.15</b>	<b>27</b>	<b>10</b>	HBLU	4.1
1966M	7.5	1.07	<b>0.51</b>	<b>3.55</b>	<b>172%</b>	<b>0.15</b>	<b>27</b>	<b>10</b>	BUD	4.1
1968M	8.7	<b>1.31</b>	<b>0.52</b>	<b>2.61</b>	<b>127%</b>	<b>0.07</b>	<b>26</b>	<b>10</b>	XFIR	4.0
1969M	7.68	<b>1.14</b>	<b>0.48</b>	<b>1.45</b>	70%	<b>0.07</b>	<b>26</b>	<b>10</b>	XFIR	4.0
1971M	9.43	<b>1.38</b>	<b>0.51</b>	<b>1.99</b>	<b>96%</b>	<b>0.14</b>	<b>26</b>	<b>10</b>	UNFR	4.1
1978M	9.29	<b>1.21</b>	<b>0.62</b>	<b>3.19</b>	<b>155%</b>	<b>0.17</b>	<b>26</b>	<b>10</b>	BIG\$	4.9
1980M	12.78	<b>1.66</b>	<b>0.60</b>	<b>0.79</b>	38%	<b>0.09</b>	<b>27</b>	<b>10</b>	BUD	4.0
1983M	9.39	<b>1.33</b>	<b>0.46</b>	<b>2.80</b>	<b>136%</b>	<b>0.20</b>	28	<b>10</b>	BUD	4.9
1986M	7.54	0.98	<b>0.51</b>	<b>3.59</b>	<b>174%</b>	<b>0.19</b>	<b>25</b>	<b>10</b>	BUD	4.9
2901M	9.01	<b>1.25</b>	<b>0.63</b>	<b>0.58</b>	28%	<b>0.11</b>	<b>27</b>	<b>10</b>	COCO	4.1
2902M	9.21	<b>1.22</b>	<b>0.55</b>	<b>1.33</b>	64%	<b>0.09</b>	28	<b>10</b>	HICO	4.0
2903M	10.89	<b>1.52</b>	<b>0.58</b>	<b>1.52</b>	74%	<b>0.08</b>	<b>27</b>	<b>10</b>	RHN	4.0

BS 25 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2904M	11.49	<b>1.51</b>	<b>0.55</b>	<b>0.80</b>	39%	<b>0.13</b>	28	<b>10</b>	RIP	4.1
2905M	9.42	<b>1.17</b>	<b>0.58</b>	<b>0.94</b>	45%	<b>0.14</b>	28	<b>10</b>	RHN	4.1
2907M	8.9	1.07	<b>0.64</b>	<b>2.39</b>	<b>116%</b>	<b>0.18</b>	<b>27</b>	<b>10</b>	RIP	4.9
2908M	8.54	1.03	<b>0.56</b>	<b>1.68</b>	81%	<b>0.14</b>	<b>26</b>	<b>10</b>	RIP	4.1
2909M	10.55	<b>1.42</b>	<b>0.48</b>	<b>1.14</b>	55%	0.05	<b>26</b>	<b>10</b>	HICO	3.9
2910M	11.63	<b>1.52</b>	<b>0.59</b>	<b>0.73</b>	35%	0.05	28	<b>10</b>	COCO	3.9
2911M	9.93	<b>1.25</b>	<b>0.59</b>	0.53	26%	0.05	<b>27</b>	<b>10</b>	RIP	3.9
2912M	11.32	<b>1.46</b>	<b>0.53</b>	<b>3.01</b>	<b>146%</b>	<b>0.21</b>	29	<b>10</b>	RIP	5.0
2913M	8.71	<b>1.15</b>	<b>0.61</b>	<b>2.52</b>	<b>122%</b>	<b>0.21</b>	<b>26</b>	<b>10</b>	RIP	5.0
2914M	10.15	<b>1.19</b>	<b>0.50</b>	<b>1.82</b>	88%	<b>0.15</b>	<b>27</b>	<b>10</b>	RIP	4.1
2915M	11.05	<b>1.46</b>	<b>0.62</b>	<b>1.19</b>	58%	0.06	28	<b>10</b>	COCO	3.9
2916M	12.94	<b>1.61</b>	<b>0.68</b>	<b>3.21</b>	<b>156%</b>	<b>0.16</b>	<b>25</b>	<b>10</b>	NHWK	4.9
2917M	8.04	1.08	<b>0.75</b>	<b>2.21</b>	<b>107%</b>	<b>0.20</b>	<b>27</b>	<b>10</b>	RIP	4.9
2918M	8.76	<b>1.15</b>	<b>0.66</b>	<b>2.12</b>	<b>103%</b>	<b>0.16</b>	<b>26</b>	<b>10</b>	NHWK	4.9
2920M	8.47	1.00	<b>0.59</b>	<b>0.86</b>	42%	<b>0.07</b>	<b>27</b>	<b>10</b>	RHN	4.0
2921M	11.29	<b>1.40</b>	<b>0.56</b>	<b>1.34</b>	65%	<b>0.07</b>	<b>27</b>	<b>10</b>	COCO	4.0
2923M	10.97	<b>1.34</b>	<b>0.59</b>	0.73	35%	<b>0.11</b>	28	<b>10</b>	RHN	4.1
2924M	12.7	<b>1.52</b>	<b>0.63</b>	<b>1.70</b>	82%	<b>0.20</b>	28	<b>10</b>	COCO	4.9
2925M	8.35	<b>1.22</b>	<b>0.56</b>	<b>1.26</b>	61%	<b>0.11</b>	<b>27</b>	<b>10</b>	COCO	4.1
2926M	9.07	<b>1.27</b>	<b>0.70</b>	<b>0.69</b>	33%	0.06	<b>27</b>	<b>10</b>	RIP	3.9
2927M	8.05	<b>1.11</b>	<b>0.56</b>	<b>1.83</b>	89%	<b>0.20</b>	<b>26</b>	<b>10</b>	RIP	4.9
2928M	12.63	<b>1.82</b>	<b>0.48</b>	<b>2.24</b>	<b>109%</b>	<b>0.10</b>	<b>25</b>	<b>10</b>	COCO	4.1
2929M	9.49	<b>1.17</b>	<b>0.60</b>	<b>1.47</b>	71%	<b>0.09</b>	<b>27</b>	<b>10</b>	COCO	4.0
2930M	12.02	<b>1.50</b>	<b>0.53</b>	<b>3.02</b>	<b>146%</b>	<b>0.15</b>	28	<b>10</b>	RIP	4.1
2931M	9.64	1.07	<b>0.69</b>	<b>2.34</b>	<b>113%</b>	<b>0.17</b>	<b>26</b>	<b>10</b>	NHWK	4.9
2932M	10.42	<b>1.40</b>	<b>0.61</b>	<b>1.45</b>	70%	<b>0.16</b>	<b>27</b>	<b>10</b>	RHN	4.9
2934M	9.06	<b>1.12</b>	<b>0.62</b>	<b>3.59</b>	<b>174%</b>	<b>0.19</b>	<b>26</b>	<b>10</b>	NHWK	4.9
2935M	7.78	<b>1.17</b>	<b>0.46</b>	2.43	118%	<b>0.13</b>	<b>27</b>	<b>10</b>	RHN	4.1
2936M	10.9	<b>1.44</b>	<b>0.59</b>	<b>2.44</b>	<b>118%</b>	0.05	28	<b>10</b>	RHN	3.9
2937M	10.01	<b>1.36</b>	<b>0.57</b>	<b>0.65</b>	32%	<b>0.09</b>	28	<b>10</b>	RHN	4.0
2938M	10.56	<b>1.49</b>	<b>0.54</b>	<b>1.77</b>	86%	<b>0.08</b>	<b>27</b>	<b>10</b>	COCO	4.0
2939M	8.3	<b>1.16</b>	<b>0.65</b>	<b>2.92</b>	<b>141%</b>	<b>0.20</b>	<b>25</b>	<b>10</b>	RIP	4.9
2940M	9.33	<b>1.45</b>	<b>0.59</b>	<b>2.36</b>	<b>115%</b>	<b>0.09</b>	<b>25</b>	<b>10</b>	COCO	4.0
2941M	9.71	<b>1.42</b>	<b>0.55</b>	<b>0.95</b>	46%	<b>0.15</b>	<b>27</b>	<b>10</b>	RHN	4.1
2942M	10.92	<b>1.52</b>	<b>0.58</b>	<b>2.89</b>	<b>140%</b>	0.04	28	<b>10</b>	NHWK	3.1
2950M	9.51	<b>1.33</b>	<b>0.54</b>	<b>1.18</b>	57%	<b>0.13</b>	<b>27</b>	<b>10</b>	NHWK	4.1
3470M	6.94	1.04	<b>0.58</b>	<b>1.30</b>	63%	<b>0.13</b>	<b>27</b>	<b>10</b>	SMSC	4.1
3501M	9.16	<b>1.22</b>	<b>0.46</b>	<b>3.85</b>	<b>187%</b>	<b>0.21</b>	<b>25</b>	<b>10</b>	PS	5.0
3503M	9.65	<b>1.22</b>	<b>0.58</b>	<b>1.39</b>	67%	<b>0.20</b>	<b>26</b>	<b>10</b>	PS	4.9
3505M	9.93	<b>1.27</b>	<b>0.55</b>	<b>2.21</b>	<b>107%</b>	<b>0.07</b>	<b>27</b>	<b>10</b>	PRBL	4.0
3507M	10.49	<b>1.23</b>	<b>0.47</b>	<b>0.57</b>	28%	<b>0.26</b>	<b>27</b>	<b>10</b>	FONZ	5.1
3508M	10.93	<b>1.49</b>	<b>0.70</b>	<b>2.63</b>	<b>128%</b>	<b>0.12</b>	<b>26</b>	<b>10</b>	PS	4.1
3509M	9.52	<b>1.17</b>	<b>0.58</b>	<b>0.84</b>	41%	<b>0.15</b>	28	<b>10</b>	PRBL	4.1
3510M	8.27	0.98	<b>0.77</b>	<b>2.94</b>	<b>142%</b>	<b>0.22</b>	28	<b>10</b>	PRBL	5.0
3511M	9.86	<b>1.26</b>	<b>0.59</b>	<b>3.44</b>	<b>167%</b>	<b>0.16</b>	28	<b>10</b>	PRBL	4.9
3513M	9.34	<b>1.16</b>	<b>0.55</b>	<b>3.50</b>	<b>170%</b>	<b>0.20</b>	28	<b>10</b>	PS	4.9
3515M	10.86	<b>1.30</b>	<b>0.76</b>	<b>3.37</b>	<b>163%</b>	<b>0.09</b>	<b>26</b>	<b>10</b>	PS	4.0
3516M	10.45	<b>1.34</b>	<b>0.60</b>	<b>2.36</b>	<b>114%</b>	<b>0.07</b>	28	<b>10</b>	PRBL	4.0
3517M	8.92	<b>1.25</b>	<b>0.69</b>	<b>0.72</b>	35%	0.06	28	<b>10</b>	PRBL	3.9
3518M	9.5	<b>1.22</b>	<b>0.61</b>	<b>3.67</b>	<b>178%</b>	<b>0.18</b>	<b>25</b>	<b>10</b>	PS	4.9
3519M	10.21	<b>1.25</b>	<b>0.58</b>	2.02	<b>98%</b>	<b>0.10</b>	<b>27</b>	<b>10</b>	FONZ	4.1
3520M	8.79	<b>1.23</b>	<b>0.63</b>	<b>1.24</b>	60%	<b>0.08</b>	<b>27</b>	<b>10</b>	FONZ	4.0
3521M	8.58	0.99	<b>0.56</b>	<b>1.87</b>	<b>91%</b>	<b>0.08</b>	<b>26</b>	<b>10</b>	PRBL	4.0
3522M	11.86	<b>1.36</b>	<b>0.59</b>	<b>4.37</b>	<b>212%</b>	<b>0.28</b>	<b>26</b>	<b>10</b>	PS	5.1
3523M	8.57	1.03	<b>0.49</b>	<b>3.71</b>	<b>180%</b>	<b>0.12</b>	<b>27</b>	<b>10</b>	PS	4.1
3524M	10.54	<b>1.29</b>	<b>0.56</b>	<b>2.58</b>	<b>125%</b>	<b>0.13</b>	<b>26</b>	<b>10</b>	PS	4.1

BS 25 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
3528M	8.9	1.07	0.55	1.53	74%	0.08	27	10	PRBL	4.0
3532M	11.35	1.38	0.60	1.39	67%	0.05	27	10	PRBL	3.9
4400M	8.39	1.03	0.49	3.45	167%	0.15	26	10	EVIAN	4.1
4401M	8.81	1.00	0.59	2.07	100%	0.20	26	10	EVIAN	4.9
4402M	10.45	1.35	0.64	1.20	58%	0.07	25	10	EVIAN	4.0
4405M	9.04	1.28	0.59	1.20	58%	0.08	27	10	JP	4.0
4407M	8.82	1.22	0.53	1.80	87%	0.09	27	10	JP	4.0
4408M	8.6	1.21	0.48	0.25	12%	0.09	27	10	EVIAN	4.0
4681M	7	1.01	0.61	1.90	92%	0.09	26	10	HWTH	4.0
4682M	8.64	1.18	0.55	1.18	57%	0.08	26	10	HWTH	4.0
4683M	11.75	1.55	0.57	0.64	31%	0.17	26	10	HWTH	4.9
4901M	7.69	1.12	0.54	2.64	128%	0.14	26	10	MAB	4.1
4902M	12.2	1.53	0.70	2.47	120%	0.11	28	10	MAB	4.1
4903M	10.61	1.21	0.56	2.92	141%	0.19	29	10	MAB	4.9
4905M	11.73	1.47	0.67	1.87	91%	0.09	25	10	MAB	4.0
4906M	9.97	1.39	0.61	0.87	42%	0.07	28	10	MAB	4.0
4907M	8.39	1.14	0.53	2.78	135%	0.22	28	10	MAB	5.0
4908M	9.33	1.27	0.55	2.75	133%	0.15	25	10	MAB	4.1
4909M	8.08	1.12	0.55	1.08	52%	0.06	27	10	MAB	3.9
4911M	6.5	0.92	0.58	2.95	143%	0.13	26	10	KEMO	4.1
4912M	11.58	1.56	0.61	0.53	26%	0.22	29	10	KEMO	5.0
4920M	11.11	1.58	0.65	2.23	108%	0.10	26	10	HWTH	4.1
4922M	9.72	1.35	0.55	0.77	37%	0.06	27	10	HWTH	3.9
4924M	9.42	1.33	0.74	1.73	84%	0.10	28	10	HWTH	4.1
4925M	8.74	1.34	0.55	1.38	67%	0.09	27	10	HWTH	4.0
4927M	8.96	1.30	0.35	2.15	104%	0.29	25	10	HWTH	5.1
5402M	7.92	1.01	0.67	1.82	88%	0.18	25	10	JULE	4.9
5413M	8.24	1.19	0.43	3.00	145%	0.10	25	10	FRDM	4.1
5416M	9.83	1.34	0.42	2.97	144%	0.15	26	10	JSFD	4.1
5431M	9.8	1.34	0.59	3.34	162%	0.09	26	10	FRDM	4.0
5457M	7.75	1.10	0.58	2.42	117%	0.17	28	10	FRDM	4.9
5473M	9.08	1.19	0.56	2.39	116%	0.16	28	10	FRDM	4.9
5478M	8.32	1.17	0.68	1.97	96%	0.10	27	10	FRDM	4.1
5491M	8.64	1.14	0.58	1.77	86%	0.11	27	10	SMSC	4.1
7410M	8.82	1.20	0.71	2.77	134%	0.16	27	10	FRDM	4.9