

BF25 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1000M	10.42	1.15	0.62	0.52	25%	0.09	26	10	HDEF	4.1
1002M	11.62	1.26	0.50	2.42	116%	0.10	27	10	HDEF	4.9
1003M	9.49	1.05	0.58	2.60	125%	0.09	26	10	HDEF	4.1
1004M	9.69	1.09	0.50	1.80	87%	0.08	28	10	HDEF	4.0
1032M	11.27	1.11	0.42	2.52	121%	0.09	25	10	INF	4.1
1050M	11.14	1.18	0.51	2.06	99%	0.09	27	10	JC	4.1
1051M	9.24	1.01	0.54	1.96	94%	0.11	29	10	JC	5.0
1055M	11.81	1.28	0.47	3.05	146%	0.08	25	10	DRAX	4.0
1060M	11.58	1.32	0.39	2.55	122%	0.10	25	10	BERAL	4.9
1064M	11.84	1.47	0.49	2.90	139%	0.12	26	10	HDEF	5.0
1065M	9.91	1.08	0.54	2.53	121%	0.13	26	10	HDEF	5.1
1066M	10.25	1.11	0.52	1.66	80%	0.08	26	10	HDEF	4.0
1067M	11.32	1.31	0.39	2.12	102%	0.09	28	10	HDEF	4.1
1068M	9.89	1.05	0.53	2.27	109%	0.16	25	10	HDEF	5.1
1069M	11.81	1.31	0.50	2.71	130%	0.09	26	10	GC	4.1
1070M	8.96	1.09	0.43	2.90	139%	0.09	27	10	HDEF	4.1
1071M	10.39	1.05	0.45	1.50	72%	0.10	26	10	HNOB	4.9
1073M	11.53	1.29	0.46	1.27	61%	0.10	28	10	HDEF	4.9
1075M	10.69	1.17	0.39	2.69	129%	0.11	27	10	HNOB	5.0
1077M	9.67	1.12	0.43	2.47	119%	0.06	25	10	HDEF	3.9
1080M	9.63	1.16	0.44	2.39	115%	0.10	26	10	HDEF	4.9
1083M	12.03	1.36	0.37	2.06	99%	0.09	27	10	GC	4.1
1084M	9.8	1.14	0.46	2.68	129%	0.07	26	10	GC	4.0
1085M	9.91	1.14	0.45	2.23	107%	0.08	25	10	GC	4.0
1086M	12.06	1.38	0.46	2.27	109%	0.08	28	10	DRAX	4.0
1401M	8.63	0.93	0.52	1.54	81%	0.09	27	10	DD	4.1
1408M	11.17	1.31	0.42	2.30	122%	0.08	30	10	SDOL	4.0
1410M	10.5	1.36	0.41	1.74	92%	0.09	27	10	SDOL	4.1
1413M	10.98	1.30	0.41	2.78	147%	0.08	26	10	DD	4.0
1418M	11.17	1.36	0.39	1.68	89%	0.08	26	10	DD	4.0
1419M	9.63	1.30	0.50	1.92	101%	0.08	26	10	DD	4.0
1421M	10.61	1.31	0.42	2.07	109%	0.09	26	10	DD	4.1
1422M	10.72	1.25	0.48	3.00	158%	0.09	28	10	SDOL	4.1
1424M	8.47	1.05	0.47	1.73	91%	0.09	27	10	DD	4.1
1425M	9.01	1.15	0.45	1.86	98%	0.07	27	10	DD	4.0
1600M	10.21	1.13	0.45	1.32	70%	0.09	30	10	HPT	4.1
1601M	14.29	1.46	0.48	1.65	87%	0.07	30	10	HPT	4.0
1603M	12.03	1.31	0.42	1.78	94%	0.10	31	10	JC	4.9
1604M	11.37	1.19	0.44	1.55	82%	0.10	27	10	JC	4.9
1607M	12.05	1.31	0.46	0.77	41%	0.07	26	10	STR	4.0
1609M	10.07	1.07	0.38	1.92	101%	0.09	25	10	RBL	4.1
1707M	11.11	1.12	0.46	2.07	109%	0.09	25	10	4X4	4.1
1710M	11.79	1.30	0.43	1.34	71%	0.08	26	10	4X4	4.0
1712M	10.31	1.06	0.43	1.18	62%	0.09	27	10	4X4	4.1
1731M	11.7	1.33	0.41	1.31	69%	0.07	27	10	JAX	4.0
1913M	10.34	1.23	0.32	2.42	118%	0.08	26	10	BLKI	4.0
1916M	9.61	1.14	0.40	2.62	128%	0.11	27	10	INDM	5.0
1917M	11.25	1.21	0.47	2.35	115%	0.08	25	10	BLKI	4.0
1918M	9.84	1.14	0.40	2.86	147%	0.10	27	10	XFIR	4.9
1921M	9.25	1.10	0.42	2.01	98%	0.09	25	10	BMGC	4.1
1922M	11.86	1.29	0.55	1.92	94%	0.09	28	10	GL	4.1
1924M	10.71	1.25	0.43	2.90	142%	0.10	25	10	BINX	4.9
1928M	10.29	1.03	0.39	2.47	121%	0.12	26	10	BUD	5.0
1929M	10.87	1.11	0.43	1.76	86%	0.10	27	10	OTL	4.9
1932M	10.13	1.00	0.56	2.04	100%	0.09	26	10	DASH	4.1
1934M	9.98	1.10	0.37	2.87	141%	0.08	29	10	SLHM	4.0
1935M	10.26	1.19	0.43	1.47	72%	0.08	27	10	BUD	4.0

BF25 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
1938M	10.06	1.16	0.46	1.94	95%	0.08	25	10	BIG\$	4.0
1940M	11.26	1.23	0.46	2.49	122%	0.08	26	10	HBLU	4.0
1944M	11.51	1.28	0.39	1.28	63%	0.08	28	10	GL	4.0
1954M	12.36	1.26	0.37	2.31	113%	0.09	25	10	BLKI	4.1
1956M	9.86	1.19	0.42	2.23	109%	0.09	27	10	XFIR	4.1
1957M	10.39	1.21	0.37	1.62	79%	0.08	28	10	GL	4.0
1958M	10.86	1.31	0.42	1.37	67%	0.08	26	10	GL	4.0
1960M	11.12	1.23	0.42	1.92	94%	0.09	25	10	JNGL	4.1
1964M	9.21	1.05	0.35	1.76	86%	0.08	25	10	JNGL	4.0
1965M	10.66	1.17	0.48	1.77	86%	0.09	26	10	XFIR	4.1
1967M	9.25	1.08	0.42	2.82	138%	0.09	25	10	BMGC	4.1
1970M	11.04	1.27	0.43	2.56	125%	0.09	28	10	BUD	4.1
1975M	11.24	1.30	0.41	1.22	60%	0.08	27	10	BUD	4.0
1976M	11.51	1.32	0.49	3.00	147%	0.09	26	10	XFIR	4.1
1977M	11.55	1.29	0.50	1.67	82%	0.08	29	10	BMGC	4.0
1979M	7.33	0.89	0.36	1.75	85%	0.07	27	10	JSTC	4.0
1981M	11.38	1.41	0.40	1.60	78%	0.09	27	10	JNGL	4.1
1984M	10.88	1.35	0.39	1.94	100%	0.08	28	10	SLHM	4.0
1990M	12.15	1.44	0.46	2.10	103%	0.08	29	10	GL	4.0
1992M	10.35	1.23	0.32	2.15	105%	0.10	26	10	SLHM	4.9
1995M	11.43	1.22	0.41	1.21	59%	0.08	25	10	PNTM	4.0
1998M	11.48	1.34	0.43	2.02	99%	0.08	28	10	GL	4.0
1999M	10.11	1.13	0.58	1.87	91%	0.08	28	10	BUD	4.0
2004M	12.12	1.55	0.37	1.44	82%	0.07	25	10	JNGL	4.0
2006M	11.19	1.30	0.34	2.01	114%	0.07	25	10	BMGC	4.0
2007M	9	1.04	0.38	2.22	126%	0.08	25	10	SLHM	4.0
2009M	11.3	1.37	0.40	1.68	95%	0.08	27	10	GL	4.0
2010M	11.01	1.22	0.47	1.90	108%	0.10	29	10	XFIR	4.9
2013M	9.44	1.03	0.47	1.67	95%	0.09	26	10	SLHM	4.1
2014M	11.47	1.20	0.42	1.40	80%	0.09	25	10	SLHM	4.1
2015M	10.66	1.39	0.37	1.97	112%	0.10	27	10	MS-AN	4.9
2016M	11.41	1.23	0.38	1.12	64%	0.07	29	10	BUD	4.0
2017M	10.07	1.04	0.40	1.74	99%	0.07	29	10	SLHM	4.0
2021M	10.1	1.14	0.52	0.98	56%	0.07	26	10	SLHM	4.0
2022M	10.3	1.23	0.34	1.61	91%	0.09	27	10	XFIR	4.1
2025M	10.79	1.26	0.37	1.85	105%	0.08	26	10	XFIR	4.0
2028M	12.37	1.32	0.37	2.34	133%	0.09	25	10	HBLU	4.1
2029M	9.89	1.04	0.41	2.46	140%	0.07	25	10	SLHM	4.0
2030M	10.02	1.10	0.48	1.06	60%	0.07	29	10	PNTM	4.0
2037M	12.06	1.40	0.39	1.55	88%	0.09	29	10	GL	4.1
2040M	10.65	1.32	0.36	2.64	150%	0.10	27	10	HUSK	4.9
2042M	10.83	1.27	0.38	1.95	111%	0.10	29	10	HUSK	4.9
2046M	10.56	1.37	0.46	1.43	81%	0.11	26	10	FORT	5.0
2048M	9.97	1.30	0.41	2.41	137%	0.11	24	10	HUSK	5.0
2052M	11.65	1.35	0.37	1.05	59%	0.10	26	10	FORT	4.9
2053M	10.63	1.30	0.39	1.39	79%	0.07	28	10	SLHM	4.0
2055M	11.24	1.35	0.37	1.21	69%	0.11	30	10	FORT	5.0
2058M	10.6	1.37	0.33	2.86	163%	0.08	26	10	HUSK	4.0
2061M	9.56	1.25	0.42	0.80	45%	0.09	26	10	FORT	4.1
2067M	10.28	1.25	0.49	2.17	123%	0.10	30	10	FORT	4.9
2070M	12.71	1.45	0.42	2.14	121%	0.09	26	10	FORT	4.1
2071M	12.06	1.45	0.44	1.99	113%	0.09	26	10	HUSK	4.1
2072M	10.91	1.34	0.41	1.70	97%	0.08	28	10	FORT	4.0
2076M	12.23	1.39	0.39	1.70	97%	0.09	30	10	MS-AN	4.1
2077M	10.65	1.41	0.42	1.87	107%	0.09	26	10	FORT	4.1
3525M	9.75	1.10	0.47	1.88	99%	0.09	26	10	FONZ	4.1
3531M	11.27	1.20	0.47	1.84	97%	0.10	27	10	PRBL	4.9

BF25 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
3533M	11.06	1.23	0.56	2.58	136%	0.09	29	10	PRBL	4.1
3534M	10.97	1.18	0.44	1.59	84%	0.07	30	10	PS	4.0
3535M	9.75	1.06	0.48	2.02	107%	0.07	27	10	PS	4.0
3539M	10.1	1.09	0.43	2.16	114%	0.08	30	10	PS	4.0
3542M	10.42	1.17	0.48	2.53	134%	0.09	28	10	FLX	4.1
3544M	9.78	1.01	0.40	3.32	175%	0.09	26	10	PRBL	4.1
3546M	10.91	1.24	0.40	2.22	117%	0.08	26	10	BBON	4.0
3550M	9.6	1.22	0.43	2.14	113%	0.08	28	10	BBON	4.0
3551M	9.72	1.21	0.44	2.11	112%	0.07	26	10	BBON	4.0
4010M	10.84	1.20	0.39	1.73	83%	0.08	25	10	FRTE	4.0
4011M	12.24	1.30	0.45	1.74	84%	0.08	27	10	FRTE	4.0
4012M	12.49	1.32	0.48	1.47	70%	0.07	25	10	FRTE	4.0
4013M	12	1.19	0.48	2.71	130%	0.11	27	10	FRTE	5.0
4014M	10.74	1.11	0.43	2.21	106%	0.09	27	10	FRTE	4.1
4015M	12.36	1.37	0.40	1.19	57%	0.08	29	10	FRTE	4.0
4016M	10.97	1.10	0.49	0.73	35%	0.07	27	10	FRTE	4.0
4018M	10.48	1.12	0.41	2.42	120%	0.09	26	10	FRTE	4.1
4019M	11.33	1.19	0.30	1.70	82%	0.08	27	10	FRTE	4.0
4020M	10.73	1.35	0.41	2.60	125%	0.11	27	10	FRTE	5.0
4021M	9.91	1.27	0.37	1.07	51%	0.09	27	10	FRTE	4.1
4023M	10.11	1.29	0.32	1.66	80%	0.08	25	10	FRTE	4.0
4026M	11.2	1.18	0.46	1.89	94%	0.09	29	10	XTRA	4.1
4028M	10.62	1.27	0.47	1.27	63%	0.08	27	10	DRGO	4.0
4031M	10.9	1.41	0.41	2.16	107%	0.08	27	10	HIG	4.0
4032M	10.89	1.33	0.44	1.89	94%	0.07	29	10	JBG	4.0
4033M	10.55	1.11	0.35	1.40	72%	0.09	28	10	FRTE	4.1
4034M	12.93	1.37	0.41	2.34	116%	0.11	28	10	FLBK	5.0
4037M	10.07	1.18	0.38	2.40	119%	0.09	27	10	HIG	4.1
4406M	10.94	1.10	0.46	2.83	169%	0.09	28	10	JP	4.1
4409M	10.33	1.08	0.34	1.79	107%	0.08	28	10	JP	4.0
4411M	10.54	1.25	0.41	1.94	116%	0.09	28	10	JP	4.1
4414M	12.36	1.42	0.49	2.30	138%	0.09	25	10	EVIAN	4.1
4684M	8.72	1.00	0.51	1.51	75%	0.07	27	10	HWTH	4.0
4900M	8.95	0.91	0.37	2.56	127%	0.09	27	10	GHRs	4.1
4915M	8.49	0.97	0.46	2.24	111%	0.08	27	10	KEMO	4.0
4918M	8.76	1.12	0.37	2.42	120%	0.09	26	10	KEMO	4.1
4919M	11.27	1.38	0.43	2.15	107%	0.09	28	10	HERM	4.1
4934M	9.68	1.11	0.51	0.93	46%	0.07	28	10	HWTH	4.0
4936M	12.61	1.36	0.41	2.65	132%	0.09	26	10	DRGO	4.1
4938M	10.02	1.30	0.40	2.27	113%	0.11	26	10	DRGO	5.0
4941M	10.97	1.30	0.45	2.58	128%	0.10	25	10	HERM	4.9
4942M	10.45	1.32	0.56	1.52	76%	0.07	27	10	HERM	4.0
5000M	11.79	1.22	0.44	1.54	72%	0.08	27	10	DRGO	4.0
5001M	9.86	0.92	0.47	2.14	100%	0.09	27	10	FERN	4.1
5002M	9.53	1.06	0.33	2.06	96%	0.08	26	10	FUSN	4.0
5009M	9.37	1.05	0.46	2.86	133%	0.11	27	10	FUSN	5.0
5013M	9.43	1.05	0.41	2.53	118%	0.10	26	10	JANG	4.9
5014M	11.23	1.13	0.39	2.05	96%	0.10	27	10	JANG	4.9
5015M	9.21	1.12	0.41	2.46	114%	0.09	27	10	FUSN	4.1
5016M	10.15	1.11	0.39	2.36	110%	0.08	27	10	JANG	4.0
5017M	10.23	1.08	0.39	1.46	68%	0.09	26	10	JANG	4.1
5018M	10.14	1.08	0.34	2.72	126%	0.09	29	10	FERN	4.1
5019M	11.32	1.23	0.41	2.09	97%	0.08	26	10	JANG	4.0
5020M	10.07	1.22	0.41	3.02	141%	0.11	27	10	JANG	5.0
5022M	10.06	1.07	0.39	2.53	118%	0.09	28	10	FUSN	4.1
5025M	10.43	1.08	0.46	1.68	78%	0.08	28	10	FUSN	4.0
5029M	8.46	1.00	0.39	2.06	96%	0.07	26	10	JANG	4.0

BF25 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
5035M	11.44	1.20	0.42	1.54	72%	0.09	26	10	JAML	4.1
5042M	10.74	1.29	0.37	2.62	122%	0.08	28	10	FARM	4.0
5044M	7.95	0.98	0.47	2.50	116%	0.08	25	10	DRGO	4.0
5050M	10.91	1.25	0.42	2.08	97%	0.09	27	10	FARM	4.1
5056M	10.83	1.18	0.39	1.92	89%	0.10	26	10	KDN	4.9
5059M	10.94	1.26	0.41	2.50	116%	0.07	28	10	DRGO	4.0
5061M	9.68	1.08	0.51	2.12	99%	0.10	28	10	DRGO	4.9
5064M	8.72	1.09	0.46	2.09	97%	0.09	26	10	JAML	4.1
5065M	10.35	1.06	0.47	2.26	105%	0.10	27	10	DRGO	4.9
5067M	10.51	1.01	0.53	1.04	48%	0.09	29	10	KDN	4.1
5068M	11.29	1.43	0.43	1.86	96%	0.09	27	10	JAML	4.1
5069M	11.85	1.38	0.41	1.70	79%	0.11	27	10	JAML	5.0
5071M	10.51	1.27	0.38	2.55	119%	0.09	25	10	JAML	4.1
5073M	12.1	1.37	0.37	1.20	56%	0.09	28	10	DRGO	4.1
5074M	10.57	1.14	0.48	2.42	113%	0.09	25	10	FARM	4.1
5084M	9.77	1.08	0.41	2.39	111%	0.04	25	10	FARM	3.9
5086M	10.75	1.10	0.35	2.10	98%	0.07	27	10	FARM	4.0
5105M	11.75	1.23	0.39	1.34	80%	0.06	28	10	HWTH	3.9
5109M	11.18	1.05	0.44	2.36	141%	0.09	27	10	GM	4.1
5111M	9.34	0.99	0.44	1.76	105%	0.09	28	10	HER	4.1
5114M	11.27	1.23	0.55	1.70	102%	0.07	27	10	HER	4.0
5116M	12.02	1.30	0.49	1.50	90%	0.08	25	10	HER	4.0
5120M	9.55	1.14	0.44	1.57	94%	0.08	25	10	HER	4.0
5121M	11.38	1.26	0.45	2.14	128%	0.11	25	10	JW	5.0
5122M	12.11	1.37	0.44	1.77	106%	0.09	27	10	GM	4.1
5125M	9.17	1.13	0.47	1.51	90%	0.08	26	10	JW	4.0
5201M	12.7	1.38	0.55	2.55	127%	0.11	27	10	HER	5.0
5202M	11.36	1.29	0.62	2.89	143%	0.08	28	10	HER	4.0
5203M	12.57	1.45	0.42	1.85	92%	0.08	28	10	HER	4.0
5205M	9.98	1.20	0.45	1.22	61%	0.07	29	10	HOSS	4.0
5429M	13.12	1.36	0.46	1.94	116%	0.09	27	10	FEST	4.1
5434M	10.7	1.16	0.46	1.22	61%	0.08	28	10	FEST	4.0
5450M	8.87	1.01	0.38	1.66	83%	0.09	26	10	FEST	4.1
5455M	10.36	1.18	0.46	2.57	128%	0.08	29	10	FRDM	4.0
5465M	10.28	1.02	0.58	0.85	42%	0.07	27	10	JULE	4.0
5469M	12.79	1.35	0.42	2.84	141%	0.08	25	10	FEST	4.0
5471M	11.91	1.34	0.43	1.66	85%	0.10	29	10	FEST	4.9
5484M	11.6	1.18	0.40	1.49	74%	0.08	27	10	FRDM	4.0
5490M	10.53	1.14	0.42	2.38	118%	0.08	26	10	FEST	4.0
7000M	11.85	1.27	0.53	1.37	82%	0.10	30	10	CALL	4.9
7201M	13.86	1.41	0.49	2.22	133%	0.09	29	10	HOSS	4.1
7202M	10.33	1.13	0.37	2.30	138%	0.10	29	10	HOSS	4.9
7203M	10.93	1.15	0.54	0.84	50%	0.08	30	10	HOSS	4.0
7204M	10.79	1.32	0.39	2.11	127%	0.09	30	10	HOSS	4.1
7230M	9.79	1.07	0.56	1.27	76%	0.09	28	10	BEIJ	4.1
7237M	10.44	1.24	0.39	1.49	89%	0.08	26	10	KK	4.0
7243M	12.65	1.44	0.42	1.12	67%	0.08	28	10	GRMO	4.0
7252M	10.74	1.25	0.40	1.49	89%	0.10	28	10	KK	4.9
7263M	10.04	1.15	0.40	1.67	83%	0.08	27	10	EDWN	4.0
7289M	11.15	1.10	0.44	1.69	101%	0.09	27	10	EDWN	4.1
7605M	10.8	1.02	0.49	1.60	96%	0.09	27	10	JC	4.1
7900M	9.16	1.16	0.34	2.81	168%	0.10	25	10	FLBK	4.9
7901M	11.16	1.27	0.41	1.79	107%	0.11	28	10	FLBK	5.0
7909M	9.25	1.03	0.42	1.44	86%	0.10	29	10	CALL	4.9
7911M	11.96	1.34	0.49	0.96	58%	0.07	29	10	DAY	4.0
7915M	12.11	1.33	0.39	1.26	75%	0.09	30	10	CALL	4.1
7919M	10.64	1.13	0.44	2.09	125%	0.11	28	10	CALL	5.0

BF25 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
9802M	10.66	1.15	0.43	0.92	55%	0.07	26	10	EMPR	4.0
9803M	10.87	1.16	0.47	1.42	85%	0.08	27	10	EMPR	4.0
9804M	11.09	1.17	0.37	0.95	57%	0.09	26	10	EMPR	4.1
9805M	9.71	1.06	0.39	1.24	74%	0.08	29	10	EMPR	4.0
9809M	10.09	0.95	0.43	2.13	128%	0.09	27	10	EMPR	4.1
9810M	10.23	1.14	0.48	1.28	76%	0.09	29	10	EMPR	4.1
9811M	11.36	1.19	0.43	1.23	74%	0.08	29	10	EMPR	4.0