

NF25 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
2500M	9.59	1.03	0.35	3.09	109%	0.09	26	10	NKEC	4.1
2501M	9.4	1.06	0.38	3.30	117%	0.08	26	10	NKEC	4.0
2502M	9.95	1.04	0.41	2.44	86%	0.09	26	10	NKEC	4.1
2503M	10.39	1.16	0.35	2.63	93%	0.11	29	10	NKEC	5.0
2505M	12.89	1.29	0.38	2.73	97%	0.09	28	10	NKEC	4.1
2506M	13.24	1.53	0.43	3.22	114%	0.08	25	10	NKEC	4.0
2508M	11.96	1.46	0.39	2.97	105%	0.08	27	10	NKEC	4.0
2510M	10.03	1.23	0.42	2.72	96%	0.07	26	10	JTST	4.0
2511M	9.81	1.11	0.38	3.25	115%	0.07	29	10	JTST	4.0
2600M	10.36	1.22	0.33	2.87	102%	0.09	27	10	INF	4.1
2602M	12.5	1.27	0.36	2.28	81%	0.08	28	10	INF	4.0
2603M	12.46	1.33	0.45	3.15	112%	0.10	28	10	INF	4.9
2604M	10.41	1.21	0.40	3.35	119%	0.10	26	10	JAYZ	4.9
2606M	11.08	1.29	0.38	2.82	100%	0.09	27	10	JST	4.1
2609M	11.72	1.39	0.41	3.35	119%	0.08	26	10	JAYZ	4.0
2611M	10.09	1.15	0.39	2.34	83%	0.09	26	10	INF	4.1
2612M	9.59	1.05	0.37	2.74	97%	0.10	26	10	GNMO	4.9
2613M	10.51	1.21	0.58	2.28	81%	0.09	27	10	JST	4.1
2614M	11.18	1.23	0.41	2.91	103%	0.10	28	10	GNMO	4.9
2616M	11.55	1.38	0.37	2.88	102%	0.09	25	10	INF	4.1
2620M	12	1.22	0.43	2.56	91%	0.10	27	10	F250	4.9
2622M	12.35	1.38	0.39	1.86	66%	0.08	25	10	INF	4.0
2624M	11.85	1.26	0.41	2.18	77%	0.09	26	10	GNMO	4.1
2625M	10.43	1.14	0.35	3.26	115%	0.09	27	10	JST	4.1
2626M	11.63	1.44	0.38	2.95	104%	0.08	27	10	INF	4.0
2627M	11.9	1.24	0.54	3.36	119%	0.12	28	10	F250	5.0
2628M	10.58	1.31	0.38	2.89	102%	0.09	26	10	INF	4.1
2630M	11.3	1.29	0.45	2.40	85%	0.08	28	10	GNMO	4.0
2631M	10.56	1.15	0.39	2.89	102%	0.09	26	10	GNMO	4.1
2633M	10.67	1.18	0.38	2.89	102%	0.09	27	10	INF	4.1
2635M	11.27	1.14	0.41	2.92	103%	0.09	27	10	JST	4.1
2636M	10.78	1.15	0.39	3.46	123%	0.09	29	10	GNMO	4.1
2645M	12.37	1.53	0.38	1.71	61%	0.08	25	10	GNMO	4.0
2651M	10.82	1.21	0.41	3.17	112%	0.10	28	10	F250	4.9
3602M	11.73	1.37	0.37	2.54	85%	0.11	27	10	HNBL	5.0
3603M	10.75	1.10	0.41	2.67	89%	0.08	27	10	HAPP	4.0
3604M	10.78	1.28	0.41	2.79	93%	0.08	28	10	HNBL	4.0
3605M	11.52	1.20	0.38	2.97	100%	0.08	27	10	HAPP	4.0
3606M	11.46	1.20	0.42	2.67	89%	0.09	26	10	HAPP	4.1
3607M	10.06	1.14	0.41	3.47	116%	0.11	28	10	HAPP	5.0
3608M	12.95	1.32	0.45	3.67	123%	0.10	27	10	HAPP	4.9
3609M	14.28	1.48	0.47	2.91	98%	0.09	28	10	JB	4.1
3610M	11.68	1.33	0.36	3.56	119%	0.12	27	10	HNBL	5.0
3611M	11.19	1.19	0.42	3.55	119%	0.09	27	10	HAPP	4.1
3612M	12.2	1.30	0.35	2.51	84%	0.08	27	10	HAPP	4.0
3614M	13.14	1.46	0.40	2.32	78%	0.08	28	10	JC	4.0
3615M	11.81	1.32	0.40	3.73	125%	0.12	27	10	HNBL	5.0
3616M	9.45	1.01	0.40	2.82	94%	0.09	27	10	HAPP	4.1
3617M	11.89	1.28	0.36	3.49	117%	0.09	26	10	JC	4.1
3618M	11.88	1.18	0.40	3.44	115%	0.11	27	10	JC	5.0
3619M	11.09	1.12	0.39	3.43	115%	0.08	27	10	HAPP	4.0
3620M	11.41	1.25	0.41	2.67	90%	0.12	27	10	HAPP	5.0
3625M	11.86	1.28	0.44	2.44	82%	0.08	26	10	JC	4.0
3628M	11.85	1.17	0.39	3.50	117%	0.09	26	10	JC	4.1
3629M	10.89	1.08	0.38	2.32	78%	0.07	27	10	JC	4.0
3631M	11.02	1.08	0.42	2.99	100%	0.09	26	10	HAPP	4.1
3632M	12	1.36	0.40	3.48	117%	0.11	25	10	JBL	5.0

NF25 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
3633M	11.83	1.21	0.42	2.52	85%	0.09	29	10	HAPP	4.1
3635M	10.96	1.19	0.49	2.32	78%	0.08	29	10	JC	4.0
3638M	11.12	1.06	0.43	3.39	114%	0.09	29	10	JC	4.1
3640M	8.08	0.95	0.41	3.35	112%	0.11	27	10	JC	5.0
3643M	10.22	1.16	0.40	2.70	90%	0.07	27	10	JC	4.0
3644M	11.48	1.22	0.48	3.54	118%	0.08	28	10	JC	4.0
3647M	12.24	1.28	0.46	2.31	77%	0.08	29	10	HAPP	4.0
3649M	9.61	1.00	0.37	2.45	82%	0.08	26	10	JC	4.0
3650M	11.88	1.21	0.41	2.75	92%	0.08	27	10	JC	4.0
3654M	10.57	1.11	0.44	2.86	96%	0.08	27	10	HAPP	4.0
3655M	9.91	1.10	0.42	2.95	99%	0.08	28	10	HB	4.0
3656M	10.88	1.16	0.40	3.20	107%	0.10	27	10	HAPP	4.9
3662M	10.6	1.23	0.36	2.63	88%	0.08	27	10	HB	4.0
3663M	11.11	1.28	0.40	3.27	110%	0.09	26	10	HB	4.1
3666M	10.48	1.25	0.39	2.94	98%	0.09	27	10	HB	4.1
3667M	12.07	1.30	0.36	3.25	109%	0.07	28	10	HB	4.0
3671M	7.79	0.96	0.39	2.98	100%	0.09	27	10	HB	4.1
4300M	11.81	1.29	0.39	3.07	109%	0.08	26	10	NKEC	4.0
5003M	11.29	1.10	0.40	2.83	102%	0.07	28	10	HWTH	4.0
5005M	11.58	1.29	0.39	2.38	86%	0.08	26	10	FUSN	4.0
5006M	12.06	1.31	0.42	2.58	93%	0.08	27	10	FUSN	4.0
5007M	10.93	1.17	0.52	2.18	78%	0.07	26	10	DRGO	4.0
5010M	11.44	1.17	0.50	2.35	85%	0.08	28	10	HWTH	4.0
5021M	13.09	1.25	0.56	2.36	85%	0.08	28	10	HWTH	4.0
5023M	11.97	1.41	0.35	3.05	110%	0.07	28	10	DRGO	4.0
5028M	9.12	0.96	0.43	2.94	106%	0.08	26	10	HWTH	4.0
5032M	11.7	1.24	0.37	3.16	114%	0.12	27	10	DRGO	5.0
5037M	9.91	1.10	0.49	3.16	114%	0.09	28	10	DRGO	4.1
5043M	10.06	1.11	0.38	3.17	114%	0.11	27	10	DRGO	5.0
5049M	11.84	1.28	0.43	3.22	116%	0.09	26	10	DRGO	4.1
5053M	10.69	1.26	0.42	2.68	96%	0.07	25	10	JUJI	4.0
5057M	10.98	1.22	0.48	3.01	108%	0.08	28	10	FUSN	4.0
5060M	10.94	1.20	0.35	2.50	90%	0.08	25	10	JAML	4.0
5078M	11.24	1.28	0.35	2.79	100%	0.09	28	10	JAML	4.1
5079M	12.42	1.36	0.40	2.46	89%	0.08	25	10	JAML	4.0
5080M	12.21	1.34	0.39	3.12	112%	0.08	28	10	FUSN	4.0
5092M	9.79	1.23	0.42	3.09	111%	0.09	26	10	JAML	4.1
5096M	9.7	1.15	0.43	2.67	96%	0.08	26	10	JAML	4.0
5500M	11.15	1.14	0.43	2.87	103%	0.10	27	10	JANG	4.9
5501M	12.17	1.15	0.42	2.52	91%	0.08	26	10	CHINO	4.0
5502M	11.47	1.10	0.36	2.58	93%	0.07	27	10	CHINO	4.0
5503M	12.14	1.15	0.42	2.53	91%	0.10	26	10	CHINO	4.9
5505M	11.18	1.25	0.43	3.34	120%	0.08	28	10	HEIN	4.0
5506M	10.96	1.14	0.39	2.23	80%	0.08	29	10	CHINO	4.0
5508M	11.52	1.29	0.39	2.83	102%	0.08	27	10	JANG	4.0
5509M	10.48	1.16	0.48	2.85	103%	0.07	28	10	HWTH	4.0
5510M	10.36	1.08	0.34	2.36	85%	0.09	26	10	JANG	4.1
5511M	11.01	1.22	0.37	3.19	115%	0.09	28	10	HWTH	4.1
5515M	12.45	1.37	0.43	2.48	89%	0.08	28	10	JANG	4.0
5517M	10.33	1.20	0.50	3.20	115%	0.09	25	10	JANG	4.1
5520M	11.21	1.17	0.35	3.07	110%	0.11	26	10	JANG	5.0
5521M	13.24	1.44	0.41	2.76	99%	0.09	28	10	JANG	4.1
5522M	11.45	1.21	0.39	2.33	84%	0.09	29	10	JANG	4.1
5523M	12.6	1.36	0.37	2.92	105%	0.09	25	10	JANG	4.1
5700M	10.65	1.07	0.38	2.97	107%	0.07	27	10	XTRA	4.0
5707M	10.32	1.26	0.42	2.18	78%	0.06	27	10	KEMO	3.9
5708M	10.72	1.25	0.42	2.86	103%	0.08	27	10	KEMO	4.0

NF25 Ultrasound

ID	REA	REA/CWT	Shape	IMF	IMF Ratio	BF	Tend	Stress	Sire	Flesh
5709M	11.77	1.32	0.38	1.97	71%	0.11	29	10	KEMO	5.0
5710M	12.16	1.35	0.43	3.18	114%	0.09	25	10	KEMO	4.1
5711M	11.47	1.35	0.39	3.81	137%	0.10	25	10	KEMO	4.9
7503M	12.75	1.33	0.43	3.03	108%	0.09	30	10	DAY	4.1
7504M	9.59	1.08	0.34	1.82	65%	0.10	30	10	DAY	4.9
7514M	10.4	1.24	0.39	2.68	96%	0.10	28	10	CALL	4.9
7518M	12.43	1.49	0.42	2.88	103%	0.09	30	10	CALL	4.1
7520M	11.72	1.43	0.39	3.08	110%	0.08	30	10	CALL	4.0
7522M	12.47	1.47	0.44	3.61	129%	0.11	29	10	CALL	5.0
7523M	12.77	1.48	0.46	2.43	87%	0.10	30	10	CALL	4.9
7905M	12.76	1.28	0.40	2.62	94%	0.08	29	10	KEMO	4.0
7906M	10.01	1.13	0.39	3.16	113%	0.10	29	10	KEMO	4.9
7907M	11.13	1.35	0.41	2.16	77%	0.09	28	10	CALL	4.1
7908M	12.56	1.35	0.39	2.96	106%	0.06	30	10	CALL	3.9
7924M	10.73	1.17	0.41	3.15	113%	0.09	28	10	KEMO	4.1
9702M	11.15	1.22	0.45	1.93	72%	0.08	29	10	EMPR	4.0
9705M	10.84	1.25	0.38	2.79	105%	0.08	29	10	EMPR	4.0
9707M	10.13	1.17	0.38	3.06	115%	0.09	30	10	EMPR	4.1
9712M	9.89	1.23	0.41	2.88	108%	0.10	28	10	BLLT	4.9